LEARNER HANDOUT · YOUR CASE · NO MARKS


Stab wound: tamponade, PEA and pericardiocentesis

M 30 y 80 kg · 11:31 simulated

This sheet is yours to keep. It shows what happened and when; it does not mark you. The conversation, not this page, is the debrief.

Your run at a glance

■ team action · ● patient event · □ scenario state



Key moments

n	Time	Who	What happened
1	06:13	● Patient	Deteriorating: systolic below 80
2	07:48	● Patient	Pulse lost (the model) · PEA
3	07:51	■ Team	CPR, ventilated with FiO_2 1.0
4	09:21	■ Team	CPR: pericardium drained, catheter left in
5	10:55	● Patient	Circulation returned (the model)
6	10:57	■ Team	Return of circulation: ventilated, catheter in the pericardium
7	11:27	■ Team	Post-ROSC: 500 mL crystalloid running

Questions to think about

1. What did you notice first on the monitor, and when?

2. Take one key moment: what were you thinking then, and what did you do?

3. One thing you will keep doing, and one thing you will do differently.

Take-home points

1. Tachycardia, a narrow pulse pressure and a raised CVP after a chest wound: think of tamponade.
2. Drainage is the treatment: plan it before the pressure falls.
3. In PEA from tamponade, CPR alone cannot bring the pulse back; drainage during CPR can.

Next time, run the case again from its start and compare your key moments.