Debrief

Run by

Showcase 2, 22 October

Scenario	Stab wound: tamponade, PEA and pericardiocentesis
Patient	M 30 y 80 kg
Started	10/18/2026, 10:19:26 AM
Duration	11:31 simulated · 3 min 47 s on the clock

Objectives


1. **– Not assessable** Name the tamponade within 180 s of arrival from the monitor: tachycardia, narrow pulse pressure, CVP above 15 mmHg (instructor-assessed)
   This objective has no rule: the instructor judges it. The instructor ticked it at 01:03.
2. ✓ **Met** Start CPR within 10 s of the pulse loss
   CPR 3 s after the pulse loss (07:48 → 07:51; within 10 s asked).
3. ✓ **Met** Pericardiocentesis within 120 s of starting CPR
   The state "CPR: pericardium drained, catheter left in" 1 min 30 s after CPR (07:51 → 09:21; within 2 min 00 s asked).
4. ✓ **Met** Stop CPR (“Pulse back”) within 30 s of the pulse returning on the arterial line and the capnogram
   The state "Return of circulation: ventilated, catheter in the pericardium" 2 s after the return of circulation (10:55 → 10:57; within 30 s asked).
5. ✕ **Not met** Better: pericardiocentesis before the pulse loss, while the systolic pressure is above 60 mmHg — then no PEA follows
   The pulse loss at 07:48

Measured facts


Lowest SpO_2	95 % at 00:28
Lowest ART M / NIBP M	20 mmHg at 07:51
Highest $EtCO_2$	36 mmHg at 00:09
Highest T1 / T2	36.8 °C at 00:01
Pulseless	3 min 07 s in all; first lost at 07:48
Return of circulation	3 min 07 s after the pulse loss (10:55)
Labs (the model): last (lowest–highest)	K^+ 4.2 mmol/L (4.2–4.2) · Lactate 2.2 mmol/L (1.0–2.2) · pH 7.28 (7.28–7.41) · Glucose 5.8 mmol/L (5.6–5.8) · Tcore 36.8 °C (36.8–36.8)

Trends


HR bpm




ART M / NIBP M mmHg




SpO_2 %




$EtCO_2$ mmHg



awRR / RR /min





Drugs and fluids

Time	Given
11:27	Crystalloid 500 mL over 5 min

Timeline

Time	Kind	Event
00:00	Scenario	Scenario loaded: Stab wound: tamponade, PEA and pericardiocentesis
00:00	Scenario	Scenario state: Arrival: tachycardic, narrow pulse pressure, raised CVP
00:00	Scenario	Breathing spontaneously
00:00	Scenario	Cardiac tamponade: severe
00:02	Action	All alarms on
00:03	Action	Speed ×8
00:06	Bookmark	Bookmark: Bookmark 1 at 00:06
00:22	Alarm	CVP high
01:03	Note	Objective met: Name the tamponade within 180 s of arrival from the monitor: tachycardia, narrow pulse pressure, CVP above 15 mmHg (instructor-assessed)
05:59	Alarm	SpO_2: low perfusion
06:06	Alarm	ART S low
06:13	Scenario	Scenario state: Deteriorating: systolic below 80
07:03	Alarm	ART M low
07:03	Action	Speed ×1
07:10	Alarm	HR high
07:17	Alarm	ART D low
07:21	Alarm	$EtCO_2$ low
07:31	Alarm	ART: no pulsatile pressure
07:45	Alarm	HR low
07:48	Patient	Pulse lost (the model)
07:49	Scenario	Scenario state: PEA: organised rhythm, no pulse; the pericardium holds about 370 mL
07:49	Scenario	Cardiac tamponade: severe
07:51	Scenario	Scenario state: CPR, ventilated with FiO_2 1.0
07:51	Scenario	CPR started, 110 /min
07:51	Scenario	Tracheal tube in place
07:51	Scenario	Ventilator: RR 12 /min, VT 500 mL, PEEP 5 cmH_2O, FiO_2 100 %
07:52	Action	Speed ×4
07:51	Patient	Ventilated breaths began
07:57	Alarm	ART S low
07:57	Alarm	ART D low
09:01	Action	Speed ×1
09:21	Scenario	Scenario state: CPR: pericardium drained, catheter left in
09:21	Scenario	Cardiac tamponade: severe
09:22	Action	Speed ×4
10:21	Action	Speed ×1
10:55	Patient	Circulation returned (the model)

Time	Kind	Event
10:57	Scenario	Scenario state: Return of circulation: ventilated, catheter in the pericardium
10:57	Scenario	CPR stopped
11:04	Alarm	ART D high
11:04	Alarm	ART M high
11:27	Scenario	Scenario state: Post-ROSC: 500 mL crystalloid running
11:27	Scenario	Crystalloid 500 mL over 5 min

Bookmarks

- 00:06 Bookmark: Bookmark 1 at 00:06

Notes

Kit round Q1 rehearsal on the release build.

Appendix: one row per minute

Time	HR bpm	ART M / NIBP M mmHg	SpO_2 %	$EtCO_2$ mmHg	awRR / RR /min	T1 / T2 °C	K^+ mmol/L	Lactate mmol/L	pH	Glucose mmol/L	Tcore °C
00:00	72	68	96	36	24	36.8	4.2	1.0	7.41	5.6	36.8
01:00	98	93	98	32	14	36.8	4.2	1.0	7.39	5.6	36.8
02:00	104	90	99	30	14	36.8	4.2	1.0	7.39	5.6	36.8
03:00	112	89	99	29	14	36.8	4.2	1.0	7.38	5.6	36.8
04:00	124	85	99	27	15	36.8	4.2	1.1	7.38	5.6	36.8
05:00	128	80	99	26	15	36.8	4.2	1.1	7.37	5.6	36.8
06:00	135	73	99	24	15	36.8	4.2	1.2	7.37	5.6	36.8
07:00	147	60	99	21	16	36.8	4.2	1.4	7.37	5.6	36.8
08:00	119	34	99	11	16	36.8	4.2	1.6	7.35	5.6	36.8
09:00	116	27	99	9	12	36.8	4.2	1.9	7.31	5.6	36.8
10:00	122	45	99	15	12	36.8	4.2	2.1	7.29	5.7	36.8
11:00	127	61	99	19	12	36.8	4.2	2.2	7.28	5.8	36.8