MDN JavaScript Documentation

Master index of the print compilation

Unofficial print compilation of `https://developer.mozilla.org/en-US/docs/Web/JavaScript` (MDN Web Docs, by Mozilla Contributors, CC-BY-SA 2.5 or later), retrieved 2026-11-10. 1346 articles in 9 volumes. Not an official Mozilla publication.

Volumes

Vol.	Contents and file name	Articles	Pages	Sheets (double-sided)
1	JavaScript Guide `MDN-JavaScript-Vol01-Guide.pdf`	38	383	192
2	Reference: Expressions & operators · Statements & declarations `MDN-JavaScript-Vol02-Reference-Operators-Statements.pdf`	114	448	224
3	Reference: Functions · Classes · Regular expressions · Errors · Misc `MDN-JavaScript-Vol03-Reference-Functions-Classes-RegExp-Errors-Misc.pdf`	179	427	214
4	Built-in objects: AbstractModuleSource – Date `MDN-JavaScript-Vol04-Builtins-A-to-Date.pdf`	195	497	249
5	Built-in objects: decodeURI() – Iterator `MDN-JavaScript-Vol05-Builtins-decodeURI-to-Iterator.pdf`	179	497	249
6	Built-in objects: JSON – Proxy `MDN-JavaScript-Vol06-Builtins-JSON-to-Proxy.pdf`	162	478	239
7	Built-in objects: RangeError – SyntaxError `MDN-JavaScript-Vol07-Builtins-RangeError-to-SyntaxError.pdf`	160	382	191
8	Built-in objects: Temporal `MDN-JavaScript-Vol08-Builtins-Temporal.pdf`	242	457	229
9	Built-in objects: TypedArray – WeakSet `MDN-JavaScript-Vol09-Builtins-TypedArray-to-WeakSet.pdf`	77	175	88
	Total	**1346**	**3744**	**1875**

Each volume starts with its own table of contents and has PDF bookmarks. Page numbers are printed in the outer corner of every page and are identical to the PDF page numbers.

Alphabetical index of all articles

Entries give **volume·page**. Titles are MDN's article titles; a leading bracket or quote is ignored for sorting.

A

AbstractModuleSource ····· 4·9
Addition (+) ····· 2·23
Addition assignment (+=) ····· 2·25
Agent communication and coordination ····· 1·359
AggregateError ····· 4·11
AggregateError() constructor ····· 4·13
AggregateError: errors ····· 4·14
AggregateError: No Promise in Promise.any was resolved ····· 3·167
arguments.callee ····· 3·54
arguments.length ····· 3·58
arguments[Symbol.iterator]() ····· 3·52
Array ····· 4·16
Array() constructor ····· 4·37
Array.from() ····· 4·40
Array.fromAsync() ····· 4·44
Array.isArray() ····· 4·49
Array.of() ····· 4·51
Array.prototype.at() ····· 4·56
Array.prototype.concat() ····· 4·59
Array.prototype.copyWithin() ····· 4·62
Array.prototype.entries() ····· 4·65
Array.prototype.every() ····· 4·68
Array.prototype.fill() ····· 4·71
Array.prototype.filter() ····· 4·74
Array.prototype.find() ····· 4·79
Array.prototype.findIndex() ····· 4·83
Array.prototype.findLast() ····· 4·86
Array.prototype.findLastIndex() ····· 4·91
Array.prototype.flat() ····· 4·95
Array.prototype.flatMap() ····· 4·97
Array.prototype.forEach() ····· 4·102

Array.prototype.includes() 4·107
Array.prototype.indexOf() 4·111
Array.prototype.join() 4·114
Array.prototype.keys() 4·117
Array.prototype.lastIndexOf() 4·119
Array.prototype.map() 4·122
Array.prototype.pop() 4·128
Array.prototype.push() 4·131
Array.prototype.reduce() 4·134
Array.prototype.reduceRight() 4·142
Array.prototype.reverse() 4·148
Array.prototype.shift() 4·151
Array.prototype.slice() 4·153
Array.prototype.some() 4·158
Array.prototype.sort() 4·162
Array.prototype.splice() 4·169
Array.prototype.toLocaleString() 4·174
Array.prototype.toReversed() 4·177
Array.prototype.toSorted() 4·179
Array.prototype.toSpliced() 4·181
Array.prototype.toString() 4·184
Array.prototype.unshift() 4·186
Array.prototype.values() 4·189
Array.prototype.with() 4·193
Array.prototype[Symbol.iterator]() 4·196
Array.prototype[Symbol.unscopables] 4·199
Array: length 4·201
Array[Symbol.species] 4·53
ArrayBuffer 4·204
ArrayBuffer() constructor 4·207
ArrayBuffer.isView() 4·209
ArrayBuffer.prototype.byteLength 4·221
ArrayBuffer.prototype.detached 4·222
ArrayBuffer.prototype.maxByteLength 4·223
ArrayBuffer.prototype.resizable 4·224
ArrayBuffer.prototype.resize() 4·212
ArrayBuffer.prototype.slice() 4·214
ArrayBuffer.prototype.transfer() 4·216
ArrayBuffer.prototype.transferToFixedLength() 4·219
ArrayBuffer[Symbol.species] 4·210
Arrow function expressions 3·14
Assertions 1·99
Assignment (=) 2·27
async function 2·284
async function expression 2·30
async function* 2·292
async function* expression 2·33
AsyncDisposableStack 4·227
AsyncDisposableStack() constructor 4·228
AsyncDisposableStack.prototype.adopt() 4·230
AsyncDisposableStack.prototype.defer() 4·231
AsyncDisposableStack.prototype.disposeAsync() 4·233
AsyncDisposableStack.prototype.disposed 4·241
AsyncDisposableStack.prototype.move() 4·235
AsyncDisposableStack.prototype.use() 4·238
AsyncDisposableStack.prototype[Symbol.asyncDispose]() 4·239
AsyncFunction 4·242
AsyncFunction() constructor 4·243
AsyncGenerator 4·246
AsyncGenerator.prototype.next() 4·248
AsyncGenerator.prototype.return() 4·250
AsyncGenerator.prototype.throw() 4·253
AsyncGeneratorFunction 4·255
AsyncGeneratorFunction() constructor 4·257
AsyncGeneratorFunction.prototype.prototype 4·258
AsyncIterator 4·262
AsyncIterator.prototype[Symbol.asyncDispose]() 4·263
AsyncIterator.prototype[Symbol.asyncIterator]() 4·265
Atomics 4·267
Atomics.add() 4·270
Atomics.and() 4·272
Atomics.compareExchange() 4·274
Atomics.exchange() 4·276
Atomics.isLockFree() 4·278
Atomics.load() 4·279
Atomics.notify() 4·281
Atomics.or() 4·283
Atomics.pause() 4·285
Atomics.store() 4·287
Atomics.sub() 4·288
Atomics.wait() 4·290
Atomics.waitAsync() 4·292
Atomics.xor() 4·294
await 2·36
await using 2·295

B

Backreference: \1, \2 3·111
BigInt 4·297
BigInt() constructor 4·304
BigInt.asIntN() 4·306
BigInt.asUintN() 4·308
BigInt.prototype.toLocaleString() 4·310
BigInt.prototype.toString() 4·313
BigInt.prototype.valueOf() 4·316
BigInt64Array 4·318
BigInt64Array() constructor 4·320
BigUint64Array 4·323
BigUint64Array() constructor 4·325
Bitwise AND (&) 2·43
Bitwise AND assignment (&=) 2·45
Bitwise NOT (~) 2·46
Bitwise OR (|) 2·48
Bitwise OR assignment (|=) 2·50
Bitwise XOR (^) 2·52
Bitwise XOR assignment (^=) 2·54
Block statement 2·300
Boolean 4·327
Boolean() constructor 4·331
Boolean.prototype.toString() 4·333
Boolean.prototype.valueOf() 4·335
break 2·304
Buffer boundary assertion: \A, \z, \Z 3·114

C

Capturing group: (...) 3·116
Character class escape: \d, \D, \w, \W, \s, \S 3·119
Character class: [...], [^...] 3·121
Character classes 1·104
Character escape: \n, \u{...} 3·127
class 2·308
class expression 2·55
Classes 3·60
Closures 1·322
Comma operator (,) 2·57
Conditional (ternary) operator 2·61
const 2·310
constructor 3·67
continue 2·314
Control flow and error handling 1·34

D

DataView ..... 4·337
DataView() constructor ..... 4·341
DataView.prototype.buffer ..... 4·380
DataView.prototype.byteLength ..... 4·381
DataView.prototype.byteOffset ..... 4·383
DataView.prototype.getBigInt64() ..... 4·343
DataView.prototype.getBigUint64() ..... 4·344
DataView.prototype.getFloat16() ..... 4·346
DataView.prototype.getFloat32() ..... 4·348
DataView.prototype.getFloat64() ..... 4·349
DataView.prototype.getInt16() ..... 4·351
DataView.prototype.getInt32() ..... 4·353
DataView.prototype.getInt8() ..... 4·354
DataView.prototype.getUint16() ..... 4·356
DataView.prototype.getUint32() ..... 4·358
DataView.prototype.getUint8() ..... 4·359
DataView.prototype.setBigInt64() ..... 4·361
DataView.prototype.setBigUint64() ..... 4·363
DataView.prototype.setFloat16() ..... 4·365
DataView.prototype.setFloat32() ..... 4·366
DataView.prototype.setFloat64() ..... 4·368
DataView.prototype.setInt16() ..... 4·370
DataView.prototype.setInt32() ..... 4·372
DataView.prototype.setInt8() ..... 4·373
DataView.prototype.setUint16() ..... 4·375
DataView.prototype.setUint32() ..... 4·377
DataView.prototype.setUint8() ..... 4·378
Date ..... 4·385
Date() constructor ..... 4·396
Date.now() ..... 4·400
Date.parse() ..... 4·402
Date.prototype.getDate() ..... 4·409
Date.prototype.getDay() ..... 4·410
Date.prototype.getFullYear() ..... 4·412
Date.prototype.getHours() ..... 4·413
Date.prototype.getMilliseconds() ..... 4·415
Date.prototype.getMinutes() ..... 4·416
Date.prototype.getMonth() ..... 4·417
Date.prototype.getSeconds() ..... 4·419
Date.prototype.getTime() ..... 4·421
Date.prototype.getTimezoneOffset() ..... 4·423
Date.prototype.getUTCDate() ..... 4·425
Date.prototype.getUTCDay() ..... 4·427
Date.prototype.getUTCFullYear() ..... 4·428
Date.prototype.getUTCHours() ..... 4·430
Date.prototype.getUTCMilliseconds() ..... 4·431
Date.prototype.getUTCMinutes() ..... 4·433
Date.prototype.getUTCMonth() ..... 4·434
Date.prototype.getUTCSeconds() ..... 4·435
Date.prototype.getYear() ..... 4·437
Date.prototype.setDate() ..... 4·439
Date.prototype.setFullYear() ..... 4·441
Date.prototype.setHours() ..... 4·443
Date.prototype.setMilliseconds() ..... 4·445
Date.prototype.setMinutes() ..... 4·447
Date.prototype.setMonth() ..... 4·449
Date.prototype.setSeconds() ..... 4·451
Date.prototype.setTime() ..... 4·453
Date.prototype.setUTCDate() ..... 4·454
Date.prototype.setUTCFullYear() ..... 4·456
Date.prototype.setUTCHours() ..... 4·458
Date.prototype.setUTCMilliseconds() ..... 4·460
Date.prototype.setUTCMinutes() ..... 4·461
Date.prototype.setUTCMonth() ..... 4·463
Date.prototype.setUTCSeconds() ..... 4·465
Date.prototype.setYear() ..... 4·467
Date.prototype.toDateString() ..... 4·468
Date.prototype.toISOString() ..... 4·470
Date.prototype.toJSON() ..... 4·472
Date.prototype.toLocaleDateString() ..... 4·474
Date.prototype.toLocaleString() ..... 4·478
Date.prototype.toLocaleTimeString() ..... 4·482
Date.prototype.toString() ..... 4·486
Date.prototype.toTemporalInstant() ..... 4·488
Date.prototype.toTimeString() ..... 4·489
Date.prototype.toUTCString() ..... 4·491
Date.prototype.valueOf() ..... 4·493
Date.prototype[Symbol.toPrimitive]() ..... 4·495
Date.UTC() ..... 4·406
debugger ..... 2·317
decodeURI() ..... 5·5
decodeURIComponent() ..... 5·8
Decrement (--) ..... 2·63
Default parameters ..... 3·23
delete ..... 2·66
Deprecated and obsolete features ..... 3·422
Destructuring ..... 2·71
Disjunction: | ..... 3·130
DisposableStack ..... 5·11
DisposableStack() constructor ..... 5·13
DisposableStack.prototype.adopt() ..... 5·14
DisposableStack.prototype.defer() ..... 5·16
DisposableStack.prototype.dispose() ..... 5·18
DisposableStack.prototype.disposed ..... 5·27
DisposableStack.prototype.move() ..... 5·20
DisposableStack.prototype.use() ..... 5·24
DisposableStack.prototype[Symbol.dispose]() ..... 5·25
Division (/) ..... 2·83
Division assignment (/=) ..... 2·86
do...while ..... 2·319

E

Empty statement ..... 2·322
encodeURI() ..... 5·28
encodeURIComponent() ..... 5·32
Enumerability and ownership of properties ..... 1·319
Equality (==) ..... 2·87
Equality comparisons and sameness ..... 1·312
Error ..... 5·35
Error() constructor ..... 5·41
Error.captureStackTrace() ..... 5·43
Error.isError() ..... 5·46
Error.prototype.name ..... 5·52
Error.prototype.stack ..... 5·53
Error.prototype.toString() ..... 5·50
Error.stackTraceLimit ..... 5·48
Error: cause ..... 5·56
Error: columnNumber ..... 5·59
Error: fileName ..... 5·60
Error: lineNumber ..... 5·61
Error: message ..... 5·63
Error: Permission denied to access property "x" ..... 3·169
escape() ..... 5·65
eval() ..... 5·67
EvalError ..... 5·78
EvalError() constructor ..... 5·79
Exponentiation (**) ..... 2·91
Exponentiation assignment (**=) ..... 2·94
export ..... 2·323
Expression statement ..... 2·331
Expressions and operators ..... 1·64
Expressions and operators ..... 2·11
extends ..... 3·73

F

FinalizationRegistry 5·82
FinalizationRegistry() constructor 5·86
FinalizationRegistry.prototype.register() 5·87
FinalizationRegistry.prototype.unregister() 5·89
Float16Array 5·93
Float16Array() constructor 5·95
Float32Array 5·97
Float32Array() constructor 5·99
Float64Array 5·101
Float64Array() constructor 5·103
for 2·333
for await...of 2·339
for...in 2·344
for...of 2·350
Function 5·105
function 2·358
function expression 2·95
Function() constructor 5·108
function* 2·363
function* expression 2·102
Function.prototype.apply() 5·112
Function.prototype.arguments 5·132
Function.prototype.bind() 5·116
Function.prototype.call() 5·123
Function.prototype.caller 5·134
Function.prototype.toString() 5·126
Function.prototype[Symbol.hasInstance]() 5·130
Function: displayName 5·137
Function: length 5·139
Function: name 5·141
Function: prototype 5·147
Functions 1·51
Functions 3·5

G

Generator 5·151
Generator.prototype.next() 5·153
Generator.prototype.return() 5·155
Generator.prototype.throw() 5·158
GeneratorFunction 5·161
GeneratorFunction() constructor 5·163
GeneratorFunction.prototype.prototype 5·164
get 3·29
globalThis 5·168
Grammar and types 1·19
Greater than (>) 2·104
Greater than or equal (>=) 2·106
Grouping operator ( ) 2·109
Groups and backreferences 1·109

H

handler.apply() 6·438
handler.construct() 6·440
handler.defineProperty() 6·443
handler.deleteProperty() 6·447
handler.get() 6·449
handler.getOwnPropertyDescriptor() 6·453
handler.getPrototypeOf() 6·456
handler.has() 6·459
handler.isExtensible() 6·462
handler.ownKeys() 6·464
handler.preventExtensions() 6·467
handler.set() 6·470
handler.setPrototypeOf() 6·473

I

if...else 2·369
import 2·373
Import attributes 2·381
import defer 2·386
import source 2·393
import() 2·118
import.defer() 2·124
import.meta 2·112
import.meta.resolve() 2·115
import.source() 2·125
in 2·127
Increment (++) 2·133
Indexed collections 1·122
Inequality (!=) 2·135
Infinity 5·171
Inheritance and the prototype chain 1·334
Input boundary assertion: ^, $ 3·132
instanceof 2·137
Int16Array 5·177
Int16Array() constructor 5·179
Int32Array 5·181
Int32Array() constructor 5·183
Int8Array 5·173
Int8Array() constructor 5·175
InternalError 5·185
InternalError() constructor 5·187
InternalError: too much recursion 3·170
Internationalization 1·200
Intl 5·189
Intl.Collator 5·213
Intl.Collator() constructor 5·216
Intl.Collator.prototype.compare() 5·221
Intl.Collator.prototype.resolvedOptions() 5·223
Intl.Collator.supportedLocalesOf() 5·219
Intl.DateTimeFormat 5·226
Intl.DateTimeFormat() constructor 5·231
Intl.DateTimeFormat.prototype.format() 5·243
Intl.DateTimeFormat.prototype.formatRange() 5·245
Intl.DateTimeFormat.prototype.formatRangeToParts() 5·248
Intl.DateTimeFormat.prototype.formatToParts() 5·250
Intl.DateTimeFormat.prototype.resolvedOptions() 5·255
Intl.DateTimeFormat.supportedLocalesOf() 5·241
Intl.DisplayNames 5·259
Intl.DisplayNames() constructor 5·262
Intl.DisplayNames.prototype.of() 5·266
Intl.DisplayNames.prototype.resolvedOptions() 5·269
Intl.DisplayNames.supportedLocalesOf() 5·265
Intl.DurationFormat 5·272
Intl.DurationFormat() constructor 5·274
Intl.DurationFormat.prototype.format() 5·280
Intl.DurationFormat.prototype.formatToParts() 5·283
Intl.DurationFormat.prototype.resolvedOptions() 5·285
Intl.DurationFormat.supportedLocalesOf() 5·278
Intl.getCanonicalLocales() 5·200
Intl.ListFormat 5·287
Intl.ListFormat() constructor 5·290
Intl.ListFormat.prototype.format() 5·296
Intl.ListFormat.prototype.formatToParts() 5·298
Intl.ListFormat.prototype.resolvedOptions() 5·300
Intl.ListFormat.supportedLocalesOf() 5·294
Intl.Locale 5·302
Intl.Locale() constructor 5·307
Intl.Locale.prototype.baseName 5·328
Intl.Locale.prototype.calendar 5·329
Intl.Locale.prototype.caseFirst 5·330

Intl.Locale.prototype.collation 5·332
Intl.Locale.prototype.getCalendars() 5·309
Intl.Locale.prototype.getCollations() 5·311
Intl.Locale.prototype.getHourCycles() 5·313
Intl.Locale.prototype.getNumberingSystems() 5·315
Intl.Locale.prototype.getTextInfo() 5·316
Intl.Locale.prototype.getTimeZones() 5·318
Intl.Locale.prototype.getWeekInfo() 5·320
Intl.Locale.prototype.hourCycle 5·333
Intl.Locale.prototype.language 5·335
Intl.Locale.prototype.maximize() 5·322
Intl.Locale.prototype.minimize() 5·324
Intl.Locale.prototype.numberingSystem 5·336
Intl.Locale.prototype.numeric 5·338
Intl.Locale.prototype.region 5·339
Intl.Locale.prototype.script 5·341
Intl.Locale.prototype.toString() 5·326
Intl.Locale.prototype.variants 5·342
Intl.NumberFormat 5·344
Intl.NumberFormat() constructor 5·349
Intl.NumberFormat.prototype.format() 5·370
Intl.NumberFormat.prototype.formatRange() 5·373
Intl.NumberFormat.prototype.formatRangeToParts() 5·375
Intl.NumberFormat.prototype.formatToParts() 5·377
Intl.NumberFormat.prototype.resolvedOptions() 5·380
Intl.NumberFormat.supportedLocalesOf() 5·368
Intl.PluralRules 5·385
Intl.PluralRules() constructor 5·389
Intl.PluralRules.prototype.resolvedOptions() 5·393
Intl.PluralRules.prototype.select() 5·396
Intl.PluralRules.prototype.selectRange() 5·398
Intl.PluralRules.supportedLocalesOf() 5·392
Intl.RelativeTimeFormat 5·400
Intl.RelativeTimeFormat() constructor 5·403
Intl.RelativeTimeFormat.prototype.format() 5·407
Intl.RelativeTimeFormat.prototype.formatToParts() 5·409
Intl.RelativeTimeFormat.prototype.resolvedOptions() 5·411
Intl.RelativeTimeFormat.supportedLocalesOf() 5·405
Intl.Segmenter 5·414
Intl.Segmenter() constructor 5·416
Intl.Segmenter.prototype.resolvedOptions() 5·420
Intl.Segmenter.prototype.segment() 5·422
Intl.Segmenter.supportedLocalesOf() 5·418
Intl.supportedValuesOf() 5·202
Introduction 1·14
isFinite() 5·430
isNaN() 5·432
Iteration protocols 3·385
Iterator 5·435
Iterator() constructor 5·442
Iterator.concat() 5·445
Iterator.from() 5·449
Iterator.prototype.chunks() 5·460
Iterator.prototype.drop() 5·462
Iterator.prototype.every() 5·464
Iterator.prototype.filter() 5·467
Iterator.prototype.find() 5·469
Iterator.prototype.flatMap() 5·471
Iterator.prototype.forEach() 5·475
Iterator.prototype.includes() 5·476
Iterator.prototype.join() 5·479
Iterator.prototype.map() 5·481
Iterator.prototype.reduce() 5·483
Iterator.prototype.some() 5·485
Iterator.prototype.take() 5·487
Iterator.prototype.toArray() 5·490
Iterator.prototype.windows() 5·492
Iterator.prototype[Symbol.dispose]() 5·494
Iterator.prototype[Symbol.iterator]() 5·496
Iterator.zip() 5·452
Iterator.zipKeyed() 5·457
Iterators and generators 1·184

J

JavaScript 1·7
JavaScript data types and data structures 1·304
JavaScript error reference 3·164
JavaScript execution model 3·352
JavaScript Guide 1·10
JavaScript language overview 1·286
JavaScript modules 1·219
JavaScript reference 2·3
JavaScript resource management 1·189
JavaScript technologies overview 3·347
JavaScript typed arrays 1·177
JSON 6·5
JSON.isRawJSON() 6·10
JSON.parse() 6·13
JSON.rawJSON() 6·17
JSON.stringify() 6·20

K

Keyed collections 1·135

L

Labeled statement 2·397
Left shift (<<) 2·143
Left shift assignment (<<=) 2·145
Less than (<) 2·147
Less than or equal (<=) 2·150
let 2·402
Lexical grammar 3·361
Literal character: a, b 3·134
Logical AND (&&) 2·153
Logical AND assignment (&&=) 2·156
Logical NOT (!) 2·158
Logical OR (||) 2·160
Logical OR assignment (||=) 2·163
Lookahead assertion: (?=...), (?!...) 3·137
Lookbehind assertion: (?<=...), (?<!...) 3·140
Loops and iteration 1·43

M

Magic comments 3·379
Map 6·30
Map() constructor 6·39
Map.groupBy() 6·40
Map.prototype.clear() 6·45
Map.prototype.delete() 6·47
Map.prototype.entries() 6·48
Map.prototype.forEach() 6·50
Map.prototype.get() 6·52
Map.prototype.getOrInsert() 6·54
Map.prototype.getOrInsertComputed() 6·56
Map.prototype.has() 6·58
Map.prototype.keys() 6·59
Map.prototype.set() 6·61
Map.prototype.size 6·67
Map.prototype.values() 6·63
Map.prototype[Symbol.iterator]() 6·64
Map[Symbol.species] 6·44

Math 6·69
Math.abs() 6·74
Math.acos() 6·76
Math.acosh() 6·78
Math.asin() 6·79
Math.asinh() 6·81
Math.atan() 6·83
Math.atan2() 6·85
Math.atanh() 6·89
Math.cbrt() 6·91
Math.ceil() 6·92
Math.clz32() 6·94
Math.cos() 6·98
Math.cosh() 6·99
Math.E 6·150
Math.exp() 6·101
Math.expm1() 6·103
Math.f16round() 6·105
Math.floor() 6·107
Math.fround() 6·110
Math.hypot() 6·112
Math.imul() 6·114
Math.LN10 6·151
Math.LN2 6·153
Math.log() 6·116
Math.log10() 6·118
Math.LOG10E 6·154
Math.log1p() 6·119
Math.log2() 6·122
Math.LOG2E 6·156
Math.max() 6·123
Math.min() 6·126
Math.PI 6·157
Math.pow() 6·128
Math.random() 6·130
Math.round() 6·133
Math.sign() 6·135
Math.sin() 6·137
Math.sinh() 6·138
Math.sqrt() 6·140
Math.SQRT1_2 6·159
Math.SQRT2 6·160
Math.sumPrecise() 6·142
Math.tan() 6·144
Math.tanh() 6·146
Math.trunc() 6·148
Memory management 1·352
Meta programming 1·348
Method definitions 3·34
Modifier: (?ims-ims:...) 3·142
Modules across platforms 1·271
Multiplication (*) 2·166
Multiplication assignment (*=) 2·168

N

Named backreference: \k<name> 3·145
Named capturing group: (?<name>...) 3·146
NaN 6·163
new 2·169
new.target 2·174
Non-capturing group: (?:...) 3·149
null 2·178
Nullish coalescing assignment (??=) 2·180
Nullish coalescing operator (??) 2·182
Number 6·167
Number() constructor 6·173
Number.EPSILON 6·186
Number.isFinite() 6·175
Number.isInteger() 6·177
Number.isNaN() 6·179
Number.isSafeInteger() 6·181
Number.MAX_SAFE_INTEGER 6·189
Number.MAX_VALUE 6·191
Number.MIN_SAFE_INTEGER 6·193
Number.MIN_VALUE 6·195
Number.NaN 6·196
Number.NEGATIVE_INFINITY 6·198
Number.parseFloat() 6·183
Number.parseInt() 6·185
Number.POSITIVE_INFINITY 6·200
Number.prototype.toExponential() 6·202
Number.prototype.toFixed() 6·204
Number.prototype.toLocaleString() 6·207
Number.prototype.toPrecision() 6·210
Number.prototype.toString() 6·213
Number.prototype.valueOf() 6·216
Numbers and strings 1·81

O

Object 6·218
Object initializer 2·185
Object() constructor 6·227
Object.assign() 6·229
Object.create() 6·234
Object.defineProperties() 6·238
Object.defineProperty() 6·240
Object.entries() 6·250
Object.freeze() 6·253
Object.fromEntries() 6·258
Object.getOwnPropertyDescriptor() 6·261
Object.getOwnPropertyDescriptors() 6·264
Object.getOwnPropertyNames() 6·266
Object.getOwnPropertySymbols() 6·269
Object.getPrototypeOf() 6·271
Object.groupBy() 6·273
Object.hasOwn() 6·276
Object.is() 6·280
Object.isExtensible() 6·282
Object.isFrozen() 6·284
Object.isSealed() 6·288
Object.keys() 6·290
Object.preventExtensions() 6·293
Object.prototype.__defineGetter__() 6·304
Object.prototype.__defineSetter__() 6·307
Object.prototype.__lookupGetter__() 6·309
Object.prototype.__lookupSetter__() 6·312
Object.prototype.__proto__ 6·334
Object.prototype.constructor 6·337
Object.prototype.hasOwnProperty() 6·314
Object.prototype.isPrototypeOf() 6·318
Object.prototype.propertyIsEnumerable() 6·321
Object.prototype.toLocaleString() 6·325
Object.prototype.toString() 6·328
Object.prototype.valueOf() 6·331
Object.seal() 6·295
Object.setPrototypeOf() 6·298
Object.values() 6·302
Operator precedence 2·192
Optional chaining (?.) 2·201

P

parseFloat() 6·344
parseInt() 6·348
Private elements 3·82

Promise 6·353
Promise() constructor 6·366
Promise.all() 6·372
Promise.allKeyed() 6·379
Promise.allSettled() 6·382
Promise.allSettledKeyed() 6·384
Promise.any() 6·387
Promise.prototype.catch() 6·412
Promise.prototype.finally() 6·416
Promise.prototype.then() 6·419
Promise.race() 6·390
Promise.reject() 6·396
Promise.resolve() 6·398
Promise.try() 6·403
Promise.withResolvers() 6·407
Promise[Symbol.species] 6·410
Property accessors 2·206
Proxy 6·427
Proxy() constructor 6·436
Proxy.revocable() 6·476
Public class fields 3·91

Q

Quantifier: *, +, ?, {n}, {n,}, {n,m} 3·151
Quantifiers 1·113

R

RangeError 7·5
RangeError() constructor 7·7
RangeError: argument is not a valid code point 3·172
RangeError: BigInt division by zero 3·173
RangeError: BigInt negative exponent 3·174
RangeError: form must be one of 'NFC', 'NFD', 'NFKC', or 'NFKD' 3·175
RangeError: invalid array length 3·175
RangeError: invalid date 3·177
RangeError: precision is out of range 3·179
RangeError: radix must be an integer 3·180
RangeError: repeat count must be less than infinity 3·181
RangeError: repeat count must be non-negative 3·182
RangeError: x can't be converted to BigInt because it isn't an integer 3·183
ReferenceError 7·10
ReferenceError() constructor 7·11
ReferenceError: "x" is not defined 3·184
ReferenceError: assignment to undeclared variable "x" 3·185
ReferenceError: can't access lexical declaration 'X' before initialization 3·187
ReferenceError: must call super constructor before using 'this' in derived class constructor 3·189
ReferenceError: super() called twice in derived class constructor 3·190
Reflect 7·14
Reflect.apply() 7·17
Reflect.construct() 7·19
Reflect.defineProperty() 7·24
Reflect.deleteProperty() 7·26
Reflect.get() 7·29
Reflect.getOwnPropertyDescriptor() 7·31
Reflect.getPrototypeOf() 7·33
Reflect.has() 7·35
Reflect.isExtensible() 7·37
Reflect.ownKeys() 7·40
Reflect.preventExtensions() 7·42
Reflect.set() 7·44
Reflect.setPrototypeOf() 7·46
RegExp 7·49
RegExp() constructor 7·57
RegExp.$1, ..., RegExp.$9 7·63
RegExp.escape() 7·60
RegExp.input ($_) 7·64
RegExp.lastMatch ($&) 7·65
RegExp.lastParen ($+) 7·67
RegExp.leftContext ($`) 7·68
RegExp.prototype.compile() 7·73
RegExp.prototype.dotAll 7·99
RegExp.prototype.exec() 7·75
RegExp.prototype.flags 7·101
RegExp.prototype.global 7·102
RegExp.prototype.hasIndices 7·104
RegExp.prototype.ignoreCase 7·106
RegExp.prototype.multiline 7·108
RegExp.prototype.source 7·109
RegExp.prototype.sticky 7·111
RegExp.prototype.test() 7·78
RegExp.prototype.toString() 7·81
RegExp.prototype.unicode 7·114
RegExp.prototype.unicodeSets 7·116
RegExp.prototype[Symbol.match]() 7·83
RegExp.prototype[Symbol.matchAll]() 7·87
RegExp.prototype[Symbol.replace]() 7·90
RegExp.prototype[Symbol.search]() 7·93
RegExp.prototype[Symbol.split]() 7·96
RegExp.rightContext ($') 7·69
RegExp: lastIndex 7·118
RegExp[Symbol.species] 7·71
Regular expression syntax cheat sheet 1·116
Regular expressions 1·91
Regular expressions 3·106
Remainder (%) 2·210
Remainder assignment (%=) 2·212
Representing dates & times 1·88
Rest parameters 3·39
return 2·409
Right shift (>>) 2·214
Right shift assignment (>>=) 2·216

S

Segments 5·424
Segments.prototype.containing() 5·425
Segments.prototype[Symbol.iterator]() 5·427
Set 7·123
set 3·44
Set() constructor 7·132
Set.prototype.add() 7·136
Set.prototype.clear() 7·137
Set.prototype.delete() 7·139
Set.prototype.difference() 7·141
Set.prototype.entries() 7·143
Set.prototype.forEach() 7·144
Set.prototype.has() 7·147
Set.prototype.intersection() 7·148
Set.prototype.isDisjointFrom() 7·151
Set.prototype.isSubsetOf() 7·153
Set.prototype.isSupersetOf() 7·155
Set.prototype.keys() 7·157
Set.prototype.size 7·166
Set.prototype.symmetricDifference() 7·158
Set.prototype.union() 7·160
Set.prototype.values() 7·162
Set.prototype[Symbol.iterator]() 7·164
Set[Symbol.species] 7·134
SharedArrayBuffer 7·168

SharedArrayBuffer() constructor 7·172
SharedArrayBuffer.prototype.byteLength 7·179
SharedArrayBuffer.prototype.grow() 7·176
SharedArrayBuffer.prototype.growable 7·180
SharedArrayBuffer.prototype.maxByteLength 7·181
SharedArrayBuffer.prototype.slice() 7·177
SharedArrayBuffer[Symbol.species] 7·174
Spread syntax (...) 2·218
Standard built-in objects 4·5
Statements and declarations 2·278
static 3·96
Static initialization blocks 3·101
Strict equality (===) 2·225
Strict inequality (!==) 2·227
Strict mode 3·398
String 7·183
String() constructor 7·193
String.fromCharCode() 7·195
String.fromCodePoint() 7·197
String.prototype.anchor() 7·204
String.prototype.at() 7·205
String.prototype.big() 7·208
String.prototype.blink() 7·209
String.prototype.bold() 7·211
String.prototype.charAt() 7·212
String.prototype.charCodeAt() 7·215
String.prototype.codePointAt() 7·217
String.prototype.concat() 7·220
String.prototype.endsWith() 7·222
String.prototype.fixed() 7·224
String.prototype.fontcolor() 7·225
String.prototype.fontsize() 7·227
String.prototype.includes() 7·229
String.prototype.indexOf() 7·231
String.prototype.isWellFormed() 7·234
String.prototype.italics() 7·236
String.prototype.lastIndexOf() 7·238
String.prototype.link() 7·240
String.prototype.localeCompare() 7·242
String.prototype.match() 7·245
String.prototype.matchAll() 7·249
String.prototype.normalize() 7·253
String.prototype.padEnd() 7·257
String.prototype.padStart() 7·259
String.prototype.repeat() 7·261
String.prototype.replace() 7·262
String.prototype.replaceAll() 7·268
String.prototype.search() 7·271
String.prototype.slice() 7·274
String.prototype.small() 7·276
String.prototype.split() 7·278
String.prototype.startsWith() 7·284
String.prototype.strike() 7·286
String.prototype.sub() 7·288
String.prototype.substr() 7·289
String.prototype.substring() 7·292
String.prototype.sup() 7·295
String.prototype.toLocaleLowerCase() 7·297
String.prototype.toLocaleUpperCase() 7·299
String.prototype.toLowerCase() 7·301
String.prototype.toString() 7·302
String.prototype.toUpperCase() 7·304
String.prototype.toWellFormed() 7·306
String.prototype.trim() 7·308
String.prototype.trimEnd() 7·309
String.prototype.trimStart() 7·311
String.prototype.valueOf() 7·313
String.prototype[Symbol.iterator]() 7·314
String.raw() 7·199
String: length 7·316
Subtraction (-) 2·229
Subtraction assignment (-=) 2·231
super 2·233
SuppressedError 7·320
SuppressedError() constructor 7·322
SuppressedError: error 7·324
SuppressedError: suppressed 7·325
switch 2·412
Symbol 7·327
Symbol() constructor 7·333
Symbol.asyncDispose 7·338
Symbol.asyncIterator 7·340
Symbol.dispose 7·342
Symbol.for() 7·335
Symbol.hasInstance 7·344
Symbol.isConcatSpreadable 7·347
Symbol.iterator 7·349
Symbol.keyFor() 7·337
Symbol.match 7·352
Symbol.matchAll 7·354
Symbol.prototype.description 7·376
Symbol.prototype.toString() 7·372
Symbol.prototype.valueOf() 7·374
Symbol.prototype[Symbol.toPrimitive]() 7·375
Symbol.replace 7·355
Symbol.search 7·357
Symbol.species 7·359
Symbol.split 7·361
Symbol.toPrimitive 7·363
Symbol.toStringTag 7·365
Symbol.unscopables 7·367
SyntaxError 7·379
SyntaxError() constructor 7·380
SyntaxError: "0"-prefixed octal literals are deprecated 3·193
SyntaxError: "use strict" not allowed in function with non-simple parameters 3·194
SyntaxError: "x" is a reserved identifier 3·196
SyntaxError: 'arguments'/'eval' can't be defined or assigned to in strict mode code 3·192
SyntaxError: \ at end of pattern 3·197
SyntaxError: a declaration in the head of a for-of loop can't have an initializer 3·198
SyntaxError: applying the 'delete' operator to an unqualified name is deprecated 3·200
SyntaxError: arguments is not valid in fields 3·201
SyntaxError: await is only valid in async functions, async generators and modules 3·202
SyntaxError: await/yield expression can't be used in parameter 3·204
SyntaxError: cannot use ?? unparenthesized within || and && expressions 3·205
SyntaxError: character class escape cannot be used in class range in regular expression 3·207
SyntaxError: continue must be inside loop 3·208
SyntaxError: duplicate capture group name in regular expression 3·209
SyntaxError: duplicate formal argument x 3·210
SyntaxError: for-in loop head declarations may not have initializers 3·212
SyntaxError: function statement requires a name 3·213
SyntaxError: functions cannot be labelled 3·215
SyntaxError: getter and setter for private name #x should either be both static or non-static 3·217

SyntaxError: getter functions must have no arguments 3·218
SyntaxError: identifier starts immediately after numeric literal 3·220
SyntaxError: illegal character 3·221
SyntaxError: import declarations may only appear at top level of a module 3·223
SyntaxError: incomplete quantifier in regular expression 3·224
SyntaxError: invalid assignment left-hand side 3·225
SyntaxError: invalid BigInt syntax 3·227
SyntaxError: invalid capture group name in regular expression 3·228
SyntaxError: invalid character in class in regular expression 3·229
SyntaxError: invalid class set operation in regular expression 3·230
SyntaxError: invalid decimal escape in regular expression 3·231
SyntaxError: invalid identity escape in regular expression 3·232
SyntaxError: invalid named capture reference in regular expression 3·233
SyntaxError: invalid property name in regular expression 3·234
SyntaxError: invalid range in character class 3·235
SyntaxError: invalid regexp group 3·236
SyntaxError: invalid regular expression flag "x" 3·238
SyntaxError: invalid unicode escape in regular expression 3·239
SyntaxError: JSON.parse: bad parsing 3·240
SyntaxError: label not found 3·242
SyntaxError: missing) after argument list 3·244
SyntaxError: missing) after condition 3·246
SyntaxError: missing : after property id 3·243
SyntaxError: missing = in const declaration 3·251
SyntaxError: missing] after element list 3·247
SyntaxError: missing formal parameter 3·252
SyntaxError: missing name after . operator 3·253
SyntaxError: missing variable name 3·255
SyntaxError: missing } after function body 3·248
SyntaxError: missing } after property list 3·250
SyntaxError: negated character class with strings in regular expression 3·256
SyntaxError: new keyword cannot be used with an optional chain 3·257
SyntaxError: nothing to repeat 3·259
SyntaxError: numbers out of order in {} quantifier. 3·260
SyntaxError: octal escape sequences can't be used in untagged template literals or in strict mode code 3·261
SyntaxError: parameter after rest parameter 3·262
SyntaxError: private fields can't be deleted 3·263
SyntaxError: property name __proto__ appears more than once in object literal 3·264
SyntaxError: raw bracket is not allowed in regular expression with unicode flag 3·265
SyntaxError: redeclaration of formal parameter "x" 3·266
SyntaxError: reference to undeclared private field or method #x 3·267
SyntaxError: rest parameter may not have a default 3·269
SyntaxError: return not in function 3·270
SyntaxError: setter functions must have one argument 3·271
SyntaxError: string literal contains an unescaped line break 3·272
SyntaxError: super() is only valid in derived class constructors 3·273
SyntaxError: tagged template cannot be used with optional chain 3·275
SyntaxError: Unexpected '#' used outside of class body 3·277
SyntaxError: Unexpected token 3·278
SyntaxError: unlabeled break must be inside loop or switch 3·280
SyntaxError: unparenthesized unary expression can't appear on the left-hand side of '**' 3·283
SyntaxError: use of super property/member accesses only valid within methods or eval code within methods 3·284
SyntaxError: Using //@ to indicate sourceURL pragmas is deprecated. Use //# instead 3·286

T

Template literals (Template strings) 3·408
Temporal 8·5
Temporal.Duration 8·23
Temporal.Duration() constructor 8·28
Temporal.Duration.compare() 8·31
Temporal.Duration.from() 8·34
Temporal.Duration.prototype.abs() 8·36
Temporal.Duration.prototype.add() 8·37
Temporal.Duration.prototype.blank 8·56
Temporal.Duration.prototype.days 8·57
Temporal.Duration.prototype.hours 8·58
Temporal.Duration.prototype.microseconds 8·60
Temporal.Duration.prototype.milliseconds 8·61
Temporal.Duration.prototype.minutes 8·63
Temporal.Duration.prototype.months 8·64
Temporal.Duration.prototype.nanoseconds 8·65
Temporal.Duration.prototype.negated() 8·39
Temporal.Duration.prototype.round() 8·40
Temporal.Duration.prototype.seconds 8·67
Temporal.Duration.prototype.sign 8·68
Temporal.Duration.prototype.subtract() 8·44
Temporal.Duration.prototype.toJSON() 8·45
Temporal.Duration.prototype.toLocaleString() 8·47
Temporal.Duration.prototype.toString() 8·49
Temporal.Duration.prototype.total() 8·51
Temporal.Duration.prototype.valueOf() 8·53
Temporal.Duration.prototype.weeks 8·69
Temporal.Duration.prototype.with() 8·54
Temporal.Duration.prototype.years 8·70
Temporal.Instant 8·73
Temporal.Instant() constructor 8·77
Temporal.Instant.compare() 8·78
Temporal.Instant.from() 8·80
Temporal.Instant.fromEpochMilliseconds() 8·81
Temporal.Instant.fromEpochNanoseconds() 8·83
Temporal.Instant.prototype.add() 8·84
Temporal.Instant.prototype.epochMilliseconds 8·103
Temporal.Instant.prototype.epochNanoseconds 8·104
Temporal.Instant.prototype.equals() 8·86
Temporal.Instant.prototype.round() 8·88
Temporal.Instant.prototype.since() 8·89
Temporal.Instant.prototype.subtract() 8·91
Temporal.Instant.prototype.toJSON() 8·93
Temporal.Instant.prototype.toLocaleString() 8·94
Temporal.Instant.prototype.toString() 8·96
Temporal.Instant.prototype.toZonedDateTimeISO() 8·98
Temporal.Instant.prototype.until() 8·100
Temporal.Instant.prototype.valueOf() 8·101
Temporal.Now 8·106

Temporal.Now.instant() 8·108
Temporal.Now.plainDateISO() 8·109
Temporal.Now.plainDateTimeISO() 8·110
Temporal.Now.plainTimeISO() 8·112
Temporal.Now.timeZoneId() 8·113
Temporal.Now.zonedDateTimeISO() 8·114
Temporal.PlainDate 8·116
Temporal.PlainDate() constructor 8·122
Temporal.PlainDate.compare() 8·124
Temporal.PlainDate.from() 8·126
Temporal.PlainDate.prototype.add() 8·130
Temporal.PlainDate.prototype.calendarId 8·158
Temporal.PlainDate.prototype.day 8·159
Temporal.PlainDate.prototype.dayOfWeek 8·161
Temporal.PlainDate.prototype.dayOfYear 8·163
Temporal.PlainDate.prototype.daysInMonth 8·165
Temporal.PlainDate.prototype.daysInWeek 8·166
Temporal.PlainDate.prototype.daysInYear 8·168
Temporal.PlainDate.prototype.equals() 8·133
Temporal.PlainDate.prototype.era 8·169
Temporal.PlainDate.prototype.eraYear 8·171
Temporal.PlainDate.prototype.inLeapYear 8·173
Temporal.PlainDate.prototype.month 8·174
Temporal.PlainDate.prototype.monthCode 8·176
Temporal.PlainDate.prototype.monthsInYear 8·179
Temporal.PlainDate.prototype.since() 8·135
Temporal.PlainDate.prototype.subtract() 8·137
Temporal.PlainDate.prototype.toJSON() 8·139
Temporal.PlainDate.prototype.toLocaleString() 8·140
Temporal.PlainDate.prototype.toPlainDateTime() 8·143
Temporal.PlainDate.prototype.toPlainMonthDay() 8·144
Temporal.PlainDate.prototype.toPlainYearMonth() 8·146
Temporal.PlainDate.prototype.toString() 8·147
Temporal.PlainDate.prototype.toZonedDateTime() 8·149
Temporal.PlainDate.prototype.until() 8·151
Temporal.PlainDate.prototype.valueOf() 8·153
Temporal.PlainDate.prototype.weekOfYear 8·180
Temporal.PlainDate.prototype.with() 8·154
Temporal.PlainDate.prototype.withCalendar() 8·156
Temporal.PlainDate.prototype.year 8·182
Temporal.PlainDate.prototype.yearOfWeek 8·184
Temporal.PlainDateTime 8·186
Temporal.PlainDateTime() constructor 8·192
Temporal.PlainDateTime.compare() 8·194
Temporal.PlainDateTime.from() 8·196
Temporal.PlainDateTime.prototype.add() 8·199
Temporal.PlainDateTime.prototype.calendarId 8·228
Temporal.PlainDateTime.prototype.day 8·229
Temporal.PlainDateTime.prototype.dayOfWeek 8·230
Temporal.PlainDateTime.prototype.dayOfYear 8·231
Temporal.PlainDateTime.prototype.daysInMonth 8·232
Temporal.PlainDateTime.prototype.daysInWeek 8·233
Temporal.PlainDateTime.prototype.daysInYear 8·234
Temporal.PlainDateTime.prototype.equals() 8·201
Temporal.PlainDateTime.prototype.era 8·235
Temporal.PlainDateTime.prototype.eraYear 8·236
Temporal.PlainDateTime.prototype.hour 8·238
Temporal.PlainDateTime.prototype.inLeapYear 8·239
Temporal.PlainDateTime.prototype.microsecond 8·240
Temporal.PlainDateTime.prototype.millisecond 8·241
Temporal.PlainDateTime.prototype.minute 8·242
Temporal.PlainDateTime.prototype.month 8·243
Temporal.PlainDateTime.prototype.monthCode 8·244
Temporal.PlainDateTime.prototype.monthsInYear 8·245
Temporal.PlainDateTime.prototype.nanosecond 8·246
Temporal.PlainDateTime.prototype.round() 8·202
Temporal.PlainDateTime.prototype.second 8·247
Temporal.PlainDateTime.prototype.since() 8·204
Temporal.PlainDateTime.prototype.subtract() 8·206
Temporal.PlainDateTime.prototype.toJSON() 8·208
Temporal.PlainDateTime.prototype.toLocaleString( ) 8·209
Temporal.PlainDateTime.prototype.toPlainDate() 8·212
Temporal.PlainDateTime.prototype.toPlainTime() 8·213
Temporal.PlainDateTime.prototype.toString() 8·215
Temporal.PlainDateTime.prototype.toZonedDateTime() 8·217
Temporal.PlainDateTime.prototype.until() 8·219
Temporal.PlainDateTime.prototype.valueOf() 8·221
Temporal.PlainDateTime.prototype.weekOfYear 8·248
Temporal.PlainDateTime.prototype.with() 8·223
Temporal.PlainDateTime.prototype.withCalendar() 8·225
Temporal.PlainDateTime.prototype.withPlainTime() 8·226
Temporal.PlainDateTime.prototype.year 8·249
Temporal.PlainDateTime.prototype.yearOfWeek 8·251
Temporal.PlainMonthDay 8·252
Temporal.PlainMonthDay() constructor 8·255
Temporal.PlainMonthDay.from() 8·258
Temporal.PlainMonthDay.prototype.calendarId 8·275
Temporal.PlainMonthDay.prototype.day 8·276
Temporal.PlainMonthDay.prototype.equals() 8·262
Temporal.PlainMonthDay.prototype.monthCode 8·278
Temporal.PlainMonthDay.prototype.toJSON() 8·263
Temporal.PlainMonthDay.prototype.toLocaleString () 8·265
Temporal.PlainMonthDay.prototype.toPlainDate() 8·267
Temporal.PlainMonthDay.prototype.toString() 8·269
Temporal.PlainMonthDay.prototype.valueOf() 8·271
Temporal.PlainMonthDay.prototype.with() 8·273
Temporal.PlainTime 8·280
Temporal.PlainTime() constructor 8·283
Temporal.PlainTime.compare() 8·285
Temporal.PlainTime.from() 8·287
Temporal.PlainTime.prototype.add() 8·290
Temporal.PlainTime.prototype.equals() 8·291
Temporal.PlainTime.prototype.hour 8·308
Temporal.PlainTime.prototype.microsecond 8·309
Temporal.PlainTime.prototype.millisecond 8·310
Temporal.PlainTime.prototype.minute 8·312
Temporal.PlainTime.prototype.nanosecond 8·313
Temporal.PlainTime.prototype.round() 8·292
Temporal.PlainTime.prototype.second 8·314
Temporal.PlainTime.prototype.since() 8·294
Temporal.PlainTime.prototype.subtract() 8·296
Temporal.PlainTime.prototype.toJSON() 8·297
Temporal.PlainTime.prototype.toLocaleString() 8·299
Temporal.PlainTime.prototype.toString() 8·301
Temporal.PlainTime.prototype.until() 8·303
Temporal.PlainTime.prototype.valueOf() 8·305
Temporal.PlainTime.prototype.with() 8·306
Temporal.PlainYearMonth 8·316
Temporal.PlainYearMonth() constructor 8·320
Temporal.PlainYearMonth.compare() 8·322
Temporal.PlainYearMonth.from() 8·325
Temporal.PlainYearMonth.prototype.add() 8·328
Temporal.PlainYearMonth.prototype.calendarId 8·350
Temporal.PlainYearMonth.prototype.daysInMonth 8·351
Temporal.PlainYearMonth.prototype.daysInYear 8·352
Temporal.PlainYearMonth.prototype.equals() 8·331
Temporal.PlainYearMonth.prototype.era 8·353
Temporal.PlainYearMonth.prototype.eraYear 8·354
Temporal.PlainYearMonth.prototype.inLeapYear 8·356
Temporal.PlainYearMonth.prototype.month 8·357
Temporal.PlainYearMonth.prototype.monthCode 8·358

Temporal.PlainYearMonth.prototype.monthsInYear 8·359
Temporal.PlainYearMonth.prototype.since() 8·333
Temporal.PlainYearMonth.prototype.subtract() 8·335
Temporal.PlainYearMonth.prototype.toJSON() 8·337
Temporal.PlainYearMonth.prototype.toLocaleStrin g() 8·338
Temporal.PlainYearMonth.prototype.toPlainDate() 8·341
Temporal.PlainYearMonth.prototype.toString() 8·342
Temporal.PlainYearMonth.prototype.until() 8·345
Temporal.PlainYearMonth.prototype.valueOf() 8·346
Temporal.PlainYearMonth.prototype.with() 8·348
Temporal.PlainYearMonth.prototype.year 8·360
Temporal.ZonedDateTime 8·362
Temporal.ZonedDateTime() constructor 8·374
Temporal.ZonedDateTime.compare() 8·376
Temporal.ZonedDateTime.from() 8·378
Temporal.ZonedDateTime.prototype.add() 8·382
Temporal.ZonedDateTime.prototype.calendarId 8·422
Temporal.ZonedDateTime.prototype.day 8·423
Temporal.ZonedDateTime.prototype.dayOfWeek 8·425
Temporal.ZonedDateTime.prototype.dayOfYear 8·426
Temporal.ZonedDateTime.prototype.daysInMonth 8·427
Temporal.ZonedDateTime.prototype.daysInWeek 8·428
Temporal.ZonedDateTime.prototype.daysInYear 8·429
Temporal.ZonedDateTime.prototype.epochMillisec onds 8·430
Temporal.ZonedDateTime.prototype.epochNanose conds 8·432
Temporal.ZonedDateTime.prototype.equals() 8·385
Temporal.ZonedDateTime.prototype.era 8·433
Temporal.ZonedDateTime.prototype.eraYear 8·434
Temporal.ZonedDateTime.prototype.getTimeZone Transition() 8·387
Temporal.ZonedDateTime.prototype.hour 8·436
Temporal.ZonedDateTime.prototype.hoursInDay 8·437
Temporal.ZonedDateTime.prototype.inLeapYear 8·439
Temporal.ZonedDateTime.prototype.microsecond 8·440
Temporal.ZonedDateTime.prototype.millisecond 8·441
Temporal.ZonedDateTime.prototype.minute 8·442
Temporal.ZonedDateTime.prototype.month 8·444
Temporal.ZonedDateTime.prototype.monthCode 8·445
Temporal.ZonedDateTime.prototype.monthsInYear 8·446
Temporal.ZonedDateTime.prototype.nanosecond 8·447
Temporal.ZonedDateTime.prototype.offset 8·448
Temporal.ZonedDateTime.prototype.offsetNanose conds 8·450
Temporal.ZonedDateTime.prototype.round() 8·389
Temporal.ZonedDateTime.prototype.second 8·451
Temporal.ZonedDateTime.prototype.since() 8·391
Temporal.ZonedDateTime.prototype.startOfDay() 8·394
Temporal.ZonedDateTime.prototype.subtract() 8·395
Temporal.ZonedDateTime.prototype.timeZoneId 8·453
Temporal.ZonedDateTime.prototype.toInstant() 8·397
Temporal.ZonedDateTime.prototype.toJSON() 8·398
Temporal.ZonedDateTime.prototype.toLocaleStrin g() 8·400
Temporal.ZonedDateTime.prototype.toPlainDate() 8·403
Temporal.ZonedDateTime.prototype.toPlainDateTi me() 8·404
Temporal.ZonedDateTime.prototype.toPlainTime() 8·406
Temporal.ZonedDateTime.prototype.toString() 8·407
Temporal.ZonedDateTime.prototype.until() 8·410
Temporal.ZonedDateTime.prototype.valueOf() 8·412
Temporal.ZonedDateTime.prototype.weekOfYear 8·454
Temporal.ZonedDateTime.prototype.with() 8·413
Temporal.ZonedDateTime.prototype.withCalendar( ) 8·417
Temporal.ZonedDateTime.prototype.withPlainTim e() 8·418
Temporal.ZonedDateTime.prototype.withTimeZon e() 8·420
Temporal.ZonedDateTime.prototype.year 8·455
Temporal.ZonedDateTime.prototype.yearOfWeek 8·457
The arguments object 3·47
this 2·240
throw 2·418
Trailing commas 3·416
try...catch 2·421
TypedArray 9·3
TypedArray.BYTES_PER_ELEMENT 9·19
TypedArray.from() 9·13
TypedArray.of() 9·17
TypedArray.prototype.at() 9·23
TypedArray.prototype.buffer 9·86
TypedArray.prototype.byteLength 9·87
TypedArray.prototype.byteOffset 9·89
TypedArray.prototype.copyWithin() 9·25
TypedArray.prototype.entries() 9·27
TypedArray.prototype.every() 9·29
TypedArray.prototype.fill() 9·31
TypedArray.prototype.filter() 9·33
TypedArray.prototype.find() 9·35
TypedArray.prototype.findIndex() 9·37
TypedArray.prototype.findLast() 9·40
TypedArray.prototype.findLastIndex() 9·42
TypedArray.prototype.forEach() 9·45
TypedArray.prototype.includes() 9·47
TypedArray.prototype.indexOf() 9·49
TypedArray.prototype.join() 9·51
TypedArray.prototype.keys() 9·52
TypedArray.prototype.lastIndexOf() 9·54
TypedArray.prototype.length 9·90
TypedArray.prototype.map() 9·56
TypedArray.prototype.reduce() 9·58
TypedArray.prototype.reduceRight() 9·61
TypedArray.prototype.reverse() 9·63
TypedArray.prototype.set() 9·64
TypedArray.prototype.slice() 9·66
TypedArray.prototype.some() 9·68
TypedArray.prototype.sort() 9·70
TypedArray.prototype.subarray() 9·72
TypedArray.prototype.toLocaleString() 9·74
TypedArray.prototype.toReversed() 9·76
TypedArray.prototype.toSorted() 9·77
TypedArray.prototype.toString() 9·79
TypedArray.prototype.values() 9·80
TypedArray.prototype.with() 9·82
TypedArray.prototype[Symbol.iterator]() 9·84
TypedArray[Symbol.species] 9·21
TypeError 9·92
TypeError() constructor 9·94
TypeError: "x" is (not) "y" 3·292
TypeError: "x" is not a constructor 3·293
TypeError: "x" is not a function 3·295
TypeError: "x" is not a non-null object 3·298
TypeError: "x" is read-only 3·299
TypeError: 'caller', 'callee', and 'arguments' properties may not be accessed 3·287
TypeError: 'x' is not iterable 3·289
TypeError: already executing generator 3·301
TypeError: BigInt value can't be serialized in JSON 3·302
TypeError: calling a builtin X constructor without new is forbidden 3·304

TypeError: can't access/set private field or method: object is not the right class 3·305
TypeError: can't assign to property "x" on "y": not an object 3·309
TypeError: can't convert BigInt to number 3·310
TypeError: can't convert x to BigInt 3·311
TypeError: can't define property "x": "obj" is not extensible 3·312
TypeError: can't delete non-configurable array element 3·314
TypeError: can't redefine non-configurable property "x" 3·316
TypeError: can't set prototype of this object 3·317
TypeError: can't set prototype: it would cause a prototype chain cycle 3·318
TypeError: cannot use 'in' operator to search for 'x' in 'y' 3·319
TypeError: class constructors must be invoked with 'new' 3·320
TypeError: cyclic object value 3·321
TypeError: derived class constructor returned invalid value x 3·323
TypeError: getting private setter-only property 3·324
TypeError: Initializing an object twice is an error with private fields/methods 3·325
TypeError: invalid 'instanceof' operand 'x' 3·326
TypeError: invalid Array.prototype.sort argument 3·328
TypeError: invalid assignment to const "x" 3·329
TypeError: Iterator/AsyncIterator constructor can't be used directly 3·331
TypeError: matchAll/replaceAll must be called with a global RegExp 3·332
TypeError: More arguments needed 3·333
TypeError: null/undefined has no properties 3·334
TypeError: property "x" is non-configurable and can't be deleted 3·335
TypeError: Reduce of empty array with no initial value 3·336
TypeError: setting getter-only property "x" 3·338
TypeError: WeakSet key/WeakMap value 'x' must be an object or an unregistered symbol 3·340
TypeError: X.prototype.y called on incompatible type 3·341
typeof 2·252

U

Uint16Array 9·121
Uint16Array() constructor 9·123
Uint32Array 9·125
Uint32Array() constructor 9·127
Uint8Array 9·96
Uint8Array() constructor 9·98
Uint8Array.fromBase64() 9·100
Uint8Array.fromHex() 9·104
Uint8Array.prototype.setFromBase64() 9·106
Uint8Array.prototype.setFromHex() 9·109
Uint8Array.prototype.toBase64() 9·111
Uint8Array.prototype.toHex() 9·114
Uint8ClampedArray 9·116
Uint8ClampedArray() constructor 9·118
Unary negation (-) 2·257
Unary plus (+) 2·259
undefined 9·129
Understanding the module graph 1·247
unescape() 9·133
Unicode character class escape: \p{...}, \P{...} 3·155
Unsigned right shift (>>>) 2·261
Unsigned right shift assignment (>>>=) 2·264
URIError 9·135
URIError() constructor 9·137
URIError: malformed URI sequence 3·343
using 2·428
Using classes 1·150
Using modules on the web 1·236
Using promises 1·166

V

var 2·434
void operator 2·265

W

Warning: -file- is being assigned a //# sourceMappingURL, but already has one 3·344
Warning: unreachable code after return statement 3·345
WeakMap 9·139
WeakMap() constructor 9·145
WeakMap.prototype.delete() 9·147
WeakMap.prototype.get() 9·149
WeakMap.prototype.getOrInsert() 9·151
WeakMap.prototype.getOrInsertComputed() 9·153
WeakMap.prototype.has() 9·155
WeakMap.prototype.set() 9·157
WeakRef 9·159
WeakRef() constructor 9·162
WeakRef.prototype.deref() 9·163
WeakSet 9·166
WeakSet() constructor 9·169
WeakSet.prototype.add() 9·170
WeakSet.prototype.delete() 9·172
WeakSet.prototype.has() 9·173
while 2·441
Wildcard: . 3·160
with 2·444
Word boundary assertion: \b, \B 3·162
Working with objects 1·139

Y

yield 2·268
yield* 2·272