

INTERNAL GOLDEN DOCUMENTARY REFERENCE · ZERO-LOSS SYSTEM MEMORY

ELISENCE PHASE 5 / ELISA

GOLDEN CAPABILITY & ARCHITECTURE REFERENCE

ELISA (Elisa) multilingual voice-capable health companion / system-brain layer
Authoritative Documentary Reconstruction · Level-3

Mission: ELISENCE_PHASE5_ELISA_GOLDEN_CAPABILITY_AND_ARCHITECTURE_REFERENCE_V1
PDF Mission: ELISENCE_PHASE5_ELISA_GOLDEN_REFERENCE_ZERO_LOSS_PDF_RENDER_V1
Classification: INTERNAL — DOCUMENTARY AUTHORITY (NOT RUNTIME PROOF)
Source root: /Users/elisenceclean/Downloads/ELISENCE_PHASE4&5_PHASE8/PHASE5/sources
Source files / unique hashes: 18 / 17 (hash integrity 18/18 PASS)
Canonical phase: Number 5 · Title ELISA / CONFLICTED_SUBSYSTEM_TITLES
Capabilities / traceability: 62 / 62/62
Engines / Algorithms / Modules: 20 / 10 / 18
PPJ / Charts / Routes / Stores: 8 / 5 / 50 / 6
Context / Voice / Memory / Sensors / Multilingual: 12 / 7 / 2 / 8 / 2
Safety / Privacy / Test families: 32 / 18 / 8
Conflicts / Gaps / Version families: 7 / 10 / 6
Test law: MIXED_CLAIMS_NO_RAW_PASS_PACK · RAW_TEST_LOG_STATUS=ABSENT
Context law: TIME_LOCATION=YES · TIMEZONE_TRAVEL=YES · LOCATION-AWARE ≠ CONTINUOUS GPS
Identity warning: Do not reduce ELISA to chatbot / voice UI / LLM / FAQ bot. Do not silently resolve subsystem-title conflicts.
Note: This PDF is a rendered companion to the Markdown authority. Designed ≠ Implemented ≠ Tested ≠ Accepted ≠ Sealed ≠ Deployed ≠ Mounted ≠ Device-proven. Sensor consumer ≠ sensor owner. Health companion ≠ licensed clinician.
Source MD SHA-256: ebee0390b4b1b5a3c411cf4fb496f8714f473f546cc4ec5aaf660934d3f02dca

Table of Contents

GOLDEN CAPABILITY AND ARCHITECTURE REFERENCE	
AUTHORITATIVE DOCUMENTARY RECONSTRUCTION	
1. GOLDEN FRONT MATTER	
Locked documentary census	
Identity warning	
Maturity law	
Claim law	
Test context law	
2. EXECUTIVE SYSTEM DEFINITION	
3. WHAT ELISA IS / IS NOT	
Is (documentary)	
Is not (safe negatives)	
4. IDENTITY EVOLUTION MAP	
5. HISTORICAL ERAS (5)	
ERA-1 — ELISA Core Companion Framing	
ERA-2 — Dopamine & Behavioral AI Engineering Wave	
ERA-3 — ELISA Intelligence Bridge / Selfrepair Roadmap	
ERA-4 — DAC + LAC Context Expansion (Phase5→6 prep)	
ERA-5 — Vision / Life Map Assist Concept Layer	
6. SYSTEMS REGISTER (7)	
P5-SYS-001 — DAC/LAC Context Intelligence System	
P5-SYS-002 — Healthy Dopamine & Badges System	
P5-SYS-003 — ELISA Intelligence Bridge System	
P5-SYS-004 — ELISA Response Law / Omnipresence Safety System	
P5-SYS-005 — ELISA Core Companion System	
P5-SYS-006 — Phase5 Engineering Export Snapshots	
P5-SYS-007 — Life Map / Vision Assistance System	
7. COMPLETE ARCHITECTURE SKETCH (DOCUMENTARY)	
8. CAPABILITY LEDGER (62 / TRACEABILITY 62/62)	
9. CONTEXT INTELLIGENCE (12 CAPABILITIES) — HIGH PRIORITY	
Context dimension map (source-supported)	
10. TIMEZONE / TRAVEL ARCHITECTURE — HIGH PRIORITY	
11. VOICE ARCHITECTURE (7 CAPABILITIES)	
Voice class separation (documentary)	
12. MEMORY / CONTINUITY (2 CAPABILITIES)	
Continuity vs long-term memory	
13. SENSOR RELATIONSHIPS (8)	
14. CROSS-PHASE RELATIONSHIPS	
15. ENGINE REGISTER (20)	
16. ALGORITHM REGISTER (10)	
17. MODULE REGISTER (18)	
18. PROGRAMMES / PATHWAYS / JOURNEYS (8)	
19. CHARTS / VISUALISATIONS (5)	
20. ROUTES / ENDPOINTS (50)	
21. DATA STORES / REGISTRIES (6)	
22. SAFETY CONTROLS (32)	
23. PRIVACY / SECURITY CONTROLS (18)	
24. MULTILINGUAL / i18n (2 CAPABILITIES)	
25. TEST / ACCEPTANCE / SEAL REGISTER (8 FAMILIES)	
26. VERSION FAMILIES (6)	
P5-VF-001 — Phase5-Elisa Full Technical Report	
P5-VF-002 — ELISA Omnipresence / Response Law Spec	
P5-VF-003 — Phase5 ELISA Intelligence Bridge / Selfrepair Roadmap	
P5-VF-004 — Phase5 Life Map / Vision Assistance / Blind companion	
P5-VF-005 — Phase5 email-export Message PDFs (dopamine / DAC / LAC)	
P5-VF-006 — Dopamine/Badges PRD + API Pack D (batch-adjacent)	
27. SAME-NAME / DIFFERENT-CONTENT CASES	
28. AMBIGUOUS FILES (2/2 DISPOSITIONED)	
P5-SRC-006 — Blind. Daily life intelligence.docx	
P5-SRC-008 — Blind. Daily life intelligence__wa_dup2.docx	
29. DOCUMENTARY CONFLICT REGISTER (7)	
C-01	
C-02	
C-03	
C-04	
C-05	
C-06	
C-07	
30. DOCUMENTARY GAP REGISTER (10)	
G-01	
G-02	

G-03

G-04

G-05

G-06

G-07

G-08

G-09

G-10

31. INSTITUTIONAL VALUE REGISTER

32. PHILOSOPHY EVIDENCE (FOR LATER LEVEL-2 BRIEF)

33. FUTURE GIT / CODE VERIFICATION REGISTER

34. SOURCE FILE INDEX (18)

35. OMISSION AUDIT (GOLDEN)

36. IMMUTABILITY DECLARATION

ELISENCE PHASE 5 / ELISA

GOLDEN CAPABILITY AND ARCHITECTURE REFERENCE

AUTHORITATIVE DOCUMENTARY RECONSTRUCTION

Field	Value
Document type	Level-3 Golden Capability & Architecture Reference
Mission	ELISENCE_PHASE5_ELISA_GOLDEN_CAPABILITY_AND_ARCHITECTURE_REFERENCE_V1
Generated	2026-08-12T12:21:20+01:00
Corpus	/PHASE5/sources — 18 archived files · 17 unique hashes
Archaeology authority	ELISENCE_PHASE5_ELISA_COMPLETE_DOCUMENTARY_ARCHAEOLOGY_AND_SYSTEM_RECONSTRUCTION_REPORT.md
Census lock	07_PHASE5_CENSUS_LOCK.json
Omission audit	08_PHASE5_GOLDEN_OMISSION_AUDIT.json PASS
PDF in this mission	NO

1. GOLDEN FRONT MATTER

Locked documentary census

Register	Locked value
SOURCE_HASHES_VERIFIED	18/18
ARCHIVED_FILES	18
UNIQUE_HASHES	17
VERSION_FAMILIES	6
AMBIGUOUS_FILES_DISPOSITIONED	2/2
HISTORICAL_ERAS	5
SYSTEMS	7
CAPABILITIES	62
CAPABILITY_SOURCE_TRACEABILITY	62/62
ENGINES	20
ALGORITHMS	10
MODULES	18
PROGRAMMES_PATHWAYS_JOURNEYS	8
CHARTS_VISUALISATIONS	5
ROUTES_ENDPOINTS	50
DATA_STORES_REGISTRIES	6
CONTEXT_CAPABILITIES	12
VOICE_CAPABILITIES	7
MEMORY_CONTINUITY_CAPABILITIES	2
SENSOR_RELATIONSHIPS	8
MULTILINGUAL_CAPABILITIES	2

Register	Locked value
SAFETY_CONTROLS	32
PRIVACY_SECURITY_CONTROLS	18
DOCUMENTARY_TEST_FAMILIES	8
DOCUMENTARY_CONFLICTS	7
DOCUMENTARY_GAPS	10
TIME_LOCATION_CONTEXT_FOUND	YES
TIMEZONE_TRAVEL_CONTEXT_FOUND	YES
CROSS_PHASE_RELATIONSHIPS_FOUND	YES
HISTORICAL_TEST_STATUS	MIXED_CLAIMS_NO_RAW_PASS_PACK
RAW_TEST_LOG_STATUS	ABSENT

Identity warning

Phase 5, ELISA/Elisa, Personality Engine, Healthy Dopamine, DAC/LAC, Intelligence Bridge, Life Map/Vision Assist, and ELIS API Pack D are **related but not automatically identical**. Do not flatten them.

Maturity law

Preserve independently: DESIGNED, DOCUMENTED, IMPLEMENTED, TESTED, ACCEPTED, SEALED, GATED, DEPLOYED, MOUNTED, DEVICE-PROVEN, ROADMAP, PARTIAL, SKELETON, CONCEPT, CONFLICTED, UNKNOWN.

Claim law

DESIGNED ≠ IMPLEMENTED ≠ TESTED ≠ ACCEPTED ≠ SEALED ≠ DEPLOYED ≠ MOUNTED ≠ DEVICE-PROVEN
VOICE-CAPABLE ≠ ALWAYS-LISTENING LOCATION-AWARE DESIGN ≠ CONTINUOUS GPS ACCESS TIMEZONE-AWARE ≠ TRAVEL MEDICAL AUTHORITY SENSOR CONSUMER ≠ SENSOR OWNER MULTILINGUAL ≠ COMPLETE LANGUAGE PARITY CONTEXTUAL RESPONSE ≠ CLINICAL DIAGNOSIS HEALTH COMPANION ≠ LICENSED CLINICIAN
AI CAPABILITY ≠ REGULATORY APPROVAL

Test context law

- **AXIS A (documentary claims):** mixed historical test / acceptance / freeze-tag language exists in corpus.
- **AXIS B (raw artefacts in this 18-file corpus):** ABSENT — no raw pass pack / raw test logs found.

Do **not** say “Phase 5 was not tested.” Say: mixed claims exist; raw logs absent from this corpus; future Git/code archaeology may prove more.

2. EXECUTIVE SYSTEM DEFINITION

Canonical phase number: 5 **Canonical phase title:** ELISA / CONFLICTED_SUBSYSTEM_TITLES **ELISA primary identity:** ELISA (Elisa) — Phase 5 multilingual voice-capable health companion / system-brain layer

Phase 5 is the programme that builds **ELISA / Elisa**: documentary “brain + voice + personality” layer of Elisence — a multilingual, culturally aware, jurisdiction-aware, voice-capable health companion / system-brain layer above domain phases.

ELISA is **not** reducible to chatbot, voice UI, LLM wrapper, or FAQ bot. Corpus architecture also includes personality rendering, healthy dopamine, response-law safety, intelligence-bridge roadmap, DAC/LAC context designs, social/consent API packs, and a contested Life Map / vision-assist concept layer.

This Golden does **not** prove every subsystem was implemented, mounted, sealed, or device-proven.

3. WHAT ELISA IS / IS NOT

Is (documentary)

- Phase 5 programme identity for ELISA/Elisa companion / system-brain layer
- Multilingual voice-capable health companion framing
- Personality + dopamine + safety/policy + cross-phase interpretation surfaces
- Hybrid deterministic rules + guarded AI (where documented)

Is not (safe negatives)

- Not proof of continuous GPS / always-listening microphone
- Not a licensed clinician or CDS product claim
- Not regulatory approval / clinical validation
- Not proof every /v5 route is currently mounted
- Not identical to Phase 14 by Life Map thematic overlap alone
- Not identical to ELIS API Pack D by assistant wording alone

4. IDENTITY EVOLUTION MAP

NAME	ERA	ROLE	RELATIONSHIP_TO_ELISA	MATURITY
Phase 5	ERA-1..ERA-5	Programme label for ELISA brain/voice/personality layer	Contains / equals programme framing for ELISA	DOCUMENTED
ELISA / Elisa	ERA-1..ERA-5	Multilingual voice-capable health companion / system brain	PRIMARY PRODUCT IDENTITY	DOCUMENTED
Personality Engine / Personality Renderer	ERA-1	Deterministic personality message renderer	Core Phase 5 engine	DOCUMENTED_IMPLEMENTED_CLAIM
Healthy Dopamine Engine	ERA-1..ERA-2	Ethical non-addictive reward system	Core Phase 5 engine	DOCUMENTED
Agentic Coach	ERA-1	Decision + action coaching layer	Named Phase 5 capability	DOCUMENTED
ELISA Intelligence Bridge	ERA-3	Cross-phase normalized insight brain (structured, non-autonomous)	System-brain roadmap for ELISA	ROADMAP
DAC (Day Awareness & Continuity)	ERA-4	Time/day-night/timezone continuity context	Context subsystem feeding ELISA behaviour	DESIGNED / ACCEPTANCE_DEFINED
LAC (Location Awareness Context)	ERA-4	Location/travel context with consent modes	Context subsystem feeding ELISA	DESIGNED / ACCEPTANCE_DEFINED
Life Map Companion / Vision Assistance	ERA-5	Blind/low-vision voice-first environmental awareness	Elisa as eyes / sensory companion	CONCEPT / ENGINEERING-READY DOCS; IDENTITY CONFLICTED
ELIS AI Assistant (API Pack D)	ERA-2	Non-diagnostic AI ask endpoint family	Related assistant surface / adjacent API pack in Phase5 batch	LOCKED PRD/API MAP

5. HISTORICAL ERAS (5)

ERA-1 — ELISA Core Companion Framing

Evidence: Phase5- Elisa technical report; personality/voice/dopamine/agentic

ERA-2 — Dopamine & Behavioral AI Engineering Wave

Evidence: Nov 2025 email Message PDFs; dopamine PRD; API Pack D

ERA-3 — ELISA Intelligence Bridge / Selfrepair Roadmap

Evidence: Phase5-Selfrepair. Roadmap.pdf

ERA-4 — DAC + LAC Context Expansion (Phase5→6 prep)

Evidence: Message__wa_dup5/6 DAC/LAC plans

ERA-5 — Vision / Life Map Assist Concept Layer

Evidence: Blind docs; Vision Assistance PDF; Blinded plan; Phase14 naming tension

6. SYSTEMS REGISTER (7)**P5-SYS-001 — DAC/LAC Context Intelligence System**

- **Aliases:** DAC_LAC_CONTEXT
- **Role:** Time/day-night/timezone + location/travel context
- **Linked capability IDs:** P5-CAP-009, P5-CAP-035, P5-CAP-036, P5-CAP-037, P5-CAP-038, P5-CAP-039, P5-CAP-040, P5-CAP-041, P5-CAP-042, P5-CAP-043, P5-CAP-044, P5-CAP-045
- **Maturity:** MIXED — see subsystem registers

P5-SYS-002 — Healthy Dopamine & Badges System

- **Aliases:** DOPAMINE_BADGES
- **Role:** Ethical motivation / badges
- **Linked capability IDs:** P5-CAP-017, P5-CAP-018, P5-CAP-046, P5-CAP-047, P5-CAP-048, P5-CAP-049, P5-CAP-050
- **Maturity:** MIXED — see subsystem registers

P5-SYS-003 — ELISA Intelligence Bridge System

- **Aliases:** ELISA_INTELLIGENCE_BRIDGE
- **Role:** Cross-phase normalized system-brain roadmap
- **Linked capability IDs:** P5-CAP-027, P5-CAP-028, P5-CAP-031
- **Maturity:** MIXED — see subsystem registers

P5-SYS-004 — ELISA Response Law / Omnipresence Safety System

- **Aliases:** ELISA_RESPONSE_LAW_SAFETY
- **Role:** Binding response law and prohibitions
- **Linked capability IDs:** P5-CAP-021, P5-CAP-022, P5-CAP-023, P5-CAP-024, P5-CAP-025, P5-CAP-026
- **Maturity:** MIXED — see subsystem registers

P5-SYS-005 — ELISA Core Companion System

- **Aliases:** PHASE5_ELISA_CORE
- **Role:** Brain+voice+personality companion layer
- **Linked capability IDs:** P5-CAP-001, P5-CAP-002, P5-CAP-003, P5-CAP-004, P5-CAP-005, P5-CAP-006, P5-CAP-007, P5-CAP-008, P5-CAP-009, P5-CAP-010, P5-CAP-011, P5-CAP-012, P5-CAP-013, P5-CAP-014, P5-CAP-015, P5-CAP-016, P5-CAP-017, P5-CAP-018, P5-CAP-019, P5-CAP-020, P5-CAP-061
- **Maturity:** MIXED — see subsystem registers

P5-SYS-006 — Phase5 Engineering Export Snapshots

- **Aliases:** PHASE5_EMAIL_EXPORT_ENGINEERING
- **Role:** Email-exported engineering/code snapshots
- **Linked capability IDs:** P5-CAP-046, P5-CAP-047, P5-CAP-048, P5-CAP-062
- **Maturity:** MIXED — see subsystem registers

P5-SYS-007 — Life Map / Vision Assistance System

- **Aliases:** VISION_LIFE_MAP_ASSIST
- **Role:** Blind/low-vision environmental awareness (Phase5/14 conflicted)
- **Linked capability IDs:** P5-CAP-055, P5-CAP-056, P5-CAP-057
- **Maturity:** MIXED — see subsystem registers

7. COMPLETE ARCHITECTURE SKETCH (DOCUMENTARY)

ELISA / Phase 5

- └─ Personality Renderer + locale packs + channel adaptation
- └─ Voice (/v5/voice/say, /v5/voice/transcribe mock-STT stage)
- └─ Healthy Dopamine + badges/rewards
- └─ Agentic coach (documented)
- └─ Safety & Policy Guard ← Passport V1 (Phase 8)
- └─ Response Law / Omnipresence constraints
- └─ Cross-phase consumers (Women+ / Diabetes / Nutrition / AHE / Weight)
- └─ Intelligence Bridge roadmap (normalize → classify → insight → intents)
- └─ DAC / LAC context designs (time/day-night/TZ/travel/location consent)
- └─ Life Map / Vision Assist concept (Phase 5 / Phase 14 title conflict)

8. CAPABILITY LEDGER (62 / TRACEABILITY 62/62)

P5-CAP-001 — ELISA multilingual health companion layer

- **Description:** Phase 5 transforms Elisence into Elisa: multilingual, culturally-aware, legally-compliant, voice-capable health companion above other phases.
- **Actor:** citizen/clinician/carer
- **Inputs:** user profile, events, locale
- **Outputs:** companion responses
- **Owner:** ELISA Core
- **Dependencies:** Passport V1, phase engines
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-003, P5-SRC-001, P5-SRC-018
- **Tags:** identity, core

P5-CAP-002 — Personality Renderer engine

- **Aliases:** Personality Engine
- **Description:** personality_phase5_engine_v1 produces PersonalityRenderedMessage from structured events with locale, personality_mode, tone, channel adaptation, fallback.
- **Actor:** system
- **Inputs:** structured events
- **Outputs:** PersonalityRenderedMessage
- **Owner:** Personality Engine
- **Dependencies:** locale packs
- **Documented state:** DOCUMENTED_IMPLEMENTED_CLAIM
- **Test state:** PARTIAL_CLAIM

- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-003, P5-SRC-001
- **Tags:** engine, personalisation

P5-CAP-003 — Personality modes (calm_gentle / friendly_modern / deep_supportive / adaptive_elisa)

- **Description:** Four documented personality modes controlling tone.
- **Actor:** system
- **Inputs:** user/event context
- **Outputs:** mode selection
- **Owner:** Personality Engine
- **Dependencies:** Personality Renderer
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** personalisation

P5-CAP-004 — Five-locale personality content packs

- **Description:** Supported locales en, fa, ar, tr, ro with event-based text packs and fallback.
- **Actor:** system
- **Inputs:** locale code
- **Outputs:** localised message pack
- **Owner:** Personality Engine
- **Dependencies:** Personality Renderer
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** i18n

P5-CAP-005 — Channel adaptation (in_app / notification / voice)

- **Description:** Personality outputs adapt by delivery channel.
- **Actor:** system
- **Inputs:** channel
- **Outputs:** rendered message
- **Owner:** Personality Engine
- **Dependencies:** Personality Renderer
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN

- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** delivery

P5-CAP-006 — Voice text-to-speech API /v5/voice/say

- **Description:** TTS endpoint for Elisa speech responses in user locale.
- **Actor:** citizen
- **Inputs:** text, locale
- **Outputs:** speech audio
- **Owner:** Voice Capability
- **Dependencies:** Voice engine, persona rules
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** voice

P5-CAP-007 — Voice speech-to-text API /v5/voice/transcribe (mock STT stage)

- **Description:** STT endpoint documented as mock STT stage.
- **Actor:** citizen
- **Inputs:** audio
- **Outputs:** transcript
- **Owner:** Voice Capability
- **Dependencies:** Voice engine
- **Documented state:** DOCUMENTED_PARTIAL
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** voice

P5-CAP-008 — Full voice interaction companion mode

- **Description:** Users speak instead of typing; Elisa responds with natural speech; hands-free coaching; VI support.
- **Actor:** citizen
- **Inputs:** speech
- **Outputs:** spoken guidance
- **Owner:** Voice Capability
- **Dependencies:** Voice + Safety Guard
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN

- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** voice

P5-CAP-009 — Jurisdiction-aware Safety & Policy Guard via Passport V1

- **Description:** Uses country_code, jurisdiction_code, role, locale, organisation from Passport V1 (Phase 8); never guesses by IP alone for law.
- **Actor:** system
- **Inputs:** Passport V1 fields
- **Outputs:** guideline/policy selection
- **Owner:** Safety & Policy Guard
- **Dependencies:** Phase 8 Passport
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** safety, cross_phase, context

P5-CAP-010 — Role-aware messaging adaptation

- **Description:** Adapts style for everyday users, doctors, nurses, coaches, pharmacists, carers/parents, visually impaired.
- **Actor:** multi-actor
- **Inputs:** user role
- **Outputs:** role-tuned message
- **Owner:** ELISA Core
- **Dependencies:** profile + personality_mode + safety
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-005, P5-SRC-001
- **Tags:** personalisation, safety

P5-CAP-011 — Cross-phase Women+ interpreter/coach surface

- **Description:** Elisa acts as cycle interpreter, symptom explainer, safety escalation assistant, educational pregnancy/postpartum support using women_risk_rules + 5-language packs.
- **Actor:** citizen
- **Inputs:** Women+ signals
- **Outputs:** educational coaching
- **Owner:** ELISA Core
- **Dependencies:** Phase 7 Women+
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN

- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** cross_phase, health_routing

P5-CAP-012 — Cross-phase weight/care motivational coaching

- **Description:** Interprets weight logs, medication adherence, steps, mood, lifestyle journals; Healthy Dopamine nudges.
- **Actor:** citizen
- **Inputs:** Phase 3 signals
- **Outputs:** motivational guidance
- **Owner:** ELISA Core
- **Dependencies:** Healthy Dopamine
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** cross_phase

P5-CAP-013 — Cross-phase diabetes/GLP-1 structured non-prescriptive guidance

- **Description:** Uses dose history, glycaemic patterns, weight curves, side-effects; medication-safe guidance and hypo-risk education without prescribing.
- **Actor:** citizen
- **Inputs:** diabetes signals
- **Outputs:** non-prescriptive guidance
- **Owner:** ELISA Core
- **Dependencies:** Diabetes phase
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** cross_phase, safety

P5-CAP-014 — Cross-phase nutrition pattern guidance

- **Description:** Helps identify meal patterns, sugar/fat/salt load, eating windows, jurisdiction-safe guidelines.
- **Actor:** citizen
- **Inputs:** nutrition signals
- **Outputs:** educational guidance
- **Owner:** ELISA Core
- **Dependencies:** Nutrition phase
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN

- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** cross_phase

P5-CAP-015 — Cross-phase exercise coaching voice cues

- **Description:** Movement streaks, performance insights, energy tips, supportive voice cues during walks/runs.
- **Actor:** citizen
- **Inputs:** activity signals
- **Outputs:** coach cues
- **Owner:** ELISA Core
- **Dependencies:** Exercise phase + Voice
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** cross_phase, voice

P5-CAP-016 — Cross-phase AHE early-warning explanation

- **Description:** Translates vitals/blood/wearable early-warning signals into safe explanations and seek-care pathways.
- **Actor:** citizen
- **Inputs:** AHE signals
- **Outputs:** safe explanations
- **Owner:** ELISA Core
- **Dependencies:** Phase 8 AHE
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** cross_phase, sensor_consumer

P5-CAP-017 — Healthy Dopamine ethical reward system

- **Description:** Gentle stars/glows/achievements/streaks with anti-addiction limits; dopamine ledger; auditability.
- **Actor:** citizen
- **Inputs:** health events
- **Outputs:** rewards
- **Owner:** Healthy Dopamine Engine
- **Dependencies:** Dopamine Engine
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN

- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-016, P5-SRC-001
- **Tags:** dopamine

P5-CAP-018 — Dopamine ledger audit trail

- **Description:** All dopamine events logged for regulator audit.
- **Actor:** system/regulator
- **Inputs:** reward events
- **Outputs:** ledger entries
- **Owner:** Healthy Dopamine Engine
- **Dependencies:** Dopamine Engine
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** dopamine, privacy

P5-CAP-019 — Hybrid rule-based + controlled AI orchestration

- **Description:** Deterministic rules for personality/locale/dopamine/safety; AI for deep reasoning/long-form/speech quality; AI output flows through rule guard.
- **Actor:** system
- **Inputs:** signals + prompts
- **Outputs:** guarded outputs
- **Owner:** ELISA Core
- **Dependencies:** Safety Guard
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** ai_hybrid, safety

P5-CAP-020 — Agentic decision + action engine

- **Description:** Named Phase 5 agentic decision and action capability under companion framing.
- **Actor:** system
- **Inputs:** user goals/context
- **Outputs:** action intents
- **Owner:** Agentic Coach
- **Dependencies:** Safety Guard
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN

- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-001
- **Tags:** agentic

P5-CAP-021 — ELISA Response Law binding contract (dignity/autonomy/calm)

- **Description:** Every response must protect human dignity, autonomy, calm in that order; else INVALID.
- **Actor:** system
- **Inputs:** candidate response
- **Outputs:** valid/invalid
- **Owner:** ELISA Response Law
- **Dependencies:** Response Law
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-004, P5-SRC-005
- **Tags:** safety

P5-CAP-022 — Mandatory response skeleton (Acknowledge→Locate→One Small Step→Offer Presence)

- **Description:** Forced conversational structure for Elisa responses.
- **Actor:** system
- **Inputs:** user utterance
- **Outputs:** structured reply
- **Owner:** ELISA Response Law
- **Dependencies:** Response Law
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-005
- **Tags:** conversation, safety

P5-CAP-023 — Absolute prohibitions (no diagnosis/prescription/fear/dependency)

- **Description:** Hard bans on medical diagnosis, treatment advice, humiliation, replacing decision-maker, artificial urgency, etc.
- **Actor:** system
- **Inputs:** candidate content
- **Outputs:** block/refuse
- **Owner:** ELISA Response Law
- **Dependencies:** Response Law
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN

- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-005
- **Tags:** safety

P5-CAP-024 — Safe Refusal Law pattern

- **Description:** When refusing: respect + short reason + safe alternative path.
- **Actor:** system
- **Inputs:** out-of-scope request
- **Outputs:** refusal message
- **Owner:** ELISA Response Law
- **Dependencies:** Response Law
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-005
- **Tags:** safety

P5-CAP-025 — Anti-Dependency Law

- **Description:** Must not create dependency; strengthen user independence; respectful exit.
- **Actor:** system
- **Inputs:** interaction design
- **Outputs:** non-dependent posture
- **Owner:** ELISA Response Law
- **Dependencies:** Response Law
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-005, P5-SRC-010
- **Tags:** safety, philosophy

P5-CAP-026 — Knowledge Humility Law

- **Description:** May say topic is outside scope; humility as trustworthiness.
- **Actor:** system
- **Inputs:** uncertain/out-of-scope
- **Outputs:** humble refusal
- **Owner:** ELISA Response Law
- **Dependencies:** Response Law
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN

- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-005
- **Tags:** safety

P5-CAP-027 — Elisa Universal Input Contract

- **Description:** Normalized backend contract for all phases into Elisa including validation scope, issues, trace, confidence, risk.
- **Actor:** system
- **Inputs:** phase outputs
- **Outputs:** Elisa-safe structure
- **Owner:** ELISA Intelligence Bridge
- **Dependencies:** Intelligence Bridge
- **Documented state:** ROADMAP
- **Test state:** DESIGNED_TEST_PLAN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-002
- **Tags:** bridge

P5-CAP-028 — Validation-to-Elisa normalization layer (G10..G4)

- **Description:** Normalize outputs from G10–G4 and future phases into single Elisa-safe structure.
- **Actor:** system
- **Inputs:** gate outputs
- **Outputs:** normalized packet
- **Owner:** ELISA Intelligence Bridge
- **Dependencies:** Intelligence Bridge
- **Documented state:** ROADMAP
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-002
- **Tags:** bridge

P5-CAP-029 — Elisa Issue Classification Engine

- **Description:** Deterministic issue classes: integrity, crisis inconsistency, consent problem, bridge failure, structured-output error.
- **Actor:** system
- **Inputs:** normalized findings
- **Outputs:** issue class
- **Owner:** Issue Classification Engine
- **Dependencies:** Intelligence Bridge
- **Documented state:** ROADMAP
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN

- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-002
- **Tags:** engine

P5-CAP-030 — Elisa Insight Packet Generator

- **Description:** Structured explainable insight packets without user-facing prose yet.
- **Actor:** system
- **Inputs:** classified issues
- **Outputs:** insight packet
- **Owner:** Insight Generator
- **Dependencies:** Intelligence Bridge
- **Documented state:** ROADMAP
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-002
- **Tags:** engine

P5-CAP-031 — Elisa Recommendation-Intent Layer (non-executing)

- **Description:** Suggest safe next-step intents without permitting execution.
- **Actor:** system
- **Inputs:** insights
- **Outputs:** recommendation intents
- **Owner:** Intelligence Bridge
- **Dependencies:** governance boundaries
- **Documented state:** ROADMAP
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-002
- **Tags:** safety, bridge

P5-CAP-032 — Elisa Escalation-Intent Layer (dispatch disabled)

- **Description:** Escalation intent objects for later routing; dispatch disabled.
- **Actor:** system
- **Inputs:** risk findings
- **Outputs:** escalation intents
- **Owner:** Intelligence Bridge
- **Dependencies:** governance
- **Documented state:** ROADMAP
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN

- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-002
- **Tags:** safety

P5-CAP-033 — Deterministic same-input same-output testing requirement

- **Description:** Tests to prove deterministic Elisa output and no identity leakage.
- **Actor:** engineering
- **Inputs:** test fixtures
- **Outputs:** pass/fail
- **Owner:** Test Philosophy
- **Dependencies:** Intelligence Bridge
- **Documented state:** ROADMAP
- **Test state:** DESIGNED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-002
- **Tags:** test

P5-CAP-034 — Non-autonomous system-brain boundary

- **Description:** Elisa may classify/recommend but cannot diagnose, prescribe, dispatch, or mutate core systems automatically.
- **Actor:** system
- **Inputs:** all outputs
- **Outputs:** bounded actions
- **Owner:** Intelligence Bridge
- **Dependencies:** G4/G5/G6/Zero-Trust
- **Documented state:** ROADMAP
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-002
- **Tags:** safety

P5-CAP-035 — DAC ContextService time awareness

- **Description:** ContextService fields: timezone, last_seen_utc, last_day_hash, phase_of_day, quiet_hours, optional location_hint.
- **Actor:** system
- **Inputs:** clock/TZ
- **Outputs:** context state
- **Owner:** DAC Context Engine
- **Dependencies:** SQLite user_context
- **Documented state:** DESIGNED
- **Test state:** ACCEPTANCE_DEFINED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN

- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-014, P5-SRC-015
- **Tags:** context, time

P5-CAP-036 — Phase-of-day classification (night/early_morning/day/evening)

- **Description:** Local-hour bands define day phases affecting tone/UI.
- **Actor:** system
- **Inputs:** local_hour
- **Outputs:** phase_of_day
- **Owner:** DAC Context Engine
- **Dependencies:** DAC
- **Documented state:** DESIGNED
- **Test state:** ACCEPTANCE_DEFINED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-014, P5-SRC-015
- **Tags:** context, time

P5-CAP-037 — Quiet hours behaviour

- **Description:** Nonessential notifications off; calmer responses during quiet hours.
- **Actor:** citizen
- **Inputs:** quiet_hours window
- **Outputs:** suppressed/calm outputs
- **Owner:** DAC Context Engine
- **Dependencies:** DAC
- **Documented state:** DESIGNED
- **Test state:** ACCEPTANCE_DEFINED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-016, P5-SRC-014, P5-SRC-015
- **Tags:** context, safety

P5-CAP-038 — New-day continuity greeting / yesterday summary

- **Description:** On new day: morning greeting and continuity from yesterday; evening wind-down behaviours.
- **Actor:** citizen
- **Inputs:** day hash change
- **Outputs:** continuity messages
- **Owner:** DAC Context Engine
- **Dependencies:** DAC
- **Documented state:** DESIGNED
- **Test state:** ACCEPTANCE_DEFINED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN

- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-014
- **Tags:** memory_continuity, context

P5-CAP-039 — Relative date language resolution (today/yesterday/tonight)

- **Description:** Relative words converted using user timezone.
- **Actor:** system
- **Inputs:** relative phrases
- **Outputs:** absolute dates
- **Owner:** DAC Context Engine
- **Dependencies:** DAC
- **Documented state:** DESIGNED
- **Test state:** ACCEPTANCE_DEFINED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-014, P5-SRC-015
- **Tags:** context, i18n

P5-CAP-040 — DST and travel timezone change handling

- **Description:** DST via TZ-aware libraries; travel/TZ change detection via location_hint/IP with TZ update suggestion; clock skew warning if >5 min vs NTP.
- **Actor:** citizen
- **Inputs:** TZ/location signals
- **Outputs:** TZ update / warnings
- **Owner:** Context Engines
- **Dependencies:** DAC/LAC
- **Documented state:** DESIGNED
- **Test state:** ACCEPTANCE_DEFINED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-014, P5-SRC-015
- **Tags:** context, timezone_travel

P5-CAP-041 — DAC API surface under /v5/context/*

- **Description:** GET /now, POST /set-timezone, /heartbeat, /quiet-hours (and LAC variants under /v5/location/*).
- **Actor:** client
- **Inputs:** HTTP
- **Outputs:** context JSON
- **Owner:** Context APIs
- **Dependencies:** DAC/LAC
- **Documented state:** DESIGNED
- **Test state:** ACCEPTANCE_DEFINED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN

- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-014, P5-SRC-015
- **Tags:** routes, context

P5-CAP-042 — LAC geo_mode consent ladder

- **Description:** geo_mode off / ip_city / device_gps_once / device_gps_always with explicit consents.
- **Actor:** citizen
- **Inputs:** consents
- **Outputs:** location mode
- **Owner:** LAC Engine
- **Dependencies:** LAC
- **Documented state:** DESIGNED
- **Test state:** ACCEPTANCE_DEFINED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-015
- **Tags:** context, privacy, sensor

P5-CAP-043 — Travel state detection and welcome

- **Description:** If displacement >150km or country change → travel_state; welcome + TZ suggestion within <5s acceptance criterion.
- **Actor:** citizen
- **Inputs:** location delta
- **Outputs:** travel welcome
- **Owner:** LAC Engine
- **Dependencies:** LAC
- **Documented state:** DESIGNED
- **Test state:** ACCEPTANCE_DEFINED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-015
- **Tags:** context, timezone_travel

P5-CAP-044 — Location privacy defaults (no raw store without consent)

- **Description:** No raw location storage by default; optional history with consent; encrypt in SQLite; user can disable/wipe.
- **Actor:** citizen
- **Inputs:** location signals
- **Outputs:** minimised storage
- **Owner:** LAC Engine
- **Dependencies:** LAC
- **Documented state:** DESIGNED
- **Test state:** ACCEPTANCE_DEFINED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN

- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-015
- **Tags:** privacy, context

P5-CAP-045 — Day/night UI theme adaptation

- **Description:** UI theme changes automatically by day/night phase.
- **Actor:** citizen
- **Inputs:** phase_of_day
- **Outputs:** UI theme
- **Owner:** DAC Context Engine
- **Dependencies:** DAC
- **Documented state:** DESIGNED
- **Test state:** ACCEPTANCE_DEFINED
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-014, P5-SRC-015
- **Tags:** context, ui

P5-CAP-046 — Dopamine event logging APIs (/v5/events, mood/stress/med/activity/sleep)

- **Description:** Documented Phase 5 behavioral event endpoints for dopamine/intelligence single-main engineering wave.
- **Actor:** citizen
- **Inputs:** events
- **Outputs:** jsonl ledger
- **Owner:** Dopamine Engine
- **Dependencies:** Dopamine & Behavioral AI file
- **Documented state:** DOCUMENTED_CODE_EXPORT
- **Test state:** PARTIAL
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-011, P5-SRC-013
- **Tags:** dopamine, routes

P5-CAP-047 — Rewards preview/claim and triggers/next

- **Description:** GET /v5/rewards/preview, POST /v5/rewards/claim, GET /v5/triggers/next.
- **Actor:** citizen
- **Inputs:** user_id/policy
- **Outputs:** reward cards/triggers
- **Owner:** Dopamine Engine
- **Dependencies:** rewards_policy_v1.json
- **Documented state:** DOCUMENTED_CODE_EXPORT
- **Test state:** PARTIAL
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)

- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-011, P5-SRC-013
- **Tags:** dopamine, routes

P5-CAP-048 — Dopamine graph endpoint

- **Description:** GET /v5/graph/dopamine for visualization of dopamine events.
- **Actor:** citizen
- **Inputs:** events
- **Outputs:** graph data
- **Owner:** Dopamine Engine
- **Dependencies:** Dopamine Engine
- **Documented state:** DOCUMENTED_CODE_EXPORT
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-011, P5-SRC-013
- **Tags:** charts, dopamine

P5-CAP-049 — Private badges and trust badges system

- **Description:** PRD: personal private badges + verified professional trust badges; visibility controls; no leaderboards.
- **Actor:** multi-actor
- **Inputs:** verification/milestones
- **Outputs:** badges
- **Owner:** Dopamine/Badges
- **Dependencies:** Profile
- **Documented state:** DOCUMENTED_LOCKED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-016, P5-SRC-017
- **Tags:** dopamine

P5-CAP-050 — Dopamine safety guards (no shame/loss framing/leaderboards)

- **Description:** Forbidden: public leaderboards, shame, punishment, engagement farming, late-night nudging against quiet mode.
- **Actor:** system
- **Inputs:** reward logic
- **Outputs:** safe motivation
- **Owner:** Dopamine Engine
- **Dependencies:** PRD S7
- **Documented state:** DOCUMENTED_LOCKED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)

- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-016
- **Tags:** safety, dopamine

P5-CAP-051 — Invite & Consent scoped share passport flows

- **Description:** Invite generate/resolve; consent grant/reject/revoke/extend; summary_only scopes; audit/WORM.
- **Actor:** multi-actor
- **Inputs:** invite codes
- **Outputs:** relationships/share passports
- **Owner:** ELIS API Pack D
- **Dependencies:** Passport, Zero-Trust guards
- **Documented state:** DOCUMENTED_LOCKED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-017
- **Tags:** privacy, routes

P5-CAP-052 — Time-bound messaging sessions (request → accept → chat → end)

- **Aliases:** conversation sessions
- **Description:** No open inbox; text-only time-bound sessions; abuse and content policy guards.
- **Actor:** multi-actor
- **Inputs:** message requests
- **Outputs:** session messages
- **Owner:** ELIS API Pack D
- **Dependencies:** consent relationship
- **Documented state:** DOCUMENTED_LOCKED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-017
- **Tags:** memory_continuity, routes

P5-CAP-053 — Non-diagnostic AI Assistant ask endpoint /v1/ai/ask

- **Description:** Optional AI assistant with explainability, non-diagnostic notices, disable settings; content_policy_guard.
- **Actor:** citizen
- **Inputs:** question+context
- **Outputs:** answer+safety notices
- **Owner:** ELIS AI Assistant
- **Dependencies:** AI settings
- **Documented state:** DOCUMENTED_LOCKED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)

- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-017
- **Tags:** ai_hybrid, safety

P5-CAP-054 — User transparency timeline

- **Description:** GET /v1/transparency/timeline high-level consent/activity view; full WORM internal.
- **Actor:** citizen
- **Inputs:** audit events
- **Outputs:** timeline
- **Owner:** ELIS API Pack D
- **Dependencies:** WORM
- **Documented state:** DOCUMENTED_LOCKED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-017
- **Tags:** privacy

P5-CAP-055 — Life Map room & space awareness (voice descriptions)

- **Description:** On request, describe room layout, doors, furniture, distances with uncertainty language.
- **Actor:** VI user
- **Inputs:** camera frames + voice query
- **Outputs:** spoken description
- **Owner:** Life Map Companion
- **Dependencies:** Vision cores + Voice
- **Documented state:** CONCEPT_DESIGN
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-006, P5-SRC-008, P5-SRC-007, P5-SRC-009
- **Tags:** vision, voice, sensor

P5-CAP-056 — Dining & food / menu companion

- **Description:** Describe table items, locate glass/utensils, read/summarize menus; non-medical suggestions.
- **Actor:** VI user
- **Inputs:** camera/OCR + voice
- **Outputs:** spoken guidance
- **Owner:** Life Map Companion
- **Dependencies:** Dining module
- **Documented state:** CONCEPT_DESIGN
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)

- **Source traceability:** P5-SRC-006, P5-SRC-007
- **Tags:** vision, voice

P5-CAP-057 — Navigation safety descriptive alerts (non-directive)

- **Description:** Obstacle/hazard descriptive alerts; never commands like cross now / it is safe.
- **Actor:** VI user
- **Inputs:** depth/obstacle signals
- **Outputs:** spoken alerts
- **Owner:** Life Map Companion
- **Dependencies:** Safety Filter Core
- **Documented state:** CONCEPT_DESIGN
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-006, P5-SRC-009
- **Tags:** vision, safety

P5-CAP-058 — Camera/sensor consent-gated activation

- **Description:** Camera/sensors activate only with user intent/enabled mode; no passive surveillance; no hidden recording.
- **Actor:** VI user
- **Inputs:** consents
- **Outputs:** active perception session
- **Owner:** Life Map Companion
- **Dependencies:** Privacy framework
- **Documented state:** CONCEPT_DESIGN
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-009
- **Tags:** privacy, sensor

P5-CAP-059 — On-device-first vision processing / no default image storage

- **Description:** Transient processing; no image/video storage by default; no facial identity; optional disclosed cloud OCR.
- **Actor:** system
- **Inputs:** frames
- **Outputs:** descriptions
- **Owner:** Life Map Companion
- **Dependencies:** Vision Perception Core
- **Documented state:** CONCEPT_DESIGN
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-009

- **Tags:** privacy, sensor

P5-CAP-060 — Wearable camera + bone-conduction audio hardware concept

- **Description:** Smartphone + optional glasses/clip camera + bone-conduction/earbud audio concept.
- **Actor:** VI user
- **Inputs:** hardware
- **Outputs:** audio descriptions
- **Owner:** Life Map Companion
- **Dependencies:** Hardware layer
- **Documented state:** CONCEPT_DESIGN
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-006, P5-SRC-009
- **Tags:** sensor, voice

P5-CAP-061 — ELISA core personality philosophy (truth/kindness/patience/presence)

- **Description:** Foundational personality principles including honesty about uncertainty, non-judgment, patience, presence, ethical awareness, healthy attachment.
- **Actor:** system
- **Inputs:** interaction
- **Outputs:** persona behaviour
- **Owner:** ELISA Core
- **Dependencies:** Personality philosophy
- **Documented state:** DOCUMENTED
- **Test state:** UNKNOWN
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-010
- **Tags:** philosophy, personalisation

P5-CAP-062 — Phase 5 healthz/hello service endpoints

- **Description:** GET /v5/healthz, /v5/hello?lang= documented in engineering exports.
- **Actor:** ops/client
- **Inputs:** none/lang
- **Outputs:** status/hello
- **Owner:** Phase5 API
- **Dependencies:** Phase5 app
- **Documented state:** DOCUMENTED_CODE_EXPORT
- **Test state:** PARTIAL
- **Seal state:** UNKNOWN
- **Gate state:** UNKNOWN
- **Deployment state:** UNKNOWN
- **Mount state:** UNKNOWN (not proven in this corpus)
- **Device-proof state:** UNKNOWN (not proven in this corpus)
- **Source traceability:** P5-SRC-011, P5-SRC-013

- **Tags:** routes

9. CONTEXT INTELLIGENCE (12 CAPABILITIES) — HIGH PRIORITY

TIME_LOCATION_CONTEXT_FOUND=YES TIMEZONE_TRAVEL_CONTEXT_FOUND=YES

These capabilities document **architecture/design** (and acceptance criteria in places). They do **not** by themselves prove continuous GPS, runtime mounting, or device-proven travel behaviour.

- P5-CAP-009 **Jurisdiction-aware Safety & Policy Guard via Passport V1** — state **DOCUMENTED**; test UNKNOWN; Uses country_code, jurisdiction_code, role, locale, organisation from Passport V1 (Phase 8); never guesses by IP alone for law. Sources: P5-SRC-001
- P5-CAP-035 **DAC ContextService time awareness** — state **DESIGNED**; test ACCEPTANCE_DEFINED; ContextService fields: timezone, last_seen_utc, last_day_hash, phase_of_day, quiet_hours, optional location_hint. Sources: P5-SRC-014, P5-SRC-015
- P5-CAP-036 **Phase-of-day classification (night/early_morning/day/evening)** — state **DESIGNED**; test ACCEPTANCE_DEFINED; Local-hour bands define day phases affecting tone/UI. Sources: P5-SRC-014, P5-SRC-015
- P5-CAP-037 **Quiet hours behaviour** — state **DESIGNED**; test ACCEPTANCE_DEFINED; Nonessential notifications off; calmer responses during quiet hours. Sources: P5-SRC-016, P5-SRC-014, P5-SRC-015
- P5-CAP-038 **New-day continuity greeting / yesterday summary** — state **DESIGNED**; test ACCEPTANCE_DEFINED; On new day: morning greeting and continuity from yesterday; evening wind-down behaviours. Sources: P5-SRC-014
- P5-CAP-039 **Relative date language resolution (today/yesterday/tonight)** — state **DESIGNED**; test ACCEPTANCE_DEFINED; Relative words converted using user timezone. Sources: P5-SRC-014, P5-SRC-015
- P5-CAP-040 **DST and travel timezone change handling** — state **DESIGNED**; test ACCEPTANCE_DEFINED; DST via TZ-aware libraries; travel/TZ change detection via location_hint/IP with TZ update suggestion; clock skew warning if >5 min vs NTP. Sources: P5-SRC-014, P5-SRC-015
- P5-CAP-041 **DAC API surface under /v5/context/** — state *DESIGNED*; test *ACCEPTANCE_DEFINED*; GET /now, POST /set-timezone, /heartbeat, /quiet-hours (and LAC variants under /v5/location/). Sources: P5-SRC-014, P5-SRC-015
- P5-CAP-042 **LAC geo_mode consent ladder** — state **DESIGNED**; test ACCEPTANCE_DEFINED; geo_mode off / ip_city / device_gps_once / device_gps_always with explicit consents. Sources: P5-SRC-015
- P5-CAP-043 **Travel state detection and welcome** — state **DESIGNED**; test ACCEPTANCE_DEFINED; If displacement >150km or country change → travel_state; welcome + TZ suggestion within <5s acceptance criterion. Sources: P5-SRC-015
- P5-CAP-044 **Location privacy defaults (no raw store without consent)** — state **DESIGNED**; test ACCEPTANCE_DEFINED; No raw location storage by default; optional history with consent; encrypt in SQLite; user can disable/wipe. Sources: P5-SRC-015
- P5-CAP-045 **Day/night UI theme adaptation** — state **DESIGNED**; test ACCEPTANCE_DEFINED; UI theme changes automatically by day/night phase. Sources: P5-SRC-014, P5-SRC-015

Context dimension map (source-supported)

Dimension	Documentary status	Notes
Current/local time	DESIGNED	via timezone-aware ContextService
Timezone	DESIGNED	set/update APIs; default example Europe/London in plans
Day/night / phase_of_day	DESIGNED	night/early_morning/day/evening bands
Quiet hours	DESIGNED	calmer responses; dopamine quiet-mode respect
Location (optional)	DESIGNED	geo_mode off/ip_city/gps_once/gps_always
Travel / TZ change	DESIGNED	>150km or country change → travel_state; TZ suggestion
DST	DESIGNED	TZ-aware library handling
Health/domain context	DOCUMENTED consumer	via cross-phase signals, not DAC fields alone
Device clock skew	DESIGNED	warn if >5 min vs NTP

Dimension	Documentary status	Notes
Continuous GPS	NOT PROVEN	optional consent modes only

10. TIMEZONE / TRAVEL ARCHITECTURE — HIGH PRIORITY

Source-supported design (primarily DAC+LAC Message exports):

1. Interpret user local time from stored timezone.
2. Classify phase_of_day; adapt tone/UI.
3. Detect new day via last_day_hash; continuity greetings.
4. Optional location modes under explicit consent.
5. If large displacement/country change → travel_state + welcome + timezone update suggestion.
6. Privacy default: no raw location store without consent; wipe/disable available.

Safe claim: timezone/travel **context architecture is documented**. **Unsafe claim:** ELISA continuously tracked GPS or issued travel-medical authority — **NOT supported**.

11. VOICE ARCHITECTURE (7 CAPABILITIES)

- P5-CAP-006 **Voice text-to-speech API /v5/voice/say** — state **DOCUMENTED**; TTS endpoint for Elisa speech responses in user locale. Sources: P5-SRC-001
- P5-CAP-007 **Voice speech-to-text API /v5/voice/transcribe (mock STT stage)** — state **DOCUMENTED_PARTIAL**; STT endpoint documented as mock STT stage. Sources: P5-SRC-001
- P5-CAP-008 **Full voice interaction companion mode** — state **DOCUMENTED**; Users speak instead of typing; Elisa responds with natural speech; hands-free coaching; VI support. Sources: P5-SRC-001
- P5-CAP-015 **Cross-phase exercise coaching voice cues** — state **DOCUMENTED**; Movement streaks, performance insights, energy tips, supportive voice cues during walks/runs. Sources: P5-SRC-001
- P5-CAP-055 **Life Map room & space awareness (voice descriptions)** — state **CONCEPT_DESIGN**; On request, describe room layout, doors, furniture, distances with uncertainty language. Sources: P5-SRC-006, P5-SRC-008, P5-SRC-007, P5-SRC-009
- P5-CAP-056 **Dining & food / menu companion** — state **CONCEPT_DESIGN**; Describe table items, locate glass/utensils, read/summarize menus; non-medical suggestions. Sources: P5-SRC-006, P5-SRC-007
- P5-CAP-060 **Wearable camera + bone-conduction audio hardware concept** — state **CONCEPT_DESIGN**; Smartphone + optional glasses/clip camera + bone-conduction/earbud audio concept. Sources: P5-SRC-006, P5-SRC-009

Voice class separation (documentary)

Class	Evidence
Voice output / TTS	/v5/voice/say
Voice input / STT	/v5/voice/transcribe documented as mock STT stage
Full voice interaction mode	speak instead of type; hands-free coaching
Voice persona	same persona/safety rules as text
Voice for accessibility / VI	high-clarity short cues; Life Map audio
Platform OS speech ownership	NOT claimed as ELISA-owned intelligence

Conflict preserved: programme-level “full voice interaction” vs mock STT stage (**C-04**).

12. MEMORY / CONTINUITY (2 CAPABILITIES)

- P5–CAP–038 **New-day continuity greeting / yesterday summary** — state **DESIGNED**; On new day: morning greeting and continuity from yesterday; evening wind-down behaviours. Sources: P5-SRC-014
- P5–CAP–052 **Time-bound messaging sessions (request → accept → chat → end)** — state **DOCUMENTED_LOCKED**; No open inbox; text-only time-bound sessions; abuse and content policy guards. Sources: P5-SRC-017

Continuity vs long-term memory

Class	Status in corpus
Session / recent interaction state (last_seen, day hash, quiet hours, travel_state)	DESIGNED / DOCUMENTED
Time-bound messaging sessions	DOCUMENTED_LOCKED (Pack D)
Dopamine event history	DOCUMENTED_CODE_EXPORT
Unbounded long-term autobiographical memory	NOT ESTABLISHED

13. SENSOR RELATIONSHIPS (8)

Law: ELISA CONSUMES A SIGNAL ≠ ELISA OWNS THE SENSOR SUBSYSTEM

ID	SOURCE	SIGNAL	ACCESS	OWNER	ELISA ROLE	MATURITY
P5-SEN-001	Device clock / timezone	local time, TZ	DIRECT_DESIGN	Device/OS	DAC context	DESIGNED
P5-SEN-002	IP geolocation (optional consent)	city/country hint	INDIRECT_OPTIONAL	Network/IP service	LAC	DESIGNED
P5-SEN-003	Device GPS (once/always modes)	lat/lon/accuracy	DIRECT_OPTIONAL_CONSENT	Device GPS	LAC	DESIGNED
P5-SEN-004	Camera (phone/wearable)	frames for description	INTENT_GATED	Device camera	Life Map vision	CONCEPT
P5-SEN-005	Microphone	speech input	VOICE_SESSION	Device mic / OS STT	Voice STT	DOCUMENTED_PARTIAL MOCK STT
P5-SEN-006	Wearables / vitals / blood markers via AHE	early-warning signals	INDIRECT_CROSS_PHASE	Phase 8 AHE / upstream	Explain/seek-care	DOCUMENTED_CONSUMER
P5-SEN-007	Activity/sleep/med intake event APIs	behavioral events	APP_EVENT	Phase5 event routes	Dopamine/coaching	DOCUMENTED_CODE_EXPORT
P5-SEN-008	Passport V1 jurisdiction/locale/role	country/jurisdiction/role	INDIRECT_CROSS_PHASE	Phase 8	Policy guard	DOCUMENTED

14. CROSS-PHASE RELATIONSHIPS

SOURCE	TARGET	FLOW	OWNER	CONSUMER	MATURITY	BOUNDARY
Phase 5 / ELISA	Phase 7 Women+	Elisa interprets cycle/symptoms; educational pregnancy/postpartum; women_risk_rules + packs	Phase 7 domain / ELISA consumer-coach	ELISA	DOCUMENTED	Educational/non-diagnostic; Phase7 owns women domain intelligence

SOURCE	TARGET	FLOW	OWNER	CONSUMER	MATURITY	BOUNDARY
Phase 5 / ELISA	Phase 8 Passport V1	country_code, jurisdiction_code, role, locale, organisation into Safety & Policy Guard	Phase 8 Passport	ELISA Safety Guard	DOCUMENTED	ELISA must not invent jurisdiction by IP alone
Phase 5 / ELISA	Phase 8 AHE	Early-warning vitals/blood/wearable signals → safe explanations / seek-care pathways	Phase 8 AHE	ELISA	DOCUMENTED_CONSUMER	Sensor/AHE ownership remains upstream
Phase 5 / ELISA	Phase 3 Weight & Care	Weight logs, adherence, steps, mood, journals → motivational dopamine coaching	Phase 3	ELISA	DOCUMENTED	Non-prescriptive motivation only
Phase 5 / ELISA	Diabetes / GLP-1 programme	Dose/glycaemic/weight/side-effect signals → structured non-prescriptive guidance	Diabetes phase	ELISA	DOCUMENTED	Never prescriptive
Phase 5 / ELISA	Nutrition / Exercise programmes	Meal/activity patterns → educational coaching and voice cues	Domain phases	ELISA	DOCUMENTED	Educational companion
Gates G4–G10 / future phases	ELISA Intelligence Bridge	Normalized validation outputs → issue class → insight → recommendation/escalation intents	Bridge roadmap	ELISA system-brain	ROADMAP	No autonomous diagnose/prescribe/diagnose/mutate
Phase 5 DAC/LAC designs	Phase 6 prep integration	Context modules planned for integration after Phase 5 end	Ambiguous (C-05)	ELISA behaviour/UI	DESIGNED; mount phase CONFLICTED	Design in Phase5 corpus ≠ Phase5 runtime ownership proven

15. ENGINE REGISTER (20)

P5-ENG-001 — Personality Renderer / Personality Engine

- **State:** DOCUMENTED_IMPLEMENTED_CLAIM
- **Sources:** P5-SRC-001

P5-ENG-002 — Healthy Dopamine Engine

- **State:** DOCUMENTED
- **Sources:** P5-SRC-016, P5-SRC-001

P5-ENG-003 — Voice Interaction Engine

- **State:** DOCUMENTED_PARTIAL_STT MOCK
- **Sources:** P5-SRC-001

P5-ENG-004 — Agentic Decision + Action Engine

- **State:** DOCUMENTED
- **Sources:** P5-SRC-001

P5-ENG-005 — Safety & Policy Guard

- **State:** DOCUMENTED
- **Sources:** P5-SRC-001

P5-ENG-006 — Jurisdiction/Policy Compliance Guard

- **State:** DOCUMENTED
- **Sources:** P5-SRC-001

P5-ENG-007 — ELISA Issue Classification Engine

- **State:** ROADMAP
- **Sources:** P5-SRC-002

P5-ENG-008 — ELISA Insight Packet Generator

- **State:** ROADMAP
- **Sources:** P5-SRC-002

P5-ENG-009 — DAC ContextService / Day Awareness Engine

- **State:** DESIGNED
- **Sources:** P5-SRC-014, P5-SRC-015

P5-ENG-010 — LAC Location Awareness Engine

- **State:** DESIGNED
- **Sources:** P5-SRC-015

P5-ENG-011 — Vision Perception Core

- **State:** CONCEPT
- **Sources:** P5-SRC-009

P5-ENG-012 — Depth & Obstacle Awareness Core

- **State:** CONCEPT
- **Sources:** P5-SRC-009

P5-ENG-013 — Text & Menu Recognition Core

- **State:** CONCEPT
- **Sources:** P5-SRC-009

P5-ENG-014 — People & Object Context Core

- **State:** CONCEPT
- **Sources:** P5-SRC-009

P5-ENG-015 — World Model & Spatial Mapping Core

- **State:** CONCEPT
- **Sources:** P5-SRC-009

P5-ENG-016 — Priority & Safety Filter Core

- **State:** CONCEPT
- **Sources:** P5-SRC-009

P5-ENG-017 — Elisa Voice Interaction Core (Vision)

- **State:** CONCEPT
- **Sources:** P5-SRC-009

P5-ENG-018 — Room & Space Awareness Engine

- **State:** CONCEPT
- **Sources:** P5-SRC-006

P5-ENG-019 — Dining & Food Intelligence Module/Engine

- **State:** CONCEPT
- **Sources:** P5-SRC-006

P5-ENG-020 — Content Policy / Abuse Prevention Guards

- **State:** DOCUMENTED_LOCKED
 - **Sources:** P5-SRC-017
-

16. ALGORITHM REGISTER (10)

Do not rebrand ordinary rules as AI. Do not call model inference deterministic.

P5-ALG-001 — get_phase_of_day(local_hour)

- **State:** DESIGNED
- **Sources:** P5-SRC-014

P5-ALG-002 — last_day_hash new-day detection

- **State:** DESIGNED
- **Sources:** P5-SRC-014

P5-ALG-003 — Travel displacement threshold (>150km / country change)

- **State:** DESIGNED
- **Sources:** P5-SRC-015

P5-ALG-004 — Dopamine pacing / rewards_policy_v1 evaluation

- **State:** DOCUMENTED_CODE_EXPORT
- **Sources:** P5-SRC-013

P5-ALG-005 — Tone sensitivity selection

- **State:** DOCUMENTED
- **Sources:** P5-SRC-001

P5-ALG-006 — Personality fallback completion guarantee

- **State:** DOCUMENTED
- **Sources:** P5-SRC-001

P5-ALG-007 — Response Law validity check (dignity/autonomy/calm)

- **State:** DOCUMENTED
- **Sources:** P5-SRC-005

P5-ALG-008 — Issue classification deterministic mapping

- **State:** ROADMAP
- **Sources:** P5-SRC-002

P5-ALG-009 — Relative temporal language resolution

- **State:** DESIGNED
- **Sources:** P5-SRC-014

P5-ALG-010 — Clock skew detection vs NTP (>5 minutes)

- **State:** DESIGNED
 - **Sources:** P5-SRC-014
-

17. MODULE REGISTER (18)

P5-MOD-001 — personality_phase5_engine_v1.py

- **State:** DOCUMENTED_IMPLEMENTED_CLAIM

- **Sources:** P5-SRC-001

P5-MOD-002 — Locale/culture packs (EN/FA/AR/TR/RO)

- **State:** DOCUMENTED
- **Sources:** P5-SRC-001

P5-MOD-003 — Passport V1 consumer adapter

- **State:** DOCUMENTED
- **Sources:** P5-SRC-001

P5-MOD-004 — Blind-Assist / Life Map module (future)

- **State:** CONCEPT_FUTURE
- **Sources:** P5-SRC-001, P5-SRC-009

P5-MOD-005 — user_context SQLite store

- **State:** DESIGNED
- **Sources:** P5-SRC-014, P5-SRC-015

P5-MOD-006 — events_v5.jsonl dopamine event store

- **State:** DOCUMENTED_CODE_EXPORT
- **Sources:** P5-SRC-013

P5-MOD-007 — rewards_policy_v1.json

- **State:** DOCUMENTED_CODE_EXPORT
- **Sources:** P5-SRC-013

P5-MOD-008 — ELISA Response Law / Omnipresence Spec

- **State:** DOCUMENTED
- **Sources:** P5-SRC-005

P5-MOD-009 — Universal Input Contract + Normalization Layer

- **State:** ROADMAP
- **Sources:** P5-SRC-002

P5-MOD-010 — Recommendation-Intent Layer

- **State:** ROADMAP
- **Sources:** P5-SRC-002

P5-MOD-011 — Escalation-Intent Layer

- **State:** ROADMAP
- **Sources:** P5-SRC-002

P5-MOD-012 — Invite & Consent module (Pack D)

- **State:** DOCUMENTED_LOCKED
- **Sources:** P5-SRC-017

P5-MOD-013 — Messaging sessions module (Pack D)

- **State:** DOCUMENTED_LOCKED
- **Sources:** P5-SRC-017

P5-MOD-014 — Badges verification module

- **State:** DOCUMENTED_LOCKED
- **Sources:** P5-SRC-017

P5-MOD-015 — AI Assistant settings/ask module

- **State:** DOCUMENTED_LOCKED
- **Sources:** P5-SRC-017

P5-MOD-016 — Social context / clothing & atmosphere awareness (Life Map)

- **State:** CONCEPT
- **Sources:** P5-SRC-006

P5-MOD-017 — Outdoor hazard cue module

- **State:** CONCEPT
- **Sources:** P5-SRC-006

P5-MOD-018 — Phase5 single-main FastAPI app export (APP_VERSION 5.0.0)

- **State:** DOCUMENTED_CODE_EXPORT
- **Sources:** P5-SRC-013

18. PROGRAMMES / PATHWAYS / JOURNEYS (8)

- P5-PPJ-001 **Phase 5 ELISA Core Programme** — DOCUMENTED
- P5-PPJ-002 **Healthy Dopamine / Behavioral AI programme** — DOCUMENTED
- P5-PPJ-003 **ELISA Intelligence Bridge implementation roadmap** — ROADMAP
- P5-PPJ-004 **DAC implementation plan (Phase5 end → Phase6 prep)** — DESIGNED
- P5-PPJ-005 **DAC+LAC master plan** — DESIGNED
- P5-PPJ-006 **Life Map Companion / Vision Assistance programme** — CONCEPT; PHASE_ID_CONFLICTED
- P5-PPJ-007 **ELIS API Map Pack D journeys (invite/consent/messaging/dopamine/AI)** — LOCKED
- P5-PPJ-008 **Cross-phase Women+/Diabetes/Nutrition/AHE companion journeys** — DOCUMENTED

19. CHARTS / VISUALISATIONS (5)

- P5-CH-001 **Dopamine graph (/v5/graph/dopamine)** — DOCUMENTED_CODE_EXPORT · sources P5-SRC-011
- P5-CH-002 **Progress cards (non-numeric effort summaries)** — DOCUMENTED_LOCKED · sources P5-SRC-016
- P5-CH-003 **Today dopamine/reward cards UI** — DOCUMENTED_LOCKED · sources P5-SRC-017
- P5-CH-004 **Transparency timeline view** — DOCUMENTED_LOCKED · sources P5-SRC-017
- P5-CH-005 **Badge status / eligibility display** — DOCUMENTED_LOCKED · sources P5-SRC-017

20. ROUTES / ENDPOINTS (50)

Presence in documentary corpus ≠ mounted runtime.

- P5-RTE-001 **POST** /v1/ai/ask — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-002 **PATCH** /v1/ai/settings — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-003 **GET** /v1/ai/status — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-004 **GET** /v1/badges — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-005 **GET** /v1/badges/status — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem

- P5-RTE-006 **POST** /v1/badges/verify/documents — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-007 **POST** /v1/badges/verify/request — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-008 **PATCH** /v1/badges/{badge_id}/visibility — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-009 **POST** /v1/consent/extend/approve — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-010 **POST** /v1/consent/extend/request — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-011 **POST** /v1/consent/grant — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-012 **POST** /v1/consent/reject — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-013 **POST** /v1/consent/revoke — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-014 **GET** /v1/dopamine/cards/today — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-015 **POST** /v1/dopamine/events — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-016 **POST** /v1/invites/generate — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-017 **POST** /v1/invites/resolve — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-018 **GET/POST** /v1/messages/requests — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-019 **POST** /v1/messages/requests/{request_id}/respond — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-020 **GET** /v1/messages/sessions/{session_id} — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-021 **POST** /v1/messages/sessions/{session_id}/end — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-022 **POST** /v1/messages/sessions/{session_id}/send — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-023 **GET** /v1/relationships — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-024 **GET** /v1/shared/summary — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-025 **GET** /v1/transparency/timeline — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-026 **POST** /v5/activity — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-027 **POST** /v5/context/heartbeat — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-028 **GET** /v5/context/now — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-029 **POST** /v5/context/quiet-hours — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-030 **POST** /v5/context/set-timezone — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-031 **POST** /v5/events — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem

- P5-RTE-032 **GET** /v5/graph/dopamine — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-033 **GET** /v5/healthz — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-034 **GET** /v5/healthz/basic — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-035 **GET** /v5/hello — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-036 **POST** /v5/location/disable-gps — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-037 **POST** /v5/location/disable-ip — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-038 **POST** /v5/location/enable-gps — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-039 **POST** /v5/location/enable-ip — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-040 **GET** /v5/location/now — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-041 **POST** /v5/location/set — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-042 **POST** /v5/med/intake — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-043 **POST** /v5/mood — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-044 **POST** /v5/rewards/claim — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-045 **GET** /v5/rewards/preview — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-046 **POST** /v5/sleep — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-047 **POST** /v5/stress — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-048 **GET** /v5/triggers/next — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-049 **POST** /v5/voice/say — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem
- P5-RTE-050 **POST** /v5/voice/transcribe — purpose: documentary Phase5/ELISA or adjacent Pack D surface; maturity: DOCUMENTED; mount: UNKNOWN; owner: see subsystem

21. DATA STORES / REGISTRIES (6)

P5-DS-001 — user_context (SQLite)

- **Maturity:** DESIGNED
- **Privacy/retention/owner:** see privacy register + source docs; not fully specified for all stores in this corpus

P5-DS-002 — events_v5.jsonl

- **Maturity:** DOCUMENTED_CODE_EXPORT
- **Privacy/retention/owner:** see privacy register + source docs; not fully specified for all stores in this corpus

P5-DS-003 — rewards_policy_v1.json

- **Maturity:** DOCUMENTED_CODE_EXPORT
- **Privacy/retention/owner:** see privacy register + source docs; not fully specified for all stores in this corpus

P5-DS-004 — dopamine ledger (audit)

- **Maturity:** DOCUMENTED
- **Privacy/retention/owner:** see privacy register + source docs; not fully specified for all stores in this corpus

P5-DS-005 — WORM audit log (internal)

- **Maturity:** DOCUMENTED_LOCKED
- **Privacy/retention/owner:** see privacy register + source docs; not fully specified for all stores in this corpus

P5-DS-006 — Share Passport / relationship store

- **Maturity:** DOCUMENTED_LOCKED
- **Privacy/retention/owner:** see privacy register + source docs; not fully specified for all stores in this corpus

22. SAFETY CONTROLS (32)

Grouped for readability; every control remains individually listed.

- P5-SAF-001 Jurisdiction-aware Safety & Policy Guard via Passport V1 (linked P5-CAP-009)
- P5-SAF-002 Role-aware messaging adaptation (linked P5-CAP-010)
- P5-SAF-003 Cross-phase diabetes/GLP-1 structured non-prescriptive guidance (linked P5-CAP-013)
- P5-SAF-004 Hybrid rule-based + controlled AI orchestration (linked P5-CAP-019)
- P5-SAF-005 ELISA Response Law binding contract (dignity/autonomy/calm) (linked P5-CAP-021)
- P5-SAF-006 Mandatory response skeleton (Acknowledge→Locate→One Small Step→Offer Presence) (linked P5-CAP-022)
- P5-SAF-007 Absolute prohibitions (no diagnosis/prescription/fear/dependency) (linked P5-CAP-023)
- P5-SAF-008 Safe Refusal Law pattern (linked P5-CAP-024)
- P5-SAF-009 Anti-Dependency Law (linked P5-CAP-025)
- P5-SAF-010 Knowledge Humility Law (linked P5-CAP-026)
- P5-SAF-011 Elisa Recommendation-Intent Layer (non-executing) (linked P5-CAP-031)
- P5-SAF-012 Elisa Escalation-Intent Layer (dispatch disabled) (linked P5-CAP-032)
- P5-SAF-013 Non-autonomous system-brain boundary (linked P5-CAP-034)
- P5-SAF-014 Quiet hours behaviour (linked P5-CAP-037)
- P5-SAF-015 Dopamine safety guards (no shame/loss framing/leaderboards) (linked P5-CAP-050)
- P5-SAF-016 Non-diagnostic AI Assistant ask endpoint /v1/ai/ask (linked P5-CAP-053)
- P5-SAF-017 Navigation safety descriptive alerts (non-directive) (linked P5-CAP-057)
- P5-SAF-018 Non-diagnostic boundary
- P5-SAF-019 Non-prescriptive boundary
- P5-SAF-020 No IP-based jurisdiction guessing for law
- P5-SAF-021 No addictive dopamine loops
- P5-SAF-022 No casino-style surprises
- P5-SAF-023 No face identification in vision
- P5-SAF-024 No passive camera surveillance
- P5-SAF-025 Uncertainty disclosure in vision outputs
- P5-SAF-026 Zero-Trust passport/role/jurisdiction/consent guards
- P5-SAF-027 content_policy_guard on AI ask
- P5-SAF-028 abuse_prevention_guard on messaging
- P5-SAF-029 fail closed on missing consent (403)
- P5-SAF-030 Human review safe boundaries (bridge)
- P5-SAF-031 Assistive not navigational device classification
- P5-SAF-032 No implied duty of care in vision

Safety architecture ≠ regulatory approval.

23. PRIVACY / SECURITY CONTROLS (18)

- P5-PRV-001 Consent model (invite both-sides approve)
- P5-PRV-002 Purpose limitation
- P5-PRV-003 Data minimisation (vision: no image store default)
- P5-PRV-004 Location optional + wipeable
- P5-PRV-005 Microphone/camera intent-gated
- P5-PRV-006 Encryption of context store (documented design)
- P5-PRV-007 Audit/WORM
- P5-PRV-008 Role-based access
- P5-PRV-009 Jurisdiction guard
- P5-PRV-010 Pseudonymised/minimal invite preview
- P5-PRV-011 AI ask metadata-only audit option
- P5-PRV-012 Private-by-default dopamine/badges
- P5-PRV-013 Revocation immediate
- P5-PRV-014 On-device-first vision architecture
- P5-PRV-015 GDPR/UK Equality Act alignment (design-level)
- P5-PRV-016 No biometric profiling (vision)
- P5-PRV-017 Timezone stored; raw GPS not by default
- P5-PRV-018 Transparency timeline for users

24. MULTILINGUAL / i18n (2 CAPABILITIES)

- P5-CAP-004 **Five-locale personality content packs** — state **DOCUMENTED**; Supported locales en, fa, ar, tr, ro with event-based text packs and fallback. Sources: P5-SRC-001
- P5-CAP-039 **Relative date language resolution (today/yesterday/tonight)** — state **DESIGNED**; Relative words converted using user timezone. Sources: P5-SRC-014, P5-SRC-015

Aspect	Documentary status
Designed language set	EN / FA / AR / TR / RO (primary corpus claim)
Implemented locales	NOT PROVEN beyond documentary/code-export claims
Voice language support	Documented as locale-aligned speech; not device-proven
RTL	Not fully evidenced as completed Phase5 pack in this corpus
Tested language coverage	NOT PROVEN (raw logs ABSENT)
Complete five-language parity	NOT PROVEN
FR/ES mention	Appears in one engineering export header — conflict C-07

25. TEST / ACCEPTANCE / SEAL REGISTER (8 FAMILIES)

HISTORICAL_TEST_STATUS: MIXED_CLAIMS_NO_RAW_PASS_PACK **RAW_TEST_LOG_STATUS:** ABSENT

The current 18-file corpus contains mixed historical test/acceptance/freeze-tag claims, but **no raw pass pack / raw test logs** were found. Future Git/code archaeology may prove additional facts.

TEST FAMILY	SCOPE	CLAIMED RESULT	NUMERIC TOTAL	RAW LOG	SEAL	GATE	SOURCE
P5-TST-001 Personality engine tests (ZIP claim)	personality_phase5_engine_v1	CLAIMED_EXIST_IN_ZIP		NO	NO	NO	Phase5- Elisa.pdf

TEST FAMILY	SCOPE	CLAIMED RESULT	NUMERIC TOTAL	RAW LOG	SEAL	GATE	SOURCE
P5-TST-002 Deterministic Elisa output tests	Intelligence Bridge	DESIGNED		NO	NO	NO	Phase5- Selfrepair. Roadmap.pdf
P5-TST-003 DAC acceptance crite- ria (7 items)	DAC	ACCEPTANCE_D EFINED	7	NO	NO	NO	Message__wa_d up5.pdf
P5-TST-004 DAC smoke test + snapshot after integration	DAC integration	PLANNED		NO	NO	NO	Message__wa_d up5.pdf
P5-TST-005 DAC+LAC accep- tance criteria (7 items)	DAC+LAC	ACCEPTANCE_D EFINED	7	NO	NO	NO	Message__wa_d up6.pdf
P5-TST-006 DAC+LAC smoke test + snapshot + green quad health/context/lo- cation/UI	DAC+LAC integration	PLANNED_GRE EN_CRITERIA	4	NO	NO	PARTIAL_TAG_P LAN	Message__wa_d up6.pdf
P5-TST-007 Freeze tag plan _phase6_- dac_lac_init_v1	DAC+LAC	PLANNED_FREE ZE_TAG		NO	NO	PLANNED	Message__wa_d up6.pdf
P5-TST-008 Cross-phase compatibility validation	Bridge	DESIGNED		NO	NO	NO	Phase5- Selfrepair. Roadmap.pdf

26. VERSION FAMILIES (6)

P5-VF-001 — Phase5-Elisa Full Technical Report

- Phase5- Elisa.docx
- Phase5- Elisa.pdf
- Phase5- Elisa__wa_dup2.pdf

P5-VF-002 — ELISA Omnipresence / Response Law Spec

- ELISA OMNIPRESENCE SPEC.docx
- ELISA OMNIPRESENCE SPEC.pdf

P5-VF-003 — Phase5 ELISA Intelligence Bridge / Selfrepair Roadmap

- Phase5-Selfrepair. Roadmap.pdf

P5-VF-004 — Phase5 Life Map / Vision Assistance / Blind companion

- Blind. Daily life intelligence.docx
- Blind. Daily life intelligence__wa_dup2.docx
- Blinded plan.pdf
- Vision Assitance& life navigation System.pdf

P5-VF-005 — Phase5 email-export Message PDFs (dopamine / DAC / LAC)

- Message.pdf
- Message__wa_dup2.pdf
- Message__wa_dup3.pdf

- Message__wa_dup4.pdf
- Message__wa_dup5.pdf
- Message__wa_dup6.pdf

P5-VF-006 — Dopamine/Badges PRD + API Pack D (batch-adjacent)

- 7-PRD – Section 7 Dopamine Engine & Badges.docx
- Invite & Consent + Messaging + Badges + Dopamine + AI Assistant.pdf
- P5-VF-001 Phase5-Elisa PDF/DOCX/dupPDF: PDF pair byte-identical dup; DOCX related export variant.
- P5-VF-002 Omnipresence SPEC PDF/DOCX pair.
- P5-VF-004 Life Map/Vision/Blind family includes Phase5/Phase14 identity conflict.
- P5-VF-005 Message email-export PDFs are same-name different-content engineering snapshots across Nov 2025.

27. SAME-NAME / DIFFERENT-CONTENT CASES

Locked count: **4**

- Stem phase5- elisa: Phase5- Elisa.pdf, Phase5- Elisa.docx, Phase5- Elisa__wa_dup2.pdf
- Stem elisa omnipresence spec: ELISA OMNIPRESENCE SPEC.docx, ELISA OMNIPRESENCE SPEC.pdf
- Stem blind. daily life intelligence: Blind. Daily life intelligence.docx, Blind. Daily life intelligence__wa_dup2.docx
- Stem message: Message.pdf, Message__wa_dup2.pdf, Message__wa_dup3.pdf, Message__wa_dup4.pdf, Message__wa_dup5.pdf, Message__wa_dup6.pdf

Do not discard older versions merely because a newer snapshot exists.

28. AMBIGUOUS FILES (2/2 DISPOSITIONED)

P5-SRC-006 — Blind. Daily life intelligence.docx

- **Disposition:** PHASE5_ADJACENT
- **Note:** Batched with Phase5 WhatsApp delivery; content titles Phase 14 Life Map Companion using Elisa.

P5-SRC-008 — Blind. Daily life intelligence__wa_dup2.docx

- **Disposition:** PHASE5_ADJACENT
- **Note:** Phase 5 title header but Phase 14 body residue; same family as SRC-006; not byte-identical.

29. DOCUMENTARY CONFLICT REGISTER (7)

C-01

- **Question / conflict:** Life Map / Vision Assist documents use both Phase 5 and Phase 14 identity labels for overlapping Elisa blind-assist scope.
- **Source sides:** Phase 5 framing (Blinded plan, some Life Map texts) II Phase 14 framing (Vision Assistance PDF; Blind DOCX SRC-006/008 content)
- **Safe interpretation:** Keep both sides; do not silently canonicalize.
- **Future evidence needed:** authoritative phase-identity decision; code/test/seal artefacts; runtime mount proof.

C-02

- **Question / conflict:** Blind. Daily life intelligence.docx (SRC-006) opens as PHASE 14; __wa_dup2 (SRC-008) opens as PHASE 5 but body still contains Phase 14 module language.
- **Source sides:** PHASE 14 title II PHASE 5 title + Phase 14 body residue

- **Safe interpretation:** Keep both sides; do not silently canonicalize.
- **Future evidence needed:** authoritative phase-identity decision; code/test/seal artefacts; runtime mount proof.

C-03

- **Question / conflict:** Technical report describes Personality engine as implemented from ZIP; Intelligence Bridge roadmap still builds Elisa system-brain capabilities — completion scope differs by subsystem.
- **Source sides:** Core companion documented as present II Bridge roadmap still to-build
- **Safe interpretation:** Keep both sides; do not silently canonicalize.
- **Future evidence needed:** authoritative phase-identity decision; code/test/seal artefacts; runtime mount proof.

C-04

- **Question / conflict:** Voice STT documented as mock stage while “full voice interaction” is claimed at programme level.
- **Source sides:** Full voice interaction claim II mock STT stage
- **Safe interpretation:** Keep both sides; do not silently canonicalize.
- **Future evidence needed:** authoritative phase-identity decision; code/test/seal artefacts; runtime mount proof.

C-05

- **Question / conflict:** DAC/LAC plans are Phase 5 preparation for Phase 6 integration — phase ownership of runtime mounting is ambiguous.
- **Source sides:** Designed in Phase 5 corpus II Integrate after Phase 5 end into Phase 6
- **Safe interpretation:** Keep both sides; do not silently canonicalize.
- **Future evidence needed:** authoritative phase-identity decision; code/test/seal artefacts; runtime mount proof.

C-06

- **Question / conflict:** ELIS API Pack D AI Assistant vs ELISA Phase 5 companion branding coexistence without explicit equivalence statement.
- **Source sides:** ELIS /v1/ai/ II ELISA /v5/ companion
- **Safe interpretation:** Keep both sides; do not silently canonicalize.
- **Future evidence needed:** authoritative phase-identity decision; code/test/seal artefacts; runtime mount proof.

C-07

- **Question / conflict:** Locale set mostly EN/FA/AR/TR/RO; one code-export header also mentions FR/ES — language parity claim not uniform.
- **Source sides:** 5-language packs II FR/ES mention in code export header
- **Safe interpretation:** Keep both sides; do not silently canonicalize.
- **Future evidence needed:** authoritative phase-identity decision; code/test/seal artefacts; runtime mount proof.

30. DOCUMENTARY GAP REGISTER (10)

G-01

- **Missing evidence:** No raw test logs / CI artefacts in the 18-file corpus.
- **Why it matters:** Prevents overclaiming implementation/seal/runtime/device status.
- **Current safe claim:** Documentary architecture only, within stated maturity.
- **Future verification target:** Git/code/tests/seals/device proof as applicable.

G-02

- **Missing evidence:** No cryptographic seal packs / BBVP artefacts in corpus.
- **Why it matters:** Prevents overclaiming implementation/seal/runtime/device status.
- **Current safe claim:** Documentary architecture only, within stated maturity.
- **Future verification target:** Git/code/tests/seals/device proof as applicable.

G-03

- **Missing evidence:** No device-proven voice or vision evidence in corpus.
- **Why it matters:** Prevents overclaiming implementation/seal/runtime/device status.
- **Current safe claim:** Documentary architecture only, within stated maturity.
- **Future verification target:** Git/code/tests/seals/device proof as applicable.

G-04

- **Missing evidence:** `personality_phase5_engine_v1.py` referenced but source ZIP not in this archive.
- **Why it matters:** Prevents overclaiming implementation/seal/runtime/device status.
- **Current safe claim:** Documentary architecture only, within stated maturity.
- **Future verification target:** Git/code/tests/seals/device proof as applicable.

G-05

- **Missing evidence:** Runtime mounting state of /v5 APIs unknown from documentary corpus alone.
- **Why it matters:** Prevents overclaiming implementation/seal/runtime/device status.
- **Current safe claim:** Documentary architecture only, within stated maturity.
- **Future verification target:** Git/code/tests/seals/device proof as applicable.

G-06

- **Missing evidence:** GPS/HealthKit/wearable direct access not evidenced as Phase 5-owned; consumption via other phases/Passport/AHE only partially specified.
- **Why it matters:** Prevents overclaiming implementation/seal/runtime/device status.
- **Current safe claim:** Documentary architecture only, within stated maturity.
- **Future verification target:** Git/code/tests/seals/device proof as applicable.

G-07

- **Missing evidence:** Long-term memory architecture beyond session/context fields not fully specified.
- **Why it matters:** Prevents overclaiming implementation/seal/runtime/device status.
- **Current safe claim:** Documentary architecture only, within stated maturity.
- **Future verification target:** Git/code/tests/seals/device proof as applicable.

G-08

- **Missing evidence:** Formal regulatory approval / clinical validation not present.
- **Why it matters:** Prevents overclaiming implementation/seal/runtime/device status.
- **Current safe claim:** Documentary architecture only, within stated maturity.
- **Future verification target:** Git/code/tests/seals/device proof as applicable.

G-09

- **Missing evidence:** Phase 14 vs Phase 5 Life Map ownership unresolved.
- **Why it matters:** Prevents overclaiming implementation/seal/runtime/device status.
- **Current safe claim:** Documentary architecture only, within stated maturity.
- **Future verification target:** Git/code/tests/seals/device proof as applicable.

G-10

- **Missing evidence:** Numeric total test counts for personality engine not explicit.
- **Why it matters:** Prevents overclaiming implementation/seal/runtime/device status.
- **Current safe claim:** Documentary architecture only, within stated maturity.
- **Future verification target:** Git/code/tests/seals/device proof as applicable.

31. INSTITUTIONAL VALUE REGISTER

- **[DOCUMENTARY ONLY]** ELISA positioned as multilingual jurisdiction-aware voice health companion for governments/hospitals/investors · sources P5-SRC-001
- **[DOCUMENTARY ONLY]** Audit-ready deterministic message outputs + dopamine ledger claimed · sources P5-SRC-001
- **[DOCUMENTARY ONLY]** Vision assist framed as assistive non-medical non-navigational technology with GDPR/Equality Act design alignment · sources P5-SRC-009
- **[DOCUMENTARY ONLY]** Zero-Trust invite/consent/share-passport model with WORM audit · sources P5-SRC-017
- **[INTERNAL / REQUIRES LATER VERIFICATION]** DAC/LAC acceptance and freeze-tag plans exist but no raw green proof in corpus · sources P5-SRC-015
- **[INTERNAL / REQUIRES LATER VERIFICATION]** Personality engine ZIP implementation claim without archived source/tests here · sources P5-SRC-001

Not marketing copy. Not external certification.

32. PHILOSOPHY EVIDENCE (FOR LATER LEVEL-2 BRIEF)

- Phase 5 exists to turn Elisence from a data system into Elisa — brain + voice + personality companion above domain phases.
- Not merely a chatbot: jurisdiction-aware, role-aware, cross-phase routing, deterministic guards, ethical dopamine, voice, and context continuity are foundational claims.
- Time/day-night/timezone continuity (DAC) and location/travel (LAC) are explicit design pillars for behaviour/tone/UI.
- Voice is a first-class interaction mode with TTS + mock-stage STT, also critical for accessibility/VI.
- Health engines are often upstream; Elisa interprets/explains/coaches and escalates educationally rather than owning all domain intelligence.
- Safety constrains via Response Law, absolute prohibitions, policy guard, non-diagnostic/non-prescriptive rules, anti-dependency.
- Multilingual delivery is designed as full-stack localisation (language + culture + law), primarily EN/FA/AR/TR/RO.
- Sensors: clock/TZ/location/camera/mic documented with consent boundaries; medical wearables largely consumed via AHE/other phases.
- Memory/continuity: last_seen, day hash, quiet hours, travel_state, chat sessions, dopamine events — not proven as unbounded long-term autobiographical memory.
- Maturity mixed: core companion + dopamine docs strong; DAC/LAC designed with acceptance criteria; bridge roadmap; vision concept; raw seals/tests absent in corpus.

33. FUTURE GIT / CODE VERIFICATION REGISTER

Subsystem	Must locate later
Personality Renderer	CODE, TESTS, SEALS, ROUTES, LANGUAGE_PACKS, RUNTIME_MOUNT
Voice TTS/STT	CODE, TESTS, ROUTES, DEVICE_PROOF, VOICE_IMPLEMENTATION
Healthy Dopamine	CODE, TESTS, DATA_MODELS, ROUTES, RUNTIME_MOUNT
Safety & Policy Guard	CODE, TESTS, GATES, RUNTIME_MOUNT
DAC ContextService	CODE, TESTS, DATA_MODELS, ROUTES, TIME/LOCATION_CONTEXT, RUNTIME_MOUNT
LAC Location Awareness	CODE, TESTS, DATA_MODELS, ROUTES, SENSOR_BRIDGES, TIME/LOCATION_CONTEXT, RUNTIME_MOUNT
Intelligence Bridge	CODE, TESTS, GATES, DATA_MODELS
Life Map / Vision Assist	CODE, TESTS, SENSOR_BRIDGES, VOICE_IMPLEMENTATION, DEVICE_PROOF, PERMISSIONS
API Pack D AI/Consent	CODE, TESTS, ROUTES, SEALS, RUNTIME_MOUNT

Subsystem	Must locate later
Memory/continuity stores	CODE, DATA_MODELS, TESTS, RUNTIME_MOUNT

34. SOURCE FILE INDEX (18)

SOURCE_ID	FILENAME	SHA256	PAGES
P5-SRC-016	7-PRD – Section 7 Dopamine Engine & Badges.docx	cf2a79ac9ea9d43773f- b0e6844642- fa0f5c181e694c6e7d- fe150b88ecea93e2	
P5-SRC-006	Blind. Daily life intelligence.docx	d498f- ba186b1429c23cba87b702deb baf21a76c73a2ac919deec169 71d651968	
P5-SRC-008	Blind. Daily life intelligence__wa_dup2.doc x	a9c9c5e965d6f35b115420437 96b7567a0e273305f8bf358f4 61550c94290666	
P5-SRC-007	Blinded plan.pdf	4f2ff0aa8670403d7cb85c- c1aa906102dcf- da322a250798d3b6bcc7a6- cae3454	8
P5-SRC-004	ELISA OMNIPRESENCE SPEC.docx	ace01ddc2e7b08e0e- f55be5b9ab22433aaaf118b9b 8a4dabca7872348cb4a3c7	
P5-SRC-005	ELISA OMNIPRESENCE SPEC.pdf	8fcd- c20314011ba68cd3f9d75eae3 13363cd583601b20e48937188 e2b11c20e9	7
P5-SRC-017	Invite & Consent + Messaging + Badges + Dopamine + AI Assistant.pdf	948551029b91fd06dfd104096 326cd050d- f78fe299d2ac0eeb- d3cb1e814b871e	15
P5-SRC-010	Message.pdf	f8ec1401fee36a9493b9219a2 043716ac973721c01e028a450 a903aa61bbd0a9	18
P5-SRC-011	Message__wa_dup2.pdf	7856a7e8c35e- b40bc619918c4d- c66f12ba45d- d0d1c168b742e949229627a22 29	12
P5-SRC-012	Message__wa_dup3.pdf	79c6f80561e5c62702e01a03b 7377a697553521fb61cabf- f22c01162a1050727	32
P5-SRC-013	Message__wa_dup4.pdf	c409e- b85365f699c91f42ed499cf86 1282531fe1a8ed2e56e0e98ee 3db455762	19
P5-SRC-014	Message__wa_dup5.pdf	dc513530e62eddd0e8345- da87420b28cd- d4a3f9cb368863d72d674f2c1 56b861	11
P5-SRC-015	Message__wa_dup6.pdf	9ec93e52fe98e4f822ba19866 9cd0df48c352ce6ccdf- ca596393f50e140be0ef	16

SOURCE_ID	FILENAME	SHA256	PAGES
P5-SRC-003	Phase5- Elisa.docx	48650808c5c85e329a5b42654cf0277832de04e429e045c44fe9ecf25592a0b9	
P5-SRC-001	Phase5- Elisa.pdf	b9297c8b8a37999af2a8c6e8c369abc558e079f61bcfb-d2a47ae406e85aae94c	7
P5-SRC-018	Phase5- Elisa__wa_dup2.pdf	b9297c8b8a37999af2a8c6e8c369abc558e079f61bcfb-d2a47ae406e85aae94c	7
P5-SRC-002	Phase5-Selfrepair. Roadmap.pdf	45989c00afb180244391bf-f8a568ca0088c59ad621ea6ef2647b8a822ff1880f	2
P5-SRC-009	Vision Assitance& life navigation System.pdf	c79c2e24811c388bc605b2b610b26f73239e198226496af59aa3213f1ad31218	6

35. OMISSION AUDIT (GOLDEN)

Check	Found	Expected	OK
capabilities	62	62	YES
engines	20	20	YES
algorithms	10	10	YES
modules	18	18	YES
programmes	8	8	YES
charts	5	5	YES
routes	50	50	YES
stores	6	6	YES
context_caps	12	12	YES
voice_caps	7	7	YES
memory_caps	2	2	YES
sensors	8	8	YES
multilingual_caps	2	2	YES
safety	32	32	YES
privacy	18	18	YES
tests	8	8	YES
conflicts	7	7	YES
gaps	10	10	YES
systems	7	7	YES
eras	5	5	YES

OMISSION_AUDIT_PASS=YES

Archaeology omission audit also PASS (08_PHASE5_GOLDEN_OMISSION_AUDIT.json).

36. IMMUTABILITY DECLARATION

Check	Value
SOURCE_FILES_MODIFIED	0
SOURCE_FILES_DELETED	0
ARCHAEOLOGY_REPORT_MODIFIED	NO
CENSUS_LOCK_MODIFIED	NO
CODE_FILES_MODIFIED	0
TESTS_EXECUTED	NO
GIT_MUTATIONS	0
DEPLOYMENT_PERFORMED	NO
GOLDEN_PDF_CREATED	NO

End of ELISENCE_PHASE5_ELISA_GOLDEN_CAPABILITY_AND_ARCHITECTURE_REFERENCE.md