


# modulo 401T



CROSS BAR PANIC EXIT DEVICE, 1 LOCKING POINT



## BENEFITS

- ▲ Achieved the highest requirements according to European Standard EN 1125
- ▲ Perfectly interchangeable with others panic devices
- ▲ Low projection of the crossbar
- ▲ Simplified reversibility
- ▲ Extremely robust thanks to the solid protection system of the bracket

## TECHNICAL FEATURES

|                              |                                                               |
|------------------------------|---------------------------------------------------------------|
| Door Leaf                    | Single Leaf Door, Double Leaf Door: Only Active               |
| Locking Points               | Single Point                                                  |
| Handing                      | Reversible                                                    |
| Cover Material               | Steel                                                         |
| Latch Material               | Steel                                                         |
| Fire Resistant               | Yes                                                           |
| Strike Type                  | Adjustable                                                    |
| Bar Lengths                  | 950, 1150, 1450                                               |
| Options Available on Request | Dogging, Micro on latch, Micro on bar, Micro on latch and bar |
| Packaging Description        | 8 pcs                                                         |
| EN 1125:2008                 | 377B1422AA                                                    |


## PRODUCT CODES

|              |                       |
|--------------|-----------------------|
| Product Code | Cover Finish          |
| 401/T        | Black RAL 9005        |
| 401/TG6      | Grey RAL 9006         |
| 401/TB       | White RAL 9016        |
| 401/TA       | Steel finish painting |

# modulo 402T



CROSS BAR PANIC EXIT DEVICE, 2 LOCKING POINTS



## BENEFITS

- ▲ Achieved the highest requirements according to European Standard EN 1125
- ▲ Perfectly interchangeable with others panic devices
- ▲ Low projection of the crossbar
- ▲ Simplified reversibility
- ▲ Extremely robust thanks to the solid protection system of the bracket

## TECHNICAL FEATURES

|                              |                                                       |
|------------------------------|-------------------------------------------------------|
| Door Leaf                    | Single Leaf Door, Double Leaf Door: Active or Passive |
| Locking Points               | 2 points                                              |
| Handing                      | Reversible                                            |
| Cover Material               | Steel                                                 |
| Fire Resistant               | Yes                                                   |
| Strike Type                  | Adjustable                                            |
| Bar Lengths                  | 950, 1150, 1450                                       |
| Options Available on Request | Dogging, Micro on bar                                 |
| Packaging Description        | 8 pcs                                                 |
| EN 1125:2008                 | 377B1422AA                                            |


## PRODUCT CODES

| Product Code | Cover Finish          |
|--------------|-----------------------|
| 402/T        | Black RAL 9005        |
| 402/TG6      | Grey RAL 9006         |
| 402/TB       | White RAL 9016        |
| 402/TA       | Steel finish painting |

# modulo 403T



CROSS BAR PANIC EXIT DEVICE, 1-3 LOCKING POINTS MODULAR



## BENEFITS

- ▲ Achieved the highest requirements according to European Standard EN 1125
- ▲ Perfectly interchangeable with others panic devices
- ▲ Low projection of the crossbar
- ▲ Simplified reversibility
- ▲ Extremely robust thanks to the solid protection system of the bracket

## TECHNICAL FEATURES

|                              |                                                               |
|------------------------------|---------------------------------------------------------------|
| Door Leaf                    | Single Leaf Door, Double Leaf Door: Active or Passive         |
| Locking Points               | Modular                                                       |
| Handing                      | Reversible                                                    |
| Cover Material               | Steel                                                         |
| Latch Material               | Steel                                                         |
| Fire Resistant               | Yes                                                           |
| Strike Type                  | Adjustable                                                    |
| Bar Lengths                  | 950, 1150, 1450                                               |
| Options Available on Request | Dogging, Micro on latch, Micro on bar, Micro on latch and bar |
| Packaging Description        | 8 pcs                                                         |
| EN 1125:2008                 | 377B1422AA                                                    |

## PRODUCT CODES

| Product Code | Cover Finish          |
|--------------|-----------------------|
| 403/T        | Black RAL 9005        |
| 403/TG6      | Grey RAL 9006         |
| 403/TB       | White RAL 9016        |
| 403/TA       | Steel finish painting |
| 403/TX       | Satin chrome          |

# modulo-push 601

TOUCH BAR PANIC EXIT DEVICE, 1 LOCKING POINT




## TECHNICAL FEATURES

|                              |                                                               |
|------------------------------|---------------------------------------------------------------|
| Door Leaf                    | Single Leaf Door, Double Leaf Door: Only Active               |
| Locking Points               | Single Point                                                  |
| Handing                      | Reversible                                                    |
| Cover Material               | Steel                                                         |
| Latch Material               | Steel                                                         |
| Fire Resistant               | Yes                                                           |
| Strike Type                  | Adjustable                                                    |
| Bar Lengths                  | 840, 1170, 1300, 1500                                         |
| Options Available on Request | Dogging, Micro on latch, Micro on bar, Micro on latch and bar |
| EN 1125:2008                 | 377B1422BA                                                    |

## BENEFITS

- ▲ Achieved the highest requirements according to European Standard EN 1125
- ▲ Accessories available for installation on every kind of door: wood, metal, glass
- ▲ Can be trimmed up to 270mm length
- ▲ Aesthetically pleasing thanks to its contemporary design
- ▲ Available in a variety of colours



## PRODUCT CODES

| Product Code | Bar Length (mm) | Cover Finish                       |
|--------------|-----------------|------------------------------------|
| 601/1/NN     | 840             | Black RAL 9005                     |
| 601/1/G6     | 840             | Grey RAL 9006                      |
| 601/1/BB     | 840             | White RAL 9016                     |
| 601/1/NR     | 840             | Black RAL 9005, Red RAL 3020       |
| 601/1/NS     | 840             | Black RAL 9005, Anodized Aluminium |
| 601/1/NV     | 840             | Black RAL 9005, Green RAL 6029     |
| 601/2/NN     | 1170            | Black RAL 9005                     |
| 601/2/G6     | 1170            | Grey RAL 9006                      |
| 601/2/BB     | 1170            | White RAL 9016                     |
| 601/2/NR     | 1170            | Black RAL 9005, Red RAL 3020       |
| 601/2/NS     | 1170            | Black RAL 9005, Anodized Aluminium |
| 601/2/NV     | 1170            | Black RAL 9005, Green RAL 6029     |
| 601/3/NN     | 1300            | Black RAL 9005                     |
| 601/3/G6     | 1300            | Grey RAL 9006                      |
| 601/3/BB     | 1300            | White RAL 9016                     |
| 601/3/NR     | 1300            | Black RAL 9005, Red RAL 3020       |
| 601/3/NS     | 1300            | Black RAL 9005, Anodized Aluminium |
| 601/3/NV     | 1300            | Black RAL 9005, Anodized Aluminium |
| 601/4/BB     | 1500            | White RAL 9016                     |
| 601/4/G6     | 1500            | Grey RAL 9006                      |
| 601/4/GG     | 1500            | Grey RAL 7040                      |
| 601/4/NN     | 1500            | Black RAL 9005                     |
| 601/4/NR     | 1500            | Black RAL 9005, Red RAL 3020       |
| 601/4/NS     | 1500            | Black RAL 9005, Anodized Aluminium |
| 601/4/NV     | 1500            | Black RAL 9005, Anodized Aluminium |

# modulo-push 602

TOUCH BAR PANIC EXIT DEVICE, 2 LOCKING POINTS




## TECHNICAL FEATURES

|                              |                                                       |
|------------------------------|-------------------------------------------------------|
| Door Leaf                    | Single Leaf Door, Double Leaf Door: Active or Passive |
| Locking Points               | 2 points                                              |
| Handing                      | Reversible                                            |
| Cover Material               | Steel                                                 |
| Fire Resistant               | Yes                                                   |
| Strike Type                  | Adjustable                                            |
| Bar Lengths                  | 840, 1170, 1300, 1500                                 |
| Options Available on Request | Dogging, Micro on bar                                 |
| EN 1125:2008                 | 377B1422BA                                            |

## BENEFITS

- ▲ Achieved the highest requirements according to European Standard EN 1125
- ▲ Accessories available for installation on every kind of door: wood, metal, glass
- ▲ Can be trimmed up to 270mm length
- ▲ Aesthetically pleasing thanks to its contemporary design
- ▲ Available in a variety of colours



## PRODUCT CODES

| Product Code | Bar Length (mm) | Cover Finish                       |
|--------------|-----------------|------------------------------------|
| 602/1/NN     | 840             | Black RAL 9005                     |
| 602/1/G6     | 840             | Grey RAL 9006                      |
| 602/1/BB     | 840             | White RAL 9016                     |
| 602/1/NR     | 840             | Black RAL 9005, Red RAL 3020       |
| 602/1/NS     | 840             | Black RAL 9005, Anodized Aluminium |
| 602/1/NV     | 840             | Black RAL 9005, Green RAL 6029     |
| 602/2/NN     | 1170            | Black RAL 9005                     |
| 602/2/G6     | 1170            | Grey RAL 9006                      |
| 602/2/BB     | 1170            | White RAL 9016                     |
| 602/2/NR     | 1170            | Black RAL 9005, Red RAL 3020       |
| 602/2/NS     | 1170            | Black RAL 9005, Anodized Aluminium |
| 602/2/NV     | 1170            | Black RAL 9005, Green RAL 6029     |
| 602/3/NN     | 1300            | Black RAL 9005                     |
| 602/3/G6     | 1300            | Grey RAL 9006                      |
| 602/3/BB     | 1300            | White RAL 9016                     |
| 602/3/NR     | 1300            | Black RAL 9005, Red RAL 3020       |
| 602/3/NS     | 1300            | Black RAL 9005, Anodized Aluminium |
| 602/3/NV     | 1300            | Black RAL 9005, Green RAL 6029     |
| 602/4/BB     | 1500            | White RAL 9016                     |
| 602/4/G6     | 1500            | Grey RAL 9006                      |
| 602/4/GG     | 1500            | Grey RAL 7040                      |
| 602/4/NN     | 1500            | Black RAL 9005                     |
| 602/4/NR     | 1500            | Black RAL 9005, Red RAL 3020       |
| 602/4/NS     | 1500            | Black RAL 9005, Anodized Aluminium |
| 602/4/NV     | 1500            | Black RAL 9005, Green RAL 6029     |

# modulo-push 603

TOUCH BAR PANIC EXIT DEVICE, 1-3 LOCKING POINTS MODULAR




## TECHNICAL FEATURES

|                              |                                                               |
|------------------------------|---------------------------------------------------------------|
| Door Leaf                    | Single Leaf Door, Double Leaf Door: Active or Passive         |
| Locking Points               | Modular                                                       |
| Handing                      | Reversible                                                    |
| Cover Material               | Steel                                                         |
| Latch Material               | Steel                                                         |
| Fire Resistant               | Yes                                                           |
| Strike Type                  | Adjustable                                                    |
| Bar Lengths                  | 840, 1300, 1170, 1500                                         |
| Options Available on Request | Dogging, Micro on latch, Micro on bar, Micro on latch and bar |
| EN 1125:2008                 | 377B1422BA                                                    |

## BENEFITS

- ▲ Achieved the highest requirements according to European Standard EN 1125
- ▲ Aesthetically pleasing thanks to its contemporary design
- ▲ Modular
- ▲ Available in a variety of colours
- ▲ Can be trimmed up to 270mm length




## PRODUCT CODES

| Product Code | Bar Length (mm) | Cover Finish                       |
|--------------|-----------------|------------------------------------|
| 603/1/NN     | 840             | Black RAL 9005                     |
| 603/1/G6     | 840             | Grey RAL 9006                      |
| 603/1/BB     | 840             | White RAL 9016                     |
| 603/1/AA     | 840             | Steel finish painting              |
| 603/1/NR     | 840             | Black RAL 9005, Red RAL 3020       |
| 603/1/NS     | 840             | Black RAL 9005, Anodized Aluminium |
| 603/1/NV     | 840             | Black RAL 9005, Green RAL 6029     |
| 603/2/NN     | 1170            | Black RAL 9005                     |
| 603/2/G6     | 1170            | Grey RAL 9006                      |
| 603/2/BB     | 1170            | White RAL 9016                     |
| 603/2/AA     | 1170            | Steel finish painting              |
| 603/2/XX     | 1170            | Satin chrome                       |
| 603/2/NR     | 1170            | Black RAL 9005, Red RAL 3020       |
| 603/2/NS     | 1170            | Black RAL 9005, Anodized Aluminium |
| 603/2/NV     | 1170            | Black RAL 9005, Green RAL 6029     |
| 603/3/NN     | 1300            | Black RAL 9005                     |
| 603/3/G6     | 1300            | Grey RAL 9006                      |
| 603/3/BB     | 1300            | White RAL 9016                     |
| 603/3/AA     | 1300            | Steel finish painting              |
| 603/3/XX     | 1300            | Satin chrome                       |
| 603/3/NR     | 1300            | Black RAL 9005, Red RAL 3020       |
| 603/3/NS     | 1300            | Black RAL 9005, Anodized Aluminium |
| 603/3/NV     | 1300            | Black RAL 9005, Green RAL 6029     |
| 603/4/BB     | 1500            | White RAL 9016                     |
| 603/4/G6     | 1500            | Grey RAL 9006                      |
| 603/4/GG     | 1500            | Grey RAL 7040                      |
| 603/4/NN     | 1500            | Black RAL 9005                     |
| 603/4/NR     | 1500            | Black RAL 9005, Red RAL 3020       |
| 603/4/NS     | 1500            | Black RAL 9005, Anodized Aluminium |
| 603/4/NV     | 1500            | Black RAL 9005, Green RAL 6029     |
| 603/4/XX     | 1500            | Satin chrome                       |

# Horizontal cross arm



| Ref.        | L.   | Material             | Finishing     |
|-------------|------|----------------------|---------------|
| 1100/1/ARG  | 950  | Anodized aluminium   | Silver        |
| 1100/2/ARG  | 1150 |                      |               |
| 1100/3/ARG  | 1450 |                      |               |
| 1100/1/INOX | 950  | Stainless steel INOX |               |
| 1100/2/INOX | 1150 |                      |               |
| 1100/3/INOX | 1450 |                      |               |
| 1100/1/G6   | 950  | Alluminium painted   | Grey RAL9006  |
| 1100/2/G6   | 1150 |                      |               |
| 1100/3/G6   | 1450 |                      |               |
| 1100/1/R    | 950  |                      | Red RAL3020   |
| 1100/2/R    | 1150 |                      |               |
| 1100/3/R    | 1450 |                      |               |
| 1100/1/V    | 950  |                      | Green RAL6029 |
| 1100/2/V    | 1150 |                      |               |
| 1100/3/V    | 1450 |                      |               |
| 1100/1/N    | 950  |                      | Black RAL9005 |
| 1100/2/N    | 1150 |                      |               |
| 1100/3/N    | 1450 |                      |               |
| 1100/1/B    | 950  |                      | White RAL9016 |
| 1100/2/B    | 1150 |                      |               |
| 1100/3/B    | 1450 |                      |               |




# Vertical rods and latches kit



Suitable for range 200,  
400, 410 and 600.  
for doors height  
2635 mm

## PRODUCT CODES

| Product Code | Cover Finish          | Description 1 |
|--------------|-----------------------|---------------|
| 450/T        | Black RAL 9005        | A = 1490mm    |
| 450/TG6      | Grey RAL 9006         | A = 1490mm    |
| 450/TB       | White RAL 9016        | A = 1490mm    |
| 450/TA       | Steel finish painting | A = 1490mm    |
| 450/TX       | Satin chrome          | A = 1490mm    |



Suitable for range 200,  
400, 410 and 600.  
for doors total height  
3145 mm

## PRODUCT CODES

| Product Code | Cover Finish          | Description 1 |
|--------------|-----------------------|---------------|
| 450L/T       | Black RAL 9005        | A = 2000mm    |
| 450L/TG6     | Grey RAL 9006         | A = 2000mm    |
| 450L/TB      | White RAL 9016        | A = 2000mm    |
| 450L/TA      | Steel finish painting | A = 2000mm    |
| 450L/TX      | Satin chrome          | A = 2000mm    |

Suitable for range 200,  
400, 410 and 600.  
for doors total height  
4145 mm

## PRODUCT CODES

| Product Code | Cover Finish          | Description 1 |
|--------------|-----------------------|---------------|
| 450LL/T      | Black RAL 9005        | A = 3000mm    |
| 450LL/TG6    | Grey RAL 9006         | A = 3000mm    |
| 450LL/TB     | White RAL 9016        | A = 3000mm    |
| 450LL/TA     | Steel finish painting | A = 3000mm    |
| 450LL/TX     | Satin chrome          | A = 3000mm    |


# 1090



## STANDARD OUTSIDE ACCESS DEVICE



- ▲ Painted die-cast alloy
- ▲ Available in a variety of colours
- ▲ Stabilizer fixing pin



### PRODUCT CODES

| Product Code | Cover Finish          | Description 1    |
|--------------|-----------------------|------------------|
| 1090         | Black RAL 9005        | with cylinder    |
| 1090/G6      | Grey RAL 9006         | with cylinder    |
| 1090/B       | White RAL 9016        | with cylinder    |
| 1090/A       | Steel finish painting | with cylinder    |
| 1090/X       | Satin chrome          | with cylinder    |
| 1090/SC      | Black RAL 9005        | without cylinder |
| 1090/G6SC    | Grey RAL 9006         | without cylinder |
| 1090/BSC     | White RAL 9016        | without cylinder |
| 1090/ASC     | Steel finish painting | without cylinder |
| 1090/XSC     | Satin chrome          | without cylinder |


# 1090P



## STANDARD OUTSIDE ACCESS DEVICE WITH KNOB



- ▲ Painted die-cast alloy
- ▲ Available in a variety of colours
- ▲ Stabilizer fixing pin



### PRODUCT CODES

| Product Code | Cover Finish          | Description 1    |
|--------------|-----------------------|------------------|
| 1090         | Black RAL 9005        | with cylinder    |
| 1090/G6      | Grey RAL 9006         | with cylinder    |
| 1090/B       | White RAL 9016        | with cylinder    |
| 1090/A       | Steel finish painting | with cylinder    |
| 1090/X       | Satin chrome          | with cylinder    |
| 1090/SC      | Black RAL 9005        | without cylinder |
| 1090/G6SC    | Grey RAL 9006         | without cylinder |
| 1090/BSC     | White RAL 9016        | without cylinder |
| 1090/ASC     | Steel finish painting | without cylinder |
| 1090/XSC     | Satin chrome          | without cylinder |