

Cucumber Report

09-Oct-2024, 8:44:32 pm

Start : Oct 09, 8:44:18.750 pm

End : Oct 09, 8:44:31.731 pm

Duration : 12.981 s

Features



Scenarios


Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 2
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Test Login Page Functionality where that user is able to Login	3	2	1	0	12.981 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test Login Page Functionality where that user is able to Login</u>	<u>Login with Standard Credentials</u>	3	2	1	0	8.249 s
2	<u>Test Login Page Functionality where that user is able to Login</u>	<u>Login with Standard Credentials</u>	3	3	0	0	12.978 s
3	<u>Test Login Page Functionality where that user is able to Login</u>	<u>Login with Standard Credentials</u>	3	3	0	0	7.975 s


(F)- Test Login Page Functionality where that user is able to Login

FAILED	DURATION - 12.981 s	Scenarios		Steps	
/ 8:44:18.750 pm // 8:44:31.731 pm /		Total - 3		Total - 9	
		Pass - 2		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	



(S)- Login with Standard Credentials

<div>FAILED</div> <div>DURATION - 8.249 s</div>		<div></div>	Steps	<div></div>
/ 8:44:18.752 pm // 8:44:27.001 pm /			Total - 3	
Test Login Page Functionality where that user is able to Login			Pass - 2	
@login @positive @sammy			Fail - 1	
		Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.004 s
2	When - When User enters "standassrd_user" and "secret_sauce"	PASSED	0.216 s
3	Then - Then User should land on Products Page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='title']"} (Session info: chrome=129.0.6668.90) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.1.2', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [956e46e9e138c2735a922b7d101c122e, findElement {using=xpath, value=//span[@class='title']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.90, chrome: {chromedriverVersion: 129.0.6668.91 (b00bc8b76d60..., userDataDir: /var/folders/4g/ttc5mtv968d...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49830}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49830/devtoo..., se:cdpVersion: 129.0.6668.90, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 956e46e9e138c2735a922b7d101c122e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.pages.ProductsPage.getProductsPageName(ProductsPage.java:54) at stepDefinations.ProductsPageStepDef.user_land_on_products_page(ProductsPageStepDef.java:18) at ?.User should land on Products Page(file:///Users/samikhan/Documents/GIT/Bitbucket/sami_ui_api_bdd_framework/src/test/resources/features/loginPage.feature:8) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.294 s
	Login_with_Standard_Credentials		
			

(S)- Login with Standard Credentials

PASSED		DURATION - 12.978 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0		
/ 8:44:18.753 pm // 8:44:31.731 pm /							
Test Login Page Functionality where that user is able to Login							
@login @positive @sammy							

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.005 s
2	When - When User enters "performance_glitch_user" and "secret_sauce"	PASSED	5.224 s
3	Then - Then User should land on Products Page	PASSED	0.018 s

(S)- Login with Standard Credentials


PASSED

DURATION - 7.975 s

/ 8:44:18.754 pm // 8:44:26.729 pm /

Test Login Page Functionality where that user is able to Login

@login @positive @sammy



Step	Duration (s)
1	0.426
2	0.202
3	0.031


Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.426 s
2	When - When User enters "problem_user" and "secret_sauce"	PASSED	0.202 s
3	Then - Then User should land on Products Page	PASSED	0.031 s

(Step) AFTER - hooks.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Login with Standard Credentials

(F) Test Login Page Functionality where
that user is able to Login

Swag Labs

The image shows a login form for Swag Labs. The username field contains 'standasrd_user' and the password field contains '*****'. Both fields have a red 'x' icon to their right. A red error message box is displayed below the password field, stating: 'Epic sauce. Username and password do not match any user in this service'. Below the error message is a green 'Login' button.

Accepted usernames are:

standard_user
locked_out_user
problem_user
performance_glitch_user
error_user
visual_user

Password for all users:

secret_sauce