

Cucumber Report

27-Sept-2024, 1:54:58 am

Start : Sept 27, 1:52:59.411 am

End : Sept 27, 1:54:58.175 am

Duration : 1 m 58.764 s

Features




Scenarios


Steps

PASSED - 1
FAILED - 4
SKIPPED - 0


PASSED - 19
FAILED - 8
SKIPPED - 0

PASSED - 138
FAILED - 5
SKIPPED - 25







#	Feature Name	T	P	F	S	Duration
1	<u>Test Login Page Functionality where that user is able to Login</u>	7	7	0	0	37.034 s
2	<u>User is able to Checkout Successfully of added products</u>	4	3	1	0	1 m 21.580 s
3	<u>Test that User is able to Successfully add products,Remove,Logout</u>	10	6	4	0	1 m 40.432 s
4	<u>Selectors Hub: To enter Text into a Disabled Text Field</u>	1	0	1	0	42.431 s
5	<u>User is able to Successfully add Product in Your CART</u>	5	3	2	0	55.985 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test Login Page Functionality where that user is able to Login</u>	<u>Login with Incorrect Credentials(Negative Case)</u>	3	3	0	0	37.032 s
2	<u>Test Login Page Functionality where that user is able to Login</u>	<u>Login with Incorrect Credentials(Negative Case)</u>	3	3	0	0	34.120 s
3	<u>Test Login Page Functionality where that user is able to Login</u>	<u>Login with Incorrect Credentials(Negative Case)</u>	3	3	0	0	16.124 s
4	<u>Test Login Page Functionality where that user is able to Login</u>	<u>Login with Incorrect Credentials(Negative Case)</u>	3	3	0	0	18.625 s
5	<u>Test Login Page Functionality where that user is able to Login</u>	<u>Login with Standard Credentials</u>	3	3	0	0	21.973 s
6	<u>Test Login Page Functionality where that user is able to Login</u>	<u>Login with Standard Credentials</u>	3	3	0	0	18.310 s
7	<u>Test Login Page Functionality where that user is able to Login</u>	<u>Login with Standard Credentials</u>	3	3	0	0	18.471 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>User is able to Checkout Successfully of added products</u>	<u>User is able to Cancel the Checkout Process</u>	12	12	0	0	27.263 s
9	<u>User is able to Checkout Successfully of added products</u>	<u>User is able to Cancel the Checkout Process</u>	12	12	0	0	56.503 s
10	<u>User is able to Checkout Successfully of added products</u>	<u>Complete the Checkout Process</u>	12	11	1	0	1 m 21.579 s
11	<u>User is able to Checkout Successfully of added products</u>	<u>Complete the Checkout Process</u>	12	12	0	0	1 m 8.605 s
12	<u>Test that User is able to Successfully add products,Remove,Logout</u>	<u>Correct Products Images are Visible with respect to the Products Name</u>	3	3	0	0	14.213 s
13	<u>Test that User is able to Successfully add products,Remove,Logout</u>	<u>Correct Products Images are Visible with respect to the Products Name</u>	3	3	0	0	53.272 s
14	<u>Test that User is able to Successfully add products,Remove,Logout</u>	<u>Correct Products Images are Visible with respect to the Products Name</u>	3	2	1	0	27.724 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Test that User is able to Successfully add products,Remove,Logout</u>	<u>Correct Products Images are Visible with respect to the Products Name</u>	3	0	0	3	6.079 s
16	<u>Test that User is able to Successfully add products,Remove,Logout</u>	<u>User should be able to Logout from Product Page</u>	5	5	0	0	21.164 s
17	<u>Test that User is able to Successfully add products,Remove,Logout</u>	<u>User should be able to Logout from Product Page</u>	5	5	0	0	1 m 15.571 s
18	<u>Test that User is able to Successfully add products,Remove,Logout</u>	<u>Add Products to Cart</u>	8	8	0	0	24.918 s
19	<u>Test that User is able to Successfully add products,Remove,Logout</u>	<u>Add Products to Cart</u>	8	8	0	0	57.017 s
20	<u>Test that User is able to Successfully add products,Remove,Logout</u>	<u>Add Products to Cart</u>	8	0	0	8	6.087 s
21	<u>Test that User is able to Successfully add products,Remove,Logout</u>	<u>Add Products to Cart</u>	8	5	1	2	1 m 15.628 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>Selectors Hub: To enter Text into a Disabled Text Field</u>	<u>Enter Text in Disabled TextField</u>	2	0	1	1	42.431 s
23	<u>User is able to Successfully add Product in Your CART</u>	<u>Add Products to Your Cart and verify they are visible</u>	7	0	0	7	6.098 s
24	<u>User is able to Successfully add Product in Your CART</u>	<u>Add Products to Your Cart and verify they are visible</u>	7	7	0	0	20.368 s
25	<u>User is able to Successfully add Product in Your CART</u>	<u>Add Products to Your Cart and verify they are visible</u>	7	7	0	0	43.309 s
26	<u>User is able to Successfully add Product in Your CART</u>	<u>Add and Remove Products from Your Cart</u>	11	11	0	0	34.524 s
27	<u>User is able to Successfully add Product in Your CART</u>	<u>Add and Remove Products from Your Cart</u>	11	6	1	4	41.093 s

(F)- Test Login Page Functionality where that user is able to Login



PASSED	DURATION - 37.034 s	Scenarios		Steps	
/ 1:52:59.411 am // 1:53:36.445 am /		Total - 7		Total - 21	
		Pass - 7		Pass - 21	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Login with Incorrect Credentials(Negative Case)

<div>PASSED</div> <div>DURATION - 37.032 s</div>	 <table border="1"><caption>Step Durations</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.072</td></tr><tr><td>2</td><td>1.178</td></tr><tr><td>3</td><td>0.151</td></tr></tbody></table>	Step	Duration (s)	1	0.072	2	1.178	3	0.151	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> <div></div>
Step		Duration (s)								
1		0.072								
2		1.178								
3	0.151									
<div>/ 1:52:59.413 am // 1:53:36.445 am /</div>										
<div>Test Login Page Functionality where that user is able to Login</div>										
<div>@negative @login</div>										

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.072 s
2	When - When User enters "" and "secret_sauce"	PASSED	1.178 s
3	Then - Then User gets "Epic sadface: Username is required"	PASSED	0.151 s



(S)- Login with Incorrect Credentials(Negative Case)

<div>PASSED</div> <div>DURATION - 34.120 s</div>	 <table border="1"><caption>Step Durations</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.073</td></tr><tr><td>2</td><td>1.178</td></tr><tr><td>3</td><td>0.151</td></tr></tbody></table>	Step	Duration (s)	1	0.073	2	1.178	3	0.151	Steps	 <div>3</div>
Step		Duration (s)									
1		0.073									
2		1.178									
3	0.151										
/ 1:52:59.418 am // 1:53:33.538 am /	Total - 3										
Test Login Page Functionality where that user is able to Login	Pass - 3										
@negative @login	Fail - 0										
		Skip - 0									

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.073 s



#	Step / Hook Details	Status	Duration
2	When - When User enters "locked_out_user" and "secret_sauce"	PASSED	1.294 s
3	Then - Then User gets "Epic sadface: Sorry, this user has been locked out."	PASSED	0.162 s

(S)- Login with Incorrect Credentials(Negative Case)

<div>PASSED</div> <div>DURATION - 16.124 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:52:59.418 am // 1:53:15.542 am /</div>			
<div>Test Login Page Functionality where that user is able to Login</div>			
<div>@negative @login</div>			



#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.114 s
2	When - When User enters "standard_user" and ""	PASSED	1.787 s
3	Then - Then User gets "Epic sadface: Password is required"	PASSED	0.181 s

(S)- Login with Incorrect Credentials(Negative Case)

<div>PASSED</div> <div>DURATION - 18.625 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:53:15.561 am // 1:53:34.186 am /</div>			
<div>Test Login Page Functionality where that user is able to Login</div>			
<div>@negative @login</div>			



#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.150 s
2	When - When User enters "standard_user" and "xyz"	PASSED	2.794 s
3	Then - Then User gets "Epic sadface: Username and password do not match any user in this service"	PASSED	0.164 s

(S)- Login with Standard Credentials

<div>PASSED</div> <div>DURATION - 21.973 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:52:59.416 am // 1:53:21.389 am /</div>			
<div>Test Login Page Functionality where that user is able to Login</div>			
<div>@login @positive @sammy</div>			

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.096 s
2	When - When User enters "performance_glitch_user" and "secret_sauce"	PASSED	7.749 s
3	Then - Then User should land on Products Page	PASSED	0.292 s

(S)- Login with Standard Credentials

<div>PASSED</div> <div>DURATION - 18.310 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:52:59.417 am // 1:53:17.727 am /</div>			
<div>Test Login Page Functionality where that user is able to Login</div>			
<div>@login @positive @sammy</div>			

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.147 s
2	When - When User enters "standard_user" and "secret_sauce"	PASSED	1.791 s
3	Then - Then User should land on Products Page	PASSED	0.286 s

(S)- Login with Standard Credentials

PASSED	DURATION - 18.471 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:52:59.418 am // 1:53:17.889 am /				
Test Login Page Functionality where that user is able to Login				
@login @positive @sammy				

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.088 s
2	When - When User enters "problem_user" and "secret_sauce"	PASSED	1.454 s
3	Then - Then User should land on Products Page	PASSED	0.312 s

(F)- User is able to Checkout Successfully of added products

FAILED	DURATION - 1 m 21.580 s	Scenarios Total - 4 Pass - 3 Fail - 1 Skip - 0		Steps Total - 48 Pass - 47 Fail - 1 Skip - 0	
/ 1:52:59.416 am // 1:54:20.996 am /					

(S)- User is able to Cancel the Checkout Process

PASSED	DURATION - 27.263 s		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 1:52:59.416 am // 1:53:26.679 am /				
User is able to Checkout Successfully of added products				
@test @checkout @addremove @positive				

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.111 s

#	Step / Hook Details	Status	Duration						
2	Given - Given User enters "standard_user" and "secret_sauce"	PASSED	1.729 s						
3	When - When User adds "Sauce Labs Backpack" to cart	PASSED	0.569 s						
4	And - And User adds "Sauce Labs Bolt T-Shirt" to cart	PASSED	0.607 s						
5	When - When User navigated to Your Cart page	PASSED	0.771 s						
6	Then - Then User lands on Your Cart Page	PASSED	0.214 s						
7	And - And User Verify Products are visible on Your Cart Page	PASSED	0.616 s						
	<table><tr><td>Products</td></tr><tr><td>Sauce Labs Backpack</td></tr><tr><td>Sauce Labs Bolt T-Shirt</td></tr></table>			Products	Sauce Labs Backpack	Sauce Labs Bolt T-Shirt			
Products									
Sauce Labs Backpack									
Sauce Labs Bolt T-Shirt									
8	When - When User Checkout from Your Cart Page								
9	And - And User Fill following details								
	<table><tr><td>FirstName</td><td>LastName</td><td>Postcode</td></tr><tr><td>test1</td><td>user1</td><td>123</td></tr></table>	FirstName	LastName	Postcode	test1	user1	123	PASSED	1.121 s
FirstName	LastName	Postcode							
test1	user1	123							
10	And - And User Verify Products are visible on Your Cart Page								
	<table><tr><td>Products</td></tr><tr><td>Sauce Labs Backpack</td></tr><tr><td>Sauce Labs Bolt T-Shirt</td></tr></table>	Products	Sauce Labs Backpack	Sauce Labs Bolt T-Shirt	PASSED	0.554 s			
Products									
Sauce Labs Backpack									
Sauce Labs Bolt T-Shirt									
11	Then - Then User Cancel the Checkout Process								
12	And - And User Reset App State	PASSED	3.933 s						

(S)- User is able to Cancel the Checkout Process

PASSED	DURATION - 56.503 s		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 1:52:59.417 am // 1:53:55.920 am /				
User is able to Checkout Successfully of added products				
@test @checkout @addremove @positive				


#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.086 s
2	Given - Given User enters "visual_user" and "secret_sauce"	PASSED	2.060 s
3	When - When User adds "Sauce Labs Bike Light" to cart	PASSED	0.478 s
4	And - And User adds "Sauce Labs Bolt T-Shirt" to cart	PASSED	0.517 s

#	Step / Hook Details	Status	Duration						
5	When - When User navigated to Your Cart page	PASSED	0.246 s						
6	Then - Then User lands on Your Cart Page	PASSED	0.173 s						
7	And - And User Verify Products are visible on Your Cart Page	PASSED	0.549 s						
	<table><tr><td>Products</td></tr><tr><td>Sauce Labs Bike Light</td></tr><tr><td>Sauce Labs Bolt T-Shirt</td></tr></table>			Products	Sauce Labs Bike Light	Sauce Labs Bolt T-Shirt			
Products									
Sauce Labs Bike Light									
Sauce Labs Bolt T-Shirt									
8	When - When User Checkout from Your Cart Page								
9	And - And User Fill following details								
	<table><tr><td>FirstName</td><td>LastName</td><td>Postcode</td></tr><tr><td>test2</td><td>user2</td><td>456</td></tr></table>	FirstName	LastName	Postcode	test2	user2	456		
FirstName	LastName	Postcode							
test2	user2	456							
10	And - And User Verify Products are visible on Your Cart Page	PASSED	0.518 s						
	<table><tr><td>Products</td></tr><tr><td>Sauce Labs Bike Light</td></tr><tr><td>Sauce Labs Bolt T-Shirt</td></tr></table>			Products	Sauce Labs Bike Light	Sauce Labs Bolt T-Shirt			
Products									
Sauce Labs Bike Light									
Sauce Labs Bolt T-Shirt									
11	Then - Then User Cancel the Checkout Process								
12	And - And User Reset App State								

(S)- Complete the Checkout Process

FAILED	DURATION - 1 m 21.579 s		Steps Total - 12 Pass - 11 Fail - 1 Skip - 0	
/ 1:52:59.417 am // 1:54:20.996 am /				
User is able to Checkout Successfully of added products				
@test @checkout @addremove @positive				

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.204 s
2	Given - Given User enters "standard_user" and "secret_sauce"	PASSED	2.374 s
3	When - When User adds "Sauce Labs Backpack" to cart	PASSED	0.507 s
4	And - And User adds "Sauce Labs Bolt T-Shirt" to cart	PASSED	0.503 s
5	When - When User navigated to Your Cart page	PASSED	0.307 s
6	Then - Then User lands on Your Cart Page	PASSED	0.228 s
7	And - And User Verify Products are visible on Your Cart Page	PASSED	0.886 s


#	Step / Hook Details	Status	Duration
	<div>Products</div> <div>Sauce Labs Backpack</div> <div>Sauce Labs Bolt T-Shirt</div>		
8	When - When User Checkout from Your Cart Page	PASSED	0.562 s
9	And - And User Fill following details	PASSED	1.448 s
	<div>FirstName</div> test1 <div>LastName</div> user1 <div>Postcode</div> 123		
10	And - And User Verify Products are visible on Your Cart Page	PASSED	0.655 s
	<div>Products</div> <div>Sauce Labs Backpack</div> <div>Sauce Labs Bolt T-Shirt</div>		
11	Then - Then User Finish the Checkout Process	PASSED	0.470 s
12	And - And User Logout from Products Page	FAILED	30.335 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of all elements located by By.xpath: //a[text()='Logout'] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.1.2', java.version: '21.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Windows\proxy\scoped_dir..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:2715}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true, webdriver.remote.sessionid: 4df776cee859bd51823420ea25d...} Session ID: 4df776cee859bd51823420ea25df0e3158b21072</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.pages.ProductsPage.logoutFromProductPage(ProductsPage.java:96) at stepDefinitions.ProductsPageStepDef.logout_from_product_page(ProductsPageStepDef.java:70) at ?.User Logout from Products Page(file:///Users/samikhan/Documents/GIT/Bitbucket/sami_ui_api_bdd_framework/src/test/resources/features/checkoutPage.feature:25) * Not displayable characters are replaced by '?'. </p>		
	AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.441 s
	Complete_the_Checkout_Process		
			

(S)- Complete the Checkout Process**PASSED** DURATION - 1 m 8.605 s

/ 1:52:59.420 am // 1:54:08.025 am /

User is able to Checkout Successfully of added products

@test @checkout @addremove @positive



Steps

Total - 12

Pass - 12



Fail - 0

Skip - 0





#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.167 s
2	Given - Given User enters "visual_user" and "secret_sauce"	PASSED	1.417 s
3	When - When User adds "Sauce Labs Bike Light" to cart	PASSED	0.594 s
4	And - And User adds "Sauce Labs Bolt T-Shirt" to cart	PASSED	0.384 s
5	When - When User navigated to Your Cart page	PASSED	0.299 s
6	Then - Then User lands on Your Cart Page	PASSED	0.160 s
7	And - And User Verify Products are visible on Your Cart Page <div> <div>Products</div> <div>Sauce Labs Bike Light</div> <div>Sauce Labs Bolt T-Shirt</div> </div>	PASSED	0.648 s
8	When - When User Checkout from Your Cart Page	PASSED	0.400 s
9	And - And User Fill following details <div> <div> <div>FirstName</div> <div>test2</div> </div> <div> <div>LastName</div> <div>user2</div> </div> <div> <div>Postcode</div> <div>456</div> </div> </div>	PASSED	0.976 s
10	And - And User Verify Products are visible on Your Cart Page <div> <div>Products</div> <div>Sauce Labs Bike Light</div> <div>Sauce Labs Bolt T-Shirt</div> </div>	PASSED	0.514 s
11	Then - Then User Finish the Checkout Process	PASSED	0.421 s
12	And - And User Logout from Products Page	PASSED	0.597 s

(F)- Test that User is able to Successfully add products,Remove,Logout



FAILED	DURATION - 1 m 40.432 s	Scenarios		Steps	
/ 1:53:17.743 am // 1:54:58.175 am /		Total - 10		Total - 54	
		Pass - 6		Pass - 39	
		Fail - 4		Fail - 2	
		Skip - 0		Skip - 13	

(S)- Correct Products Images are Visible with respect to the Products Name

<div>PASSED</div> <div>DURATION - 14.213 s</div>	 <table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.084</td></tr><tr><td>2</td><td>1.145</td></tr><tr><td>3</td><td>0.808</td></tr></tbody></table>	Step	Duration (s)	1	0.084	2	1.145	3	0.808	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> <div><div>3</div></div>
Step		Duration (s)								
1		0.084								
2		1.145								
3	0.808									
<div>/ 1:53:17.743 am // 1:53:31.956 am /</div>										
<div>Test that User is able to Successfully add products, Remove,Logout</div>										
<div>@product @image @positive</div>										

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.084 s
2	When - When User enters "standard_user" and "secret_sauce"	PASSED	1.145 s
3	Then - Then "Sauce Labs Backpack" and its respective "sauce-backpack" should be displayed	PASSED	0.808 s



(S)- Correct Products Images are Visible with respect to the Products Name

<div>PASSED</div> <div>DURATION - 53.272 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:53:17.894 am // 1:54:11.166 am /			
Test that User is able to Successfully add products, Remove,Logout			
@product @image @positive			

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.085 s

#	Step / Hook Details	Status	Duration
2	When - When User enters "standard_user" and "secret_sauce"	PASSED	1.715 s
3	Then - Then "Sauce Labs Bolt T-Shirt" and its respective "bolt-shirt" should be displayed	PASSED	0.547 s


(S)- Correct Products Images are Visible with respect to the Products Name

<div>FAILED</div> <div>DURATION - 27.724 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:53:21.396 am // 1:53:49.120 am /</div>			
<div>Test that User is able to Successfully add products, Remove,Logout</div>			
<div>@product @image @login @positive @sammy</div>			



#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.183 s
2	When - When User enters "problem_user" and "secret_sauce"	PASSED	1.487 s
3	Then - Then "Sauce Labs Bike Light" and its respective "bike-light" should be displayed	FAILED	0.550 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[contains(@src,'bike-light')]"} (Session info: chrome=128.0.6613.85) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.1.2', java.version: '21.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [e1c379a21fc4a1ed1c724dc7ec8d7a1f2572295e, findElement {using=xpath, value=//img[contains(@src,'bike-light')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Windows\proxy\scoped_dir...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:2738}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true, webdriver.remote.sessionid: e1c379a21fc4a1ed1c724dc7ec8...} Session ID: e1c379a21fc4a1ed1c724dc7ec8d7a1f2572295e

at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.pages.ProductsPage.verifyProductImage(ProductsPage.java:60) at stepDefinations.ProductsPageStepDef.product_name_and_its_image(ProductsPageStepDef.java:28) at ?."Sauce Labs Bike Light" and its respective "bike-light" should be displayed(file:///Users/samikhan/Documents/GIT/Bitbucket/sami_ui_api_bdd_framework/src/test/resources/features/productsPage.feature:8) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.267 s
	Correct_Products_Images_are_Visible_with_respect_to_the_Products_Name		
			

(S)- Correct Products Images are Visible with respect to the Products Name

<div>FAILED</div> <div>DURATION - 6.079 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
<div>/ 1:53:26.683 am // 1:53:32.762 am /</div>			
<div>Test that User is able to Successfully add products, Remove,Logout</div>			
<div>@test @product @image @checkout</div> <div>@addremove @positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.ApplicationHooks.launchBrowser()	FAILED	1.070 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Samis-MacBook-Pro.local', ip: 'fe80:0:0:0:84d:a92f:b810:b166%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:139) at com.factory.driverFactory.initializeDriver(driverFactory.java:81) at hooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:37) Caused by: org.openqa.selenium.WebDriverException: [BROWSERSTACK_QUEUE_SIZE_EXCEEDED] All parallel tests are currently in use, and the number of sessions have exceeded the queue limit. Please wait to finish or upgrade your plan to add more sessions Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.1.2', java.version: '21.0.1' Driver info: </pre>		

#	Step / Hook Details	Status	Duration
	<pre> driver.version: RemoteWebDriver remote stacktrace: at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:139) at com.factory.driverFactory.initializeDriver(driverFactory.java:81) at hooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:37) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583)		
1	Given - Given User is on login page	SKIPPED	0.000 s
2	When - When User enters "performance_glitch_user" and "secret_sauce"	SKIPPED	0.000 s
3	Then - Then "Sauce Labs Bolt T-Shirt" and its respective "bolt-shirt" should be displayed	SKIPPED	0.000 s
	AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.ApplicationHooks.tearDown(ApplicationHooks.java:58)	FAILED	0.001 s
	AFTER - hooks.ApplicationHooks.quitDriver() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.ApplicationHooks.quitDriver(ApplicationHooks.java:51)	FAILED	5.006 s

(S)- User should be able to Logout from Product Page

<div>PASSED</div> <div>DURATION - 21.164 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.1</td></tr><tr><td>2</td><td>1.5</td></tr><tr><td>3</td><td>0.3</td></tr><tr><td>4</td><td>1.3</td></tr><tr><td>5</td><td>0.1</td></tr></tbody></table></div>	Step	Duration (s)	1	0.1	2	1.5	3	0.3	4	1.3	5	0.1	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>5</div></div>
Step		Duration (s)													
1		0.1													
2		1.5													
3	0.3														
4	1.3														
5	0.1														
<div>/ 1:53:31.963 am // 1:53:53.127 am /</div>															
<div>Test that User is able to Successfully add products, Remove,Logout</div>															
<div>@product @addremove @positive</div>															

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.161 s
2	Given - Given User enters "standard_user" and "secret_sauce"	PASSED	1.520 s
3	And - And User should land on Products Page	PASSED	0.328 s
4	When - When User Logout from Products Page	PASSED	1.275 s
5	Then - Then User is on login page	PASSED	0.095 s

(S)- User should be able to Logout from Product Page

PASSED	DURATION - 1 m 15.571 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 1:53:32.777 am // 1:54:48.348 am /				
Test that User is able to Successfully add products, Remove, Logout				
@test @product @checkout @addremove @positive				

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.068 s
2	Given - Given User enters "standard_user" and "secret_sauce"	PASSED	1.821 s
3	And - And User should land on Products Page	PASSED	0.316 s
4	When - When User Logout from Products Page	PASSED	0.806 s
5	Then - Then User is on login page	PASSED	0.060 s



(S)- Add Products to Cart

PASSED	DURATION - 24.918 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 1:53:33.546 am // 1:53:58.464 am /				
Test that User is able to Successfully add products, Remove, Logout				
@product @addremove @positive				

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.115 s



#	Step / Hook Details	Status	Duration
2	Given - Given User enters "standard_user" and "secret_sauce"	PASSED	2.321 s
3	When - When User adds "Sauce Labs Backpack" to cart	PASSED	0.541 s
4	Then - Then Verify Product is added in Shopping Bag	PASSED	3.374 s
5	When - When User should be able to remove "Sauce Labs Backpack" from Products	PASSED	0.410 s
6	Then - Then Verify Product is Removed from Shopping Bag "Sauce Labs Backpack"	PASSED	3.341 s
7	When - When User Logout from Products Page	PASSED	0.848 s
8	Then - Then User is on login page	PASSED	0.154 s

(S)- Add Products to Cart

PASSED	DURATION - 57.017 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 1:53:34.195 am // 1:54:31.212 am /				
Test that User is able to Successfully add products, Remove,Logout				
@product @addremove @positive				

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.113 s
2	Given - Given User enters "standard_user" and "secret_sauce"	PASSED	1.943 s
3	When - When User adds "Sauce Labs Bolt T-Shirt" to cart	PASSED	0.487 s
4	Then - Then Verify Product is added in Shopping Bag	PASSED	3.460 s
5	When - When User should be able to remove "Sauce Labs Bolt T-Shirt" from Products	PASSED	0.386 s
6	Then - Then Verify Product is Removed from Shopping Bag "Sauce Labs Bolt T-Shirt"	PASSED	3.327 s
7	When - When User Logout from Products Page	PASSED	0.669 s
8	Then - Then User is on login page	PASSED	0.059 s

(S)- Add Products to Cart

<div>FAILED</div> <div>DURATION - 6.087 s</div>		<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
<div>/ 1:53:36.455 am // 1:53:42.542 am /</div>			
<div>Test that User is able to Successfully add products, Remove, Logout</div>			
<div>@negative @product @login @addremove @positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Samis-MacBook-Pro.local', ip: 'fe80:0:0:0:84d:a92f:b810:b166%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:139) at com.factory.driverFactory.initializeDriver(driverFactory.java:81) at hooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:37) Caused by: org.openqa.selenium.WebDriverException: [BROWSERSTACK_QUEUE_SIZE_EXCEEDED] All parallel tests are currently in use, and the number of sessions have exceeded the queue limit. Please wait to finish or upgrade your plan to add more sessions Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.1.2', java.version: '21.0.1' Driver info: driver.version: RemoteWebDriver remote stacktrace: at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)	FAILED	1.077 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:139) at com.factory.driverFactory.initializeDriver(driverFactory.java:81) at hooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:37) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583) </pre>		
1	Given - Given User is on login page	SKIPPED	0.000 s
2	Given - Given User enters "performance_glitch_user" and "secret_sauce"	SKIPPED	0.000 s
3	When - When User adds "Sauce Labs Bolt T-Shirt" to cart	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then - Then Verify Product is added in Shopping Bag	SKIPPED	0.000 s
5	When - When User should be able to remove "Sauce Labs Bolt T-Shirt" from Products	SKIPPED	0.000 s
6	Then - Then Verify Product is Removed from Shopping Bag "Sauce Labs Bolt T-Shirt"	SKIPPED	0.000 s
7	When - When User Logout from Products Page	SKIPPED	0.000 s
8	Then - Then User is on login page	SKIPPED	0.000 s
	AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.ApplicationHooks.tearDown(ApplicationHooks.java:58)		
	AFTER - hooks.ApplicationHooks.quitDriver()	FAILED	5.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.ApplicationHooks.quitDriver(ApplicationHooks.java:51)		



(S)- Add Products to Cart

FAILED	DURATION - 1 m 15.628 s		Steps Total - 8 Pass - 5 Fail - 1 Skip - 2	
/ 1:53:42.547 am // 1:54:58.175 am /				
Test that User is able to Successfully add products, Remove, Logout				
@negative @product @login @addremove @positive				



#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.068 s
2	Given - Given User enters "problem_user" and "secret_sauce"	PASSED	1.419 s
3	When - When User adds "Sauce Labs Bike Light" to cart	PASSED	0.445 s
4	Then - Then Verify Product is added in Shopping Bag	PASSED	3.363 s
5	When - When User should be able to remove "Sauce Labs Bike Light" from Products	PASSED	0.350 s
6	Then - Then Verify Product is Removed from Shopping Bag "Sauce Labs Bike Light"	FAILED	30.266 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of all elements located by By.xpath: //div[text()='Sauce Labs Bike Light']/parent::div//...//following-sibling::div/button[text()='Add to cart'] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.1.2', java.version: '21.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Windows\proxy\scoped_dir...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:2046}, networkConnectionEnabled: false, pageLoadStrategy: normal,		


#	Step / Hook Details	Status	Duration
	<p>platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true, webdriver.remote.sessionid: d6b7c312dd5ba834b16b3ed90e5...} Session ID: d6b7c312dd5ba834b16b3ed90e5476924db0e7c8</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)</p> <p>at com.pages.ProductsPage.addCart(ProductsPage.java:33)</p> <p>at com.pages.ProductsPage.verifyProductisRemoved(ProductsPage.java:91)</p> <p>at stepDefinations.ProductsPageStepDef.verify_product_removed_from_shopping_bag(ProductsPageStepDef.java:54)</p> <p>at ?.Verify Product is Removed from Shopping Bag "Sauce Labs Bike Light"(file:///Users/samikhan/Documents/GIT/Bitbucket/sami_ui_api_bdd_framework/src/test/resources/features/productsPage.feature:37)</p> <p>* Not displayable characters are replaced by '?'. </p>		
7	When - When User Logout from Products Page	SKIPPED	0.000 s
8	Then - Then User is on login page	SKIPPED	0.000 s
	AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.614 s
	Add_Products_to_Cart		
			

(F)- Selectors Hub: To enter Text into a Disabled Text Field



FAILED	DURATION - 42.431 s	Scenarios		Steps	
/ 1:53:49.129 am // 1:54:31.560 am /		Total - 1		Total - 2	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Enter Text in Disabled TextField



<div>FAILED</div> <div>DURATION - 42.431 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:53:49.129 am // 1:54:31.560 am /</div>			
<div>Selectors Hub: To enter Text into a Disabled Text Field</div>			
<div>@selectorHub</div>			

#	Step / Hook Details	Status	Duration
1	Given - Given User is on SelectorHub HomePage <pre>java.lang.AssertionError: String does not Contains the Expected Text expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertTrue(Assert.java:56) at stepDefinations.selectorHubStepDef.user_is_on_selector_hub_home_page(selectorHubStepDef.java:20) at ?.User is on SelectorHub HomePage(file:///Users/samikhan/Documents/GIT/Bitbucket/sami_ui_api_bdd_framework/src/test/resources/features/selectorHubDisabledText.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.156 s
2	When - When User enter Text in Disabled Field	SKIPPED	0.000 s
	AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.386 s
	Enter_Text_in_Disabled_TextField 		

(F)- User is able to Successfully add Product in Your CART

<div>FAILED</div> <div>DURATION - 55.985 s</div>		<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div> <div>5</div>	<div>Steps</div> <div>Total - 43</div> <div>Pass - 31</div> <div>Fail - 1</div> <div>Skip - 11</div>	<div></div> <div>43</div>
/ 1:53:53.141 am // 1:54:49.126 am /					

(S)- Add Products to Your Cart and verify they are visible



<div>FAILED</div> <div>DURATION - 6.098 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
<div>/ 1:53:53.141 am // 1:53:59.239 am /</div>			
<div>User is able to Successfully add Product in Your CART</div>			
<div>@yourCart @addremove @positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Samis-MacBook-Pro.local', ip: 'fe80:0:0:0:84d:a92f:b810:b166%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:139) at com.factory.driverFactory.initializeDriver(driverFactory.java:81) at hooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:37) Caused by: org.openqa.selenium.WebDriverException: [BROWSERSTACK_QUEUE_SIZE_EXCEEDED] All parallel tests are currently in use, and the number of sessions have exceeded the queue limit. Please wait to finish or upgrade your plan to add more sessions Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.1.2', java.version: '21.0.1' Driver info: driver.version: RemoteWebDriver remote stacktrace: at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)	FAILED	1.091 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:139) at com.factory.driverFactory.initializeDriver(driverFactory.java:81) at hooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:37) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583)		
1	Given - Given User is on login page	SKIPPED	0.000 s
2	Given - Given User enters "standard_user" and "secret_sauce"	SKIPPED	0.000 s
3	When - When User adds "Sauce Labs Backpack" to cart	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
4	And - And User navigated to Your Cart page	SKIPPED	0.000 s
5	Then - Then User lands on Your Cart Page	SKIPPED	0.000 s
6	And - And User Verify Products are visible on Your Cart Page	SKIPPED	0.001 s
	Products Sauce Labs Backpack		
7	Then - Then User Reset App State	SKIPPED	0.000 s
	AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.ApplicationHooks.tearDown(ApplicationHooks.java:58)		
	AFTER - hooks.ApplicationHooks.quitDriver()	FAILED	5.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.ApplicationHooks.quitDriver(ApplicationHooks.java:51)		

(S)- Add Products to Your Cart and verify they are visible

<div>PASSED</div> <div>DURATION - 20.368 s</div>	<div></div>	<div><div>Steps</div><div>Total - 7</div><div>Pass - 7</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 1:53:55.927 am // 1:54:16.295 am /</div>		
<div>User is able to Successfully add Product in Your CART</div>		
<div>@yourCart @addremove @positive</div>		



#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.070 s
2	Given - Given User enters "standard_user" and "secret_sauce"	PASSED	1.409 s
3	When - When User adds "Sauce Labs Bolt T-Shirt" to cart	PASSED	0.725 s
4	And - And User navigated to Your Cart page	PASSED	0.274 s
5	Then - Then User lands on Your Cart Page	PASSED	0.196 s
6	And - And User Verify Products are visible on Your Cart Page	PASSED	0.217 s
	Products Sauce Labs Bolt T-Shirt		
7	Then - Then User Reset App State	PASSED	3.872 s

(S)- Add Products to Your Cart and verify they are visible

<div>PASSED</div> <div>DURATION - 43.309 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:53:58.473 am // 1:54:41.782 am /</div>			
<div>User is able to Successfully add Product in Your CART</div>			
<div>@product @yourCart @addremove @positive</div>			

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.118 s
2	Given - Given User enters "problem_user" and "secret_sauce"	PASSED	1.429 s
3	When - When User adds "Sauce Labs Bike Light" to cart	PASSED	0.426 s
4	And - And User navigated to Your Cart page	PASSED	0.286 s
5	Then - Then User lands on Your Cart Page	PASSED	0.229 s
6	And - And User Verify Products are visible on Your Cart Page	PASSED	0.224 s
	<div>Products</div> <div>Sauce Labs Bike Light</div>		
7	Then - Then User Reset App State	PASSED	4.252 s



(S)- Add and Remove Products from Your Cart

<div>PASSED</div> <div>DURATION - 34.524 s</div>	 <table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.1</td></tr><tr><td>2</td><td>1.8</td></tr><tr><td>3</td><td>0.6</td></tr><tr><td>4</td><td>0.6</td></tr><tr><td>5</td><td>0.3</td></tr><tr><td>6</td><td>0.2</td></tr><tr><td>7</td><td>0.6</td></tr><tr><td>8</td><td>0.8</td></tr><tr><td>9</td><td>0.2</td></tr><tr><td>10</td><td>0.2</td></tr><tr><td>11</td><td>3.5</td></tr></tbody></table>	Step	Duration (s)	1	0.1	2	1.8	3	0.6	4	0.6	5	0.3	6	0.2	7	0.6	8	0.8	9	0.2	10	0.2	11	3.5	<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div>	 <div>11</div>
Step		Duration (s)																									
1		0.1																									
2		1.8																									
3	0.6																										
4	0.6																										
5	0.3																										
6	0.2																										
7	0.6																										
8	0.8																										
9	0.2																										
10	0.2																										
11	3.5																										
<div>/ 1:53:59.249 am // 1:54:33.773 am /</div>																											
<div>User is able to Successfully add Product in Your CART</div>																											
<div>@yourCart @addremove @positive</div>																											


#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.098 s
2	Given - Given User enters "standard_user" and "secret_sauce"	PASSED	1.789 s
3	When - When User adds "Sauce Labs Backpack" to cart	PASSED	0.548 s

#	Step / Hook Details	Status	Duration
4	And - And User adds "Sauce Labs Bolt T-Shirt" to cart	PASSED	0.516 s
5	When - When User navigated to Your Cart page	PASSED	0.270 s
6	Then - Then User lands on Your Cart Page	PASSED	0.182 s
7	And - And User Verify Products are visible on Your Cart Page	PASSED	0.586 s
	Products		
	Sauce Labs Backpack		
	Sauce Labs Bolt T-Shirt		
8	Then - Then User Removes Products "Sauce Labs Backpack"	PASSED	0.753 s
9	And - And User Verify that Product is removed "Sauce Labs Backpack"	PASSED	0.135 s
10	And - And User Verify that Product is removed "Sauce Labs Bolt T-Shirt"	PASSED	0.122 s
11	Then - Then User Reset App State	PASSED	3.820 s

(S)- Add and Remove Products from Your Cart

<div>FAILED</div> <div>DURATION - 41.093 s</div>	<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 1:54:08.033 am // 1:54:49.126 am /</div>			
<div>User is able to Successfully add Product in Your CART</div>			
<div>@yourCart @addremove @positive</div>			


#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	0.083 s
2	Given - Given User enters "problem_user" and "secret_sauce"	PASSED	2.611 s
3	When - When User adds "Sauce Labs Bike Light" to cart	PASSED	0.363 s
4	And - And User adds "Sauce Labs Bolt T-Shirt" to cart	PASSED	0.388 s
5	When - When User navigated to Your Cart page	PASSED	0.433 s
6	Then - Then User lands on Your Cart Page	PASSED	0.158 s
7	And - And User Verify Products are visible on Your Cart Page	FAILED	0.459 s
	<div>Products</div>		
	<div>Sauce Labs Bike Light</div>		
	<div>Sauce Labs Bolt T-Shirt</div>		
	java.lang.AssertionError: Product : Sauce Labs Bolt T-Shirt is present on Your Carts Page expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1066) at org.testng.Assert.assertEquals(Assert.java:1030) at stepDefinations.yourCartStepDef.User_products_Your_Cart_Page(yourCartStepDef.java:36) at ?.User Verify Products are visible on Your Cart Page(file:///Users/samikhan/Documents/GIT/Bitbucket/sami_ui_api_bdd_framework/src/test/resources/features/yourCart.feature:32) * Not displayable characters are replaced by '?'. </pre>		
8	Then - Then User Removes Products "Sauce Labs Bike Light"	SKIPPED	0.000 s
9	And - And User Verify that Product is removed "Sauce Labs Bike Light"	SKIPPED	0.000 s
10	And - And User Verify that Product is removed "Sauce Labs Bolt T-Shirt"	SKIPPED	0.000 s
11	Then - Then User Reset App State	SKIPPED	0.000 s
	AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.355 s
	Add_and_Remove_Products_from_Your_Cart		
			

(Step) AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)

(S) Complete the Checkout Process


(F) User is able to Checkout Successfully of added products



(Step) AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)

(S) Correct Products Images are Visible with respect to the Products Name


(F) Test that User is able to Successfully add products,Remove,Logout



(Step) AFTER - hooks.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Add Products to Cart


(F) Test that User is able to Successfully
add products,Remove,Logout



(Step) AFTER - hooks.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Enter Text in Disabled TextField

(F) Selectors Hub: To enter Text into a
Disabled Text Field



(Step) AFTER - hooks.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Add and Remove Products from Your
Cart

(F) User is able to Successfully add
Product in Your CART

