



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Selectors Hub: To enter Text into a Disabled Text Field	1	0	1	0	8.719 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Selectors Hub: To enter Text into a	Enter Text in Disabled TextField	3	0	1	2	8.718 s
	Disabled Text Field						

DETAILED SECTION -- 4 -

(F)- Selectors Hub: To enter Text into a Disabled Text Field

FAILED	DURATION - 8.719 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 7:05:21.660 pn	n // 7:05:30.379 pm /	Pass - 0	1	Pass - 0	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Enter Text in Disabled TextField



#	Step / Hook Details	Status	Duration
1	Given - Given User is on SelectorHub HomePage	FAILED	0.013 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.176) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.1.2', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8f86c10b99d21aa3239958e29f787739, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.176, chrome: {chromedriverVersion: 125.0.6422.141 (4b1e8393712, userDataDir: /var/folders//4g/ttc5mtv968d}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63447}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy; Proxy(), se:cdp: ws://localhost:63447/devtoo, se:cdpVersion: 125.0.6422.176, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}} Session ID: 8f86c10b99d21aa3239958e29f787739 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.EttpCommandExecutor.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		0.010 0

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:305) at com.pages.selectorHubPage.getPageTitle(selectorHubPage.java:14) at stepDefinations.selectorHubStepDef.user_is_on_selector_hub_home_page(selectorHubStepDef.java:19) at ?.User is on SelectorHub HomePage(file:///Users/samikhan/Documents/GIT/Bitbucket/sami_ui_api_bdd_framework/src/test/resources/features/selectorHubDisabledText.feature:5) * Not displayable characters are replaced by '?'.		
2	When - When User enter Text in Disabled Field	SKIPPED	0.001 s
3	Then - Then Verify Text is Entered Successfully	SKIPPED	0.000 s
	AFTER - hooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.176) Build info: version: '4.1.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.1.2', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8f86c10b99d21aa3239958e29f787739, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.176, chrome: {chromedriverVersion: 125.0.6422.141 (4b1e8393712, userDataDir: /var/folders/4g/ttc5mty968d], fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhosts63447}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63447/devtoo, se:cdpVersion: 125.0.6422.176, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:miPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8f86c10b99d21aa3239958e29f787739 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.j	FAILED	0.003 s