8/17/25, 1:59 PM EDA

Jupyter EDA Last Checkpoint: 2 minutes ago

```
Edit
       View
             Run Kernel
                          Settings
                                   Help
   X
       C >>
                                Code
         1884
                  compression=self.options.get("compression", None),
         1885
                  memory_map=self.options.get("memory_map", False),
         1886
                  is_text=is_text,
                  errors=self.options.get("encoding_errors", "strict"),
         1887
                  storage_options=self.options.get("storage_options", Nc
         1888
         1889 )
         1890 assert self.handles is not None
        1891 f = self.handles.handle
     File ~\OneDrive\Documents\New folder\Lib\site-packages\pandas\io\c
     xt, errors, storage options)
         868 elif isinstance(handle, str):
                  # Check whether the filename is to be opened in binary
                  # Binary mode does not support 'encoding' and 'newline
         870
                  if ioargs.encoding and "b" not in ioargs.mode:
         871
                      # Encoding
         872
      --> 873
                     handle = open(
                          handle,
         874
         875
                          ioargs.mode,
                          encoding=ioargs.encoding,
         876
         877
                          errors=errors,
         878
                          newline="",
         879
                      )
         880
                  else:
         881
                     # Binary mode
         882
                     handle = open(handle, ioargs.mode)
     FileNotFoundError: [Errno 2] No such file or directory: 'tested.cs
[7]: 'C:\\Users\\samid'
[8]: df = pd.read csv(r'C:/Users/samid/OneDrive/Documents/tested.csv')
     df.head()
```