CPSC-406 Report

Sami Hammoud
Chapman University

February 20, 2026

Abstract

Contents

1 Introduction

2 Week by Week

2.1 Week 1

Exercise 1

Consider the following DFAs $\mathcal{A}_1$ and $\mathcal{A}_2$.

Complete the following table with all 8 possible strings of length 3 over $\{a, b\}$:

String	**Accepted by $\mathcal{A}_1$?**	**Accepted by $\mathcal{A}_2$?**
aaa	No	Yes
aab	Yes	Yes
aba	Yes	No
abb	Yes	No
baa	No	Yes
bab	No	No
bba	No	No
bbb	No	No



Figure 1: DFAs $\mathcal{A}_1$ (left) and $\mathcal{A}_2$ (right).

Exercise 1.2

describe the languages $L(\mathcal{A}_k)$ accepted by $\mathcal{A}_k$ for $k = 1, 2$.

Answer:

$L(\mathcal{A}_1)$**:** The language accepted by $\mathcal{A}_1$ consists of all strings over $\{a, b\}$ that start with a and contain at least one b. Starting with b leads to the trap state 4 and is rejected. $L(\mathcal{A}_2)$**:** The language accepted by $\mathcal{A}_2$ consists of all strings over $\{a, b\}$ that contain the substring aa. Reading two consecutive a's leads to the accepting state 3.

Exercise 2 (Designing DFAs)

Design DFAs whose accepted languages are given as follows:

1. All the words that end with *ab*
2. All the words that contain *aba*
3. All the words that contain an odd number of a's and an odd number of b's
4. All the words that contain an even number of a's and an odd number of b's
5. All the words such that any three consecutive characters contain at least one a
6. All the words that contain *bbb*

What do you notice when comparing the various automata?

Answer: Each transition leads to a finalized state.

Thought process. I decided to map out a truth table and filled in all of the conditions and found that the outputs were satisfied at every condition, leading me to the conclusion that every transition was a satisfactory state condition.

Question

How might you combine the languages $L(\mathcal{A}_1)$ and $L(\mathcal{A}_2)$ from Exercise 1 using set operations (union, intersection, complement)? Could you represent the logic with boolean logic exclusively?

2.2 Week 2: Operations on Automata

Product automata

Exercise 1 (Product automata)

Consider the following automata $\mathcal{A}^{(1)}$ and $\mathcal{A}^{(2)}$.



Figure 2: $\mathcal{A}^{(1)}$ (left) and $\mathcal{A}^{(2)}$ (right).

1. **Describe $L(\mathcal{A}^{(1)})$ and $L(\mathcal{A}^{(2)})$.**

   Answer:

   - $L(\mathcal{A}^{(1)})$: Words include a, b, ba, bab, $baba$, ab, aba, $abab$, etc. I can see that each character must alternate based on its successive character.
   - $L(\mathcal{A}^{(2)})$: Words include a, axa (where x doesn't matter). I see the word must start with a, and must add to its word length in increments of 2, every other character being a.

2. **Construct the intersection automaton $\mathcal{A}$ for $\mathcal{A}^{(1)}$ and $\mathcal{A}^{(2)}$ by drawing its transition diagram (omit unreachable states).**

   Answer: The product state set is $Q = Q^{(1)} \times Q^{(2)} = \{1,2,3,4\} \times \{1,2,3\}$. The initial state is $(1,1)$. The transition rule is $\delta((q_1,q_2),\sigma) = (\delta^{(1)}(q_1,\sigma), \delta^{(2)}(q_2,\sigma))$. The accepting set is $F = F^{(1)} \times F^{(2)} = \{2,4\} \times \{2\} = \{(2,2),(4,2)\}$. Only states reachable from $(1,1)$ are included; $(4,2)$ is unreachable.

3. **Argue that $L(\mathcal{A}) = L(\mathcal{A}^{(1)}) \cap L(\mathcal{A}^{(2)})$.**

   Answer: Since $L(\mathcal{A}^{(1)})$ includes words such as a, b, ba, bab, $baba$ and ab, aba, $abab$, and $L(\mathcal{A}^{(2)})$ includes words that (1) must start with a—so we can disregard the words that start with b in $L(\mathcal{A}^{(1)})$, leaving us with a, ab, aba, etc.—and (2) the requirement for $L(\mathcal{A}^{(2)})$ is to be in increments of two, we are left with patterns: a, aba, $ababa$, etc. Thus we obtain the automaton of both intersection.

4. **How can you change $\mathcal{A}$ to get an automaton $\mathcal{A}'$ with $L(\mathcal{A}') = L(\mathcal{A}^{(1)}) \cup L(\mathcal{A}^{(2)})$?**

   Answer: We can allow for both word combinations to be accepting and add more state transitions.

Exercise 2 (More automata)

Consider the following automata $\mathcal{B}^{(1)}$ and $\mathcal{B}^{(2)}$.

(Recall: the complement of a language $L \subseteq \Sigma^*$ is $\overline{L} := \Sigma^* \setminus L$.)

1. **Describe** $L(\mathcal{B}^{(1)})$ **and** $L(\mathcal{B}^{(2)})$**.**

   Answer:

2. **Construct the intersection automaton** $\mathcal{B}$ **for** $\mathcal{B}^{(1)}$ **and** $\mathcal{B}^{(2)}$ **(omit unreachable states).**

   Answer:

3. **Argue that** $L(\mathcal{B}) = L(\mathcal{B}^{(1)}) \cap L(\mathcal{B}^{(2)})$**.**

   Answer:

4. **How can you change** $\mathcal{B}$ **to get an automaton** $\mathcal{B}'$ **with** $L(\mathcal{B}') = L(\mathcal{B}^{(1)}) \cup \overline{L(\mathcal{B}^{(2)})}$**?**

   Answer:

3 Synthesis

4 Evidence of Participation

5 Conclusion

References

[BLA] Author, Title, Publisher, Year.



Figure 3: Intersection automaton $\mathcal{A}$ (hand-drawn diagram).

[Insert $\mathcal{B}^{(1)}$]	[Insert $\mathcal{B}^{(2)}$]

Figure 4: $\mathcal{B}^{(1)}$ (left) and $\mathcal{B}^{(2)}$ (right).