

Step 4: Zero-Shot Validation & Inference

Sliding-Window Volumetric Reconstruction

The False Positive Problem

Generative models hallucinate. To prevent the pipeline from mistakenly connecting disjoint neurons or background artifacts, NeuroDiffusion implements a **Three-Layered Gauntlet**.

1. **Topological Gate:** The Backward model outputs $p \approx 0$ for structurally incompatible endpoints.
 2. **Structural Gate:** The Heuristic Evaluator penalizes biologically absurd generated curves.
 3. **Physical Gate:** The Intensity Cost ensures the generated curve overlaps with bright biological signals in the raw image.
-

The Validity Heuristic Evaluator (Cost A)

Trained as a binary classifier/discriminator: - **Architecture:** A 2-layer EGNN operating over the generated path sequence, concatenated with the fragment contexts. Outputs a scalar predicting the Structural Neural Gap. - **Training:** Optimized via BCE against true biological paths (Label 1) and corrupted/hallucinated paths (Label 0). - **Effect:** Heavy penalty for mathematically sound but biologically impossible structures (e.g., hairpin turns).

Biological Intensity Path Integral (Cost B)

The ultimate physical ground-truth validation during live inference over TIFF stacks.

$$\text{Cost}_B(X) = -\frac{1}{|X|} \sum_i |x_i \cdot \text{Tangent}(x_i)| \cdot \text{StepDir}(\text{Vesselness}(x_i))$$

- Evaluates if the path cuts through dark space (Low Vesselness).
 - Evaluates if the path travels perpendicular to the actual physical neurites (Tangent Misalignment).
-

End-to-End Inference Architecture

graph LR

CPU[CPU Producer: Pre-computes Vesselness] --> Q[Thread-Safe Queue]

Q --> GPU[Multi-GPU Consumer: Predicts Connections]

GPU --> SWC[SWC Export: Maintains Parent Topologies]

Successfully Connected Neurons

Inference Output