

SitePulse — AI Explained Audit Report

Comprehensive website quality and security analysis with AI explanations

<https://cityhangaround.com/> 9/12/2026, 1:34:56 PM 501.7s total

OVERALL SCORE

75

CRAWLER

100

SEO

80

SECURITY

40

SSLTLS

100

BROKENLINKS

99

FUNCTIONAL

100

ACCESSIBILITY

96

PERFORMANCE

33

Findings Summary

● Critical: 1 ● High: 9 ● Medium: 15 ● Low: 26

Functional

completed 100 49.7s

TOTALTESTS

14

PASSED

14

FAILED

0

SKIPPED

0

WARNINGS

1

AVERAGEDURATION

2881

TESTTYPES

navigation,interaction,resource,console,responsive

MEDIUM func-images-load via playwright

13 broken images found

<https://cityhangaround.com/>

AI EXPLANATION for MEDIUM — func-images-load

What it means

Thirteen image elements on the homepage are not loading, likely due to missing files or incorrect paths.

Why it matters

Broken images degrade the visual experience, can slow down page rendering, and may signal to users that the site is poorly maintained. Search engines also consider image availability when assessing site quality.

Recommended fix

Locate the missing image files and upload them to the correct directory, update the image URLs, or remove the broken image tags entirely. Use a tool to audit image paths and ensure all references resolve correctly.

Accessibility

completed 96 73.6s

TOTALVIOLATIONS

10

CRITICAL

1

SERIOUS

4

MODERATE

4

MINOR

1

TOTALPASSES

189

INCOMPLETECHECKS

14

PAGESCHECKED

8

TOTALPAGESAVAILABLE

26

TOTALCHECKS

199

SCORINGMETHOD

pass-ratio-weighted


SCORINGBREAKDOWN

[object Object]

CRITICAL select-name via axe-core

Ensure select element has an accessible name

https://cityhangaround.com/deals/rajkot/kalvad-road-vrundvan-society-part-2/food-&-beverages/shri-hari-farm/organic-foods/neemtulsi-extract-panchamrut-cow-extract/



AI EXPLANATION for CRITICAL — select-name

What it means

A <select> element on the page lacks an accessible name, meaning screen readers cannot identify its purpose to users with disabilities.

Why it matters

Without an accessible name, users relying on assistive technology cannot interact with the form element, violating accessibility standards and potentially excluding a portion of the audience.


Recommended fix

Add a visible <label> element associated with the <select> via the for/id attributes, or provide an aria-label or aria-labelledby attribute to give the element a clear name. Ensure the label text is descriptive of the selection options.

HIGH color-contrast via axe-core

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

https://cityhangaround.com/



AI EXPLANATION for HIGH — color-contrast

What it means

The text or other foreground elements on the homepage do not have enough contrast against their background colors to meet WCAG 2 AA guidelines. This means the color difference is too low for many users to read comfortably.

Why it matters

Low contrast can make content unreadable for people with visual impairments, color blindness, or in bright lighting conditions. It also violates accessibility standards, potentially leading to legal issues and a negative user experience.


Recommended fix

Adjust the foreground or background colors so that the contrast ratio is at least 4.5:1 for normal text and 3:1 for large text. Use a contrast checker tool to verify compliance and update the CSS accordingly.

HIGH scrollable-region-focusable via axe-core

Ensure elements that have scrollable content are accessible by keyboard in Safari

<https://cityhangararound.com/>



AI EXPLANATION for HIGH — scrollable-region-focusable

What it means

A scrollable area on the site is not keyboard-navigable in Safari, meaning users who rely on the keyboard cannot access or interact with its content.

Why it matters

Keyboard users, including those with motor disabilities, will be unable to reach or read the scrollable content, violating accessibility guidelines and reducing overall usability.


Recommended fix

Wrap the scrollable content in a focusable element (e.g., add `tabindex="0"`), provide appropriate ARIA roles or labels, and ensure that keyboard focus can enter and exit the region. Test in Safari to confirm the area is reachable via the keyboard.

HIGH link-name via axe-core

Ensure links have discernible text

<https://cityhangararound.com/deals/rajkot/kalvad-road-vrundvan-society-part-2/food-&-beverages/shri-hari-farm/organic-foods/neemtulsi-extract-pancha-mrut-cow-extract/>



AI EXPLANATION for HIGH — link-name

What it means

The link on the specified page lacks discernible text, likely being an icon or empty link, so screen readers cannot identify its purpose.

Why it matters

Users who rely on assistive technologies will not understand where the link leads, causing confusion and preventing them from navigating the site effectively.

Recommended fix


Add descriptive link text or an aria-label attribute that clearly states the link's destination or action. Ensure the visible text is meaningful and accessible to all users.

HIGH listitem via axe-core

Ensure

- elements are used semantically

<https://cityhangararound.com/deals/rajkot/kalvad-road-vrundvan-society-part-2/food-&-beverages/shri-hari-farm/organic-foods/neemtulsi-extract-pancha-mrut-cow-extract/>



AI EXPLANATION for HIGH — listitem

What it means

The audit found that a `<li>` element is being used outside of a proper list context, such as a `<ul>` or `<ol>`. This means the element is not serving its intended semantic purpose of representing a list item.

Why it matters

Assistive technologies rely on correct list semantics to convey structure and relationships to users. Misusing `<li>` can confuse screen readers, making navigation harder and potentially hiding content from users who depend on these cues.

Recommended fix

Wrap the content in a proper `<ul>` or `<ol>` if it is truly a list, or replace the `<li>` with a more appropriate element like `<div>` or `<p>` if it is not part of a list. Ensure the surrounding markup reflects the intended structure.

MEDIUM region via axe-core

Ensure all page content is contained by landmarks

<https://cityhangararound.com/>

 **AI EXPLANATION** for MEDIUM — region

What it means

The page contains content that is not enclosed within ARIA landmark elements such as `<header>`, `<nav>`, `<main>`, `<footer>`, or `<aside>`. Landmarks provide a way to identify major sections of a page.

Why it matters

Without landmarks, users of assistive technologies cannot quickly jump between sections, leading to a slower and more frustrating experience. It also reduces the overall accessibility score of the site.

Recommended fix

Add appropriate landmark elements around each major section of the page. For example, wrap the top navigation in `<nav>`, the main content in `<main>`, and the footer in `<footer>` to give clear structure.

MEDIUM heading-order via axe-core

Ensure the order of headings is semantically correct

<https://cityhangararound.com/>

 **AI EXPLANATION** for MEDIUM — heading-order

What it means

Headings on the page are not following a logical hierarchical order; for instance, an `<h3>` might appear before an `<h2>` or an `<h1>` might be missing.

Why it matters

Screen readers build an outline of the page based on heading levels. Incorrect ordering can mislead users, making it difficult to understand the structure and navigate efficiently.

Recommended fix

Review the heading hierarchy and adjust the tags so that each level increments properly (`h1 → h2 → h3`, etc.). Ensure there is only one top-level `<h1>` and that subsequent headings follow the correct sequence.

MEDIUM landmark-one-main via axe-core

Ensure the document has a main landmark

<https://cityhangararound.com/>

 **AI EXPLANATION** for MEDIUM — landmark-one-main

What it means

The page does not contain a main landmark, such as a `<main>` element or an element with `role="main"`. This landmark signals to assistive technologies where the primary content of the page begins.

Why it matters

Without a main landmark, screen readers and other assistive tools cannot quickly navigate to the main content, leading to a confusing experience for users with disabilities. It also affects SEO and accessibility compliance scores.

Recommended fix

Add a `<main>` element that wraps the primary content of the page, or add `role="main"` to an existing container. Ensure the element is the first landmark after the header and before any secondary sections.

MEDIUM landmark-unique via axe-core

Ensure landmarks are unique

<https://cityhangararound.com/event/south-delhi/okhla-industrial-estate/sports/govindpuri-complex/>

 **AI EXPLANATION** for MEDIUM — landmark-unique

What it means

The page contains duplicate landmark names or roles, meaning two or more landmarks share the same name or role attribute, which can confuse assistive technologies.

Why it matters

Duplicate landmarks make it difficult for users of screen readers to distinguish sections, potentially causing navigation errors and a poor user experience. It also violates accessibility best practices and can lower audit scores.

Recommended fix

Review the page's landmarks and ensure each has a unique name or role. Remove or rename duplicate landmarks, and verify that each landmark is properly labeled with aria-label or a descriptive heading.

LOW image-redundant-alt via axe-core

Ensure image alternative is not repeated as text

<https://cityhangaround.com/>

Performance

completed 33 145.3s

PERFORMANCESCORE

33

FCP

2.8 s

FCPMS

2800

LCP

6.6 s

LCPMS

6600

TOTALBLOCKINGTIME

8,280 ms

TOTALBLOCKINGTIMEMS

280

CLS

0.002

CLSVALUE

0.001817160543813394

SPEEDINDEX

17.1 s

SPEEDINDEXMS

17100

TTI

21.5 s

TTIMS

21500

TTFB

Root document took
610 ms

TTFBMS

611

SOURCE

lighthouse

LIGHTHOUSEVERSION

13.4.1

URL

<https://cityhangaround.com/>

REQUESTCOUNT

60

TOTALBYTEWEIGHT

Total size was 1,023 KiB

HIGH

Slow TTFB: Root document took 610 ms

<https://cityhangaround.com/>

 **AI EXPLANATION** for HIGH — finding

What it means

The time to first byte (TTFB) for the root document is 610 ms, which is considered slow for a high-performance website.

Why it matters

A high TTFB delays the start of page rendering, leading to slower perceived load times for users, especially on mobile or slower networks. It can negatively impact SEO rankings and user satisfaction.

Recommended fix

Optimize server response by enabling caching, reducing server processing time, and using a content delivery network (CDN). Consider upgrading hosting resources or optimizing backend code to lower the TTFB below 200 ms.

HIGH

Poor LCP: 6.6 s

<https://cityhangaround.com/>

 **AI EXPLANATION** for HIGH — finding

What it means

The Largest Contentful Paint (LCP) metric measures how long it takes for the main content of a page to become visible to the user. A value of 6.6 seconds indicates that the page's most significant visual element is taking far longer than recommended to load.

Why it matters

Slow LCP can frustrate visitors, increase bounce rates, and negatively impact search engine rankings, as search engines use LCP as a ranking signal. It also reduces the likelihood of users staying on the site long enough to engage with content or complete desired actions.

Recommended fix

Improve LCP by optimizing large images or text blocks (compress, resize, or use modern formats), removing render-blocking CSS/JS, implementing lazy loading for off-screen resources, and leveraging a CDN or server-side caching to reduce load times. Additionally, consider deferring non-essential scripts and ensuring the critical rendering path is streamlined.

Security

completed 40 65.8s

SOURCE

owasp-zap + header-
analysis

ZAPAVAILABLE

true

ZAPUSED

true

ZAPVERSION

2.17.0

ZAPALERTCOUNT 28	HEADERSCHECKED 7	TOTALFINDINGS 20	CRITICAL 0
HIGH 2	MEDIUM 8	LOW 8	INFORMATIONAL 2
HASHTTPS true	HTTPSTATUS 0		

HIGH missing-hsts via header-analysis

Missing HSTS header

💡 Add strict-transport-security header to improve security

<https://cityhangararound.com/>

 **AI EXPLANATION** for HIGH — missing-hsts

What it means

The site does not send a Strict-Transport-Security (HSTS) header, meaning browsers are not instructed to enforce HTTPS for future requests.

Why it matters

Without HSTS, users are vulnerable to downgrade attacks that force them to connect over HTTP, exposing sensitive data. It also reduces trust signals for visitors and can impact search rankings.

Recommended fix

Configure the web server to send the header: Strict-Transport-Security: max-age=63072000; includeSubDomains; preload. This forces browsers to use HTTPS for the next 2 years and includes subdomains.

HIGH missing-csp via header-analysis

Missing CSP header

💡 Add content-security-policy header to improve security

<https://cityhangararound.com/>

 **AI EXPLANATION** for HIGH — missing-csp

What it means

The site does not send a Content-Security-Policy (CSP) header in its HTTP responses. CSP tells browsers which resources are allowed to load and execute, helping to block malicious code injection.

Why it matters

Without CSP, attackers can more easily inject or execute cross-site scripting (XSS) payloads, potentially stealing user data or hijacking sessions. It also reduces the ability to mitigate other injection attacks and limits the effectiveness of other security controls.

Recommended fix

Add a CSP header that defines trusted sources, e.g. `Content-Security-Policy: default-src 'self'; script-src 'self'; style-src 'self' 'unsafe-inline';` and adjust as needed for your site's assets. Test the policy in report-only mode before enforcing to avoid breaking legitimate content.

MEDIUM 10020 via owasp-zap

Missing Anti-clickjacking Header

<https://cityhangararound.com/>

 **AI EXPLANATION** for MEDIUM — 10020

What it means

The site is missing an anti-clickjacking header such as X-Frame-Options or CSP frame-ancestors. These headers prevent the page from being embedded in a frame or iframe on another site.

Why it matters

If the page can be framed, attackers can overlay malicious content on top of the legitimate page, tricking users into clicking on hidden buttons or links (clickjacking). This can lead to unauthorized actions or credential theft.

Recommended fix

Add an anti-clickjacking header, for example `X-Frame-Options: SAMEORIGIN` or a CSP directive `frame-ancestors 'self';`. Ensure the header is sent with all responses that render the page.

MEDIUM 10038 via owasp-zap

Content Security Policy (CSP) Header Not Set

<https://cityhangararound.com/>

 **AI EXPLANATION** for MEDIUM — 10038

What it means

The audit detected that a Content-Security-Policy header is not present in the site's responses. CSP is a key defense against XSS and data injection attacks by restricting resource loading.

Why it matters

Without CSP, attackers have a broader attack surface to inject malicious scripts or steal sensitive information. It also weakens the overall security posture and can lead to compliance issues for sites handling user data.

Recommended fix

Implement a CSP header that specifies allowed sources for scripts, styles, images, etc. Start with a restrictive policy in report-only mode, review the reports, and then enforce the policy once it no longer blocks legitimate content.

MEDIUM 90003 via owasp-zap

Sub Resource Integrity Attribute Missing

<https://cityhangaround.com/>

🌟 **AI EXPLANATION** for MEDIUM — 90003

What it means

The page loads external resources such as scripts or stylesheets without specifying a Subresource Integrity (SRI) attribute. This means the browser cannot verify that the resource has not been altered since it was published.

Why it matters

Without SRI, an attacker who compromises a CDN or intercepts traffic could inject malicious code into the resource, potentially leading to cross-site scripting or other attacks that affect all visitors.

Recommended fix

Add an integrity attribute with a cryptographic hash (e.g., SHA-256) to each external script or stylesheet tag, and include the crossorigin attribute if the resource is served from a different origin.

MEDIUM missing-x-content-type-options via header-analysis

Missing X-Content-Type-Options header

💡 Add x-content-type-options header to improve security

<https://cityhangaround.com/>

🌟 **AI EXPLANATION** for MEDIUM — missing-x-content-type-options

What it means

The server does not send the X-Content-Type-Options header, which instructs browsers not to MIME-sniff content types.

Why it matters

Without this header, browsers may incorrectly interpret a file's MIME type, allowing an attacker to trick the browser into executing malicious content as a script or other executable type, increasing the risk of XSS attacks.

Recommended fix

Configure the web server to include the header 'X-Content-Type-Options: nosniff' in all responses.

MEDIUM missing-x-frame-options via header-analysis

Missing X-Frame-Options header

💡 Add x-frame-options header to improve security

<https://cityhangaround.com/>

🌟 **AI EXPLANATION** for MEDIUM — missing-x-frame-options

What it means

The site does not send the X-Frame-Options header, so it can be embedded inside an iframe on other domains.

Why it matters

Embedding the site in an iframe can enable clickjacking attacks, where a malicious site tricks users into interacting with hidden or disguised content, potentially exposing sensitive actions or data.

Recommended fix

Add the header 'X-Frame-Options: SAMEORIGIN' or 'DENY' to prevent framing, or use a Content Security Policy 'frame-ancestors' directive to restrict which origins may embed the site.

MEDIUM sensitive-url via crawl-analysis

URL may contain sensitive data: <https://cityhangaround.com/forgot-password>

<https://cityhangaround.com/forgot-password>

🌟 **AI EXPLANATION** for MEDIUM — sensitive-url

What it means

The URL path for the forgot-password page may expose sensitive information, such as user identifiers or tokens, in the browser address bar or server logs.

Why it matters

Sensitive data in URLs can be inadvertently shared through browser history, referrer headers, or server logs, increasing the risk of credential leakage or phishing attacks.

Recommended fix

Change the form to submit via POST and avoid including any sensitive parameters in the URL. Use a secure, single-use token sent in the request body or as a cookie, and redirect to a generic confirmation page after submission.

MEDIUM sensitive-url via crawl-analysis

URL may contain sensitive data: <https://cityhangaround.com/auth/google>

 AI EXPLANATION for MEDIUM — sensitive-url

What it means

The Google authentication endpoint may contain sensitive data in its URL, such as authorization codes or tokens, which can be exposed in logs or browser history.

Why it matters

Exposing authentication tokens in URLs can allow attackers to hijack sessions or gain unauthorized access if the URL is captured or shared.

Recommended fix

Ensure that any authorization codes or tokens are transmitted via POST or secure headers, not as query parameters. Implement redirect URIs that do not include sensitive data and use HTTPS to encrypt the entire flow.

MEDIUM sensitive-url via crawl-analysis

URL may contain sensitive data: https://cityhangaround.com/auth/facebook

https://cityhangaround.com/auth/facebook

 AI EXPLANATION for MEDIUM — sensitive-url

What it means

The Facebook authentication endpoint may expose sensitive data in its URL, potentially revealing tokens or user identifiers in the address bar or logs.

Why it matters

Sensitive data in URLs can be intercepted or logged, leading to session hijacking or privacy violations for users.

Recommended fix

Modify the authentication flow to send tokens via POST or secure cookies, avoid including them in the URL, and enforce HTTPS to protect the data in transit.

LOW 10010 via owasp-zap

Cookie No HttpOnly Flag

https://cityhangaround.com/

LOW 10017 via owasp-zap

Cross-Domain JavaScript Source File Inclusion

https://cityhangaround.com/

LOW 10035 via owasp-zap

Strict-Transport-Security Disabled

https://cityhangaround.com/

LOW 10096 via owasp-zap

Timestamp Disclosure - Unix

https://cityhangaround.com/

LOW 10037 via owasp-zap

Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)

https://cityhangaround.com/

LOW missing-x-xss-protection via header-analysis

Missing X-XSS-Protection header

 Add x-xss-protection header to improve security

https://cityhangaround.com/

LOW missing-referrer-policy via header-analysis

Missing Referrer-Policy header

 Add referrer-policy header to improve security

https://cityhangaround.com/

LOW missing-permissions-policy via header-analysis

Missing Permissions-Policy header

 Add permissions-policy header to improve security

https://cityhangaround.com/

INFORMATIONAL 10027 via owasp-zap

Information Disclosure - Suspicious Comments

https://cityhangaround.com/

SslTls

completed 100 66.8s

SOURCE sslyze	SSLYZEAVAILABLE true	SSLYZEVERSION detected	TOTALFINDINGS 0
CRITICAL 0	HIGH 0	MEDIUM 0	LOW 0

No findings

Seo

completed 80 0.0s

PAGESANALYZED 94	TOTALPAGESDISCOVERED 94	TITLELENGTH 71	DESCRIPTIONLENGTH 169
HASKEYWORDS false	H1COUNT 4	HEADINGLEVELS h1, h2, h3, h4, h5, h6	HASCANONICAL false
OGTAGSPRESENT 0	OGTAGSTOTAL 5	TWITTERTAGSPRESENT 0	IMAGESTOTAL 2701
IMAGESWITHOUTALT 230	PAGESMISSINGH1 0	INTERNALLINKS 6317	EXTERNALLINKS 15
AVERAGEWORDCOUNT 76	PAGESWITHCONTENT 94	HASSITEMAP true	HASROBOTSMETA false

LOW long-title

Title is too long (71 chars) - may be truncated in SERPs

LOW long-description

Meta description is too long (169 chars)

MEDIUM multiple-h1

Multiple H1 tags found (4)

AI EXPLANATION for MEDIUM — multiple-h1

What it means

The page contains four H1 tags instead of a single top-level heading. This indicates that multiple elements are marked as the main heading of the content.

Why it matters

Search engines use the H1 to understand the primary topic of a page; having several can dilute that signal and confuse crawlers. It can also affect accessibility, as screen readers rely on a single H1 to orient users.

Recommended fix

Replace the extra H1 tags with H2 or H3 elements, keeping only one H1 that accurately describes the page's main topic. Ensure the remaining headings follow a logical hierarchy.

MEDIUM missing-canonical

No canonical URL specified

AI EXPLANATION for MEDIUM — missing-canonical

What it means

The page does not include a canonical link element, so search engines have no explicit indication of the preferred URL for this content.

Why it matters

Without a canonical tag, duplicate or similar pages may be indexed separately, splitting ranking signals and potentially causing search engine penalties. It also makes it harder to manage link equity across variations of the URL.

Recommended fix

Add a canonical tag in the head section: <link rel="canonical" href="https://cityhangaround.com/">. Verify that the URL matches the primary page you want indexed.

LOW missing-og-tags

Missing Open Graph tags: og:title, og:description, og:image, og:url, og:type

LOW missing-twitter-tags

Most Twitter Card tags are missing

LOW images-no-alt

230 images missing alt text

BrokenLinks

completed 99 22.1s

TOTALDISCOVERED
475

TOTALCHECKED
150

SAMPLED
true

BROKENCOUNT
1

REDIRECTCOUNT
12

WORKINGCOUNT
137

SKIPPEDBYLIMIT
325

SKIPPEDBYFILTER
0

EXTERNALLINKS
15

INTERNALLINKS
367

COVERAGENOTE
Priority-sampled 150 of 475 discovered URLs. 325 URLs were not checked.

HIGH broken-link via link-checker

Broken link: <https://cityhangaround.com/deals/chandpur-uttar-pradesh/mandi-kotla/grocery-stores-department-store/radhakrishan-sukhdev-kumar-general-store/atta/pillsbury-chakki-fresh-atta-5kg> (Status: 500)
<https://cityhangaround.com/deals/chandpur-uttar-pradesh/mandi-kotla/grocery-stores-department-store/radhakrishan-sukhdev-kumar-general-store/atta/pillsbury-chakki-fresh-atta-5kg>

AI EXPLANATION for HIGH — broken-link

What it means

The link points to a page that returns a 500 Internal Server Error, indicating the server cannot process the request.

Why it matters

Users clicking the link will encounter a server error, leading to frustration and potentially losing trust in the site. Search engines may also penalize the site for broken links, affecting SEO rankings.

Recommended fix

Verify the server configuration and the target page's existence. Correct the URL, ensure the page is deployed, or set up a proper 301/302 redirect to a valid resource.

LOW redirect-link via link-checker

Redirect: <https://cityhangaround.com/auth/google> → https://accounts.google.com/v3/signin/identifier?opparams=%253F&dsh=S-1122870909%3A1789200400247337&client_id=688878155235-las7p5a9sora9vp91aai0c2lstfebdtl.apps.googleusercontent.com&o2v=1&redirect_uri=https%3A%2F%2Fcityhangaround.com%2Fauth%2Fgoogle%2Fcallback&response_type=ccAv8jgRiTmXZxb8wIDQqnNxinQkKy_2n9E-_LmFYGYdqZYGgCwwjWyEdjvoOTC4fR0yRAJCUTY97tosZjAT5btLEFp0EcAdiknET189b1lel2Cq_TCDXowGsCsDuGINGbLUdqm2yjNmqcjCx3OnVJuvXrtWyltzVCSV0MMNktN-0Fft5Q6S-b9rDm9NdIRZaGeRUsqn7bYJXNGaEFd2iF5QH9GzAzRCW5ogXE-OiP_rp4PflM66stF2tSWTNHgl_l86r-oiwy2fk1fjDI0fEe08Pm91g3KLEuS-g0pCD0_UqCuy0s38pnODqDgpaVQS7dDoar4qEgyZQMMyet73vWPjzXxHafh0CcLmJdNum3f7krdapiBFON_wUtxFEJU2tbqV TPLZY-b1wswY3HfTWBedUSgGSRKfJooxzs%26flowName%3DGeneralOAuthFlow%26as%3DS-1122870909%253A1789200400247337%26client_id%3D688878155235-las7p5a9sora9vp91aai0c2lstfebdtl.apps.googleusercontent.com%23&app_domain=https%3A%2F%2Fcityhangaround.com&rart=ANGoxcejQB4uHs9x5K_MnAz75wNCISNj89lz6lyhttps://cityhangaround.com/auth/google

LOW redirect-link via link-checker

Redirect: <https://cityhangaround.com/auth/facebook> → https://www.facebook.com/login.php?skip_api_login=1&api_key=1112075843555936&kid_directed_site=0&app_id=1112075843555936&signed_next=1&next=https%3A%2F%2Fwww.facebook.com%2Fv23.0%2Fdia6935-42c1-81a0-4e2395a7d785%26tp%3Dunspecified&cancel_url=https%3A%2F%2Fcityhangaround.com%2Fauth%2Ffacebook%2Fcallback%3Ferror%3Daccess_denied%26error_code%3D200%https://cityhangaround.com/auth/facebook

LOW [redirect-link](#) [via link-checker](#)

Redirect: <https://cityhangaround.com/home> → <https://cityhangaround.com/login>
<https://cityhangaround.com/home>

LOW [redirect-link](#) [via link-checker](#)

Redirect: <https://cityhangaround.com/profile> → <https://cityhangaround.com/login>
<https://cityhangaround.com/profile>

LOW [redirect-link](#) [via link-checker](#)

Redirect: <https://cityhangaround.com/blog/create> → <https://cityhangaround.com/login>
<https://cityhangaround.com/blog/create>

LOW [redirect-link](#) [via link-checker](#)

Redirect: <https://cityhangaround.com/events/create> → <https://cityhangaround.com/login>
<https://cityhangaround.com/events/create>

LOW [redirect-link](#) [via link-checker](#)

Redirect: <https://cityhangaround.com/admin/page/create> → <https://cityhangaround.com/login>
<https://cityhangaround.com/admin/page/create>

LOW [redirect-link](#) [via link-checker](#)

Redirect: <https://cityhangaround.com/user/subscriptions/view> → <https://cityhangaround.com/login>
<https://cityhangaround.com/user/subscriptions/view>

LOW [redirect-link](#) [via link-checker](#)

Redirect: <https://cityhangaround.com/products/create> → <https://cityhangaround.com/login>
<https://cityhangaround.com/products/create>

LOW [redirect-link](#) [via link-checker](#)

Redirect: <https://cityhangaround.com/videos> → <https://cityhangaround.com/login>
<https://cityhangaround.com/videos>

LOW [redirect-link](#) [via link-checker](#)

Redirect: <https://cityhangaround.com/about/page/view> → <https://cityhangaround.com/login>
<https://cityhangaround.com/about/page/view>

LOW [redirect-link](#) [via link-checker](#)

Redirect: <https://cityhangaround.com/policy/page/view> → <https://cityhangaround.com/login>
<https://cityhangaround.com/policy/page/view>

Recommendations

- **HIGH:** Missing HSTS header
- **HIGH:** Missing CSP header
- **HIGH:** Broken link: <https://cityhangaround.com/deals/chandpur-uttar-pradesh/mandi-kotla/grocery-stores-department-store/radhakrishan-sukhdev-kumar-general-store/atta/pillsbury-chakki-fresh-atta-5kg> (Status: 500)
- **CRITICAL:** Ensure select element has an accessible name
- **HIGH:** Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds
- **HIGH:** Ensure elements that have scrollable content are accessible by keyboard in Safari
- **HIGH:** Ensure links have discernible text
- **HIGH:** Ensure
 - elements are used semantically
- **HIGH:** Slow TTFB: Root document took 610 ms
- **HIGH:** Poor LCP: 6.6 s

