

Roll Number:-2070120

Name:-Samiksha Sanjay Adake

Assignment Number:-1

Problem Statement:-Write a program to implement a class for Book details as follows Private: bookid, book_name, author, price Public: get_details(), print_details() Get details of some books from user and print in tabular form. Also find the total prize of all the books.

Theory:- A class in C++ is a user-defined data type that combines data members and member functions into a single unit. In this program, a class named Book is created with private data members bookid, book_name, author, and price to store book information securely. The public member functions get_details() and print_details() are used to accept input from the user and display the book details.

The program creates multiple objects of the Book class to store information about different books. The details of each book are displayed in a tabular format, and the prices of all the books are added to calculate the total price. This program demonstrates the concepts of classes, objects, encapsulation, and member functions in C++ while performing basic input, output, and arithmetic operations.

Code:

```
#include <iostream.h>
```

```
#include<conio.h>
```

```
#include <iomanip.h>
```

```
class book
```

```
{
```

```
private:
```

```
    int bookid, price;
```

```
    char book_name[50], author[50];
```

```
public:
```

```
    void get_details()
```

```
{
```

```
    cout << "Enter Book ID: ";
```

```
    cin >> bookid;
```

```
    cout << "Enter Book Name: ";
```

```
    cin >> book_name;
```

```
    cout << "Enter Author Name: ";
```

```
    cin >> author;
```

```
    cout << "Enter Price: ";
```

```
    cin >> price;
```

```
}
```

```
void print_details()
```

```

    {
        cout << setw(10) << bookid
            << setw(20) << book_name
            << setw(20) << author
            << setw(10) << price << endl;
    }

    int get_price()
    {
        return price;
    }
};

int main()
{
    clrscr();
    int i, total = 0;

    book b[4];

    for(i = 0; i < 4; i++)
    {
        cout << "\nEnter details of Book " << i + 1 << endl;
        b[i].get_details();
    }
}

```

```

cout << "\n";
cout << setw(10) << "Book ID"
    << setw(20) << "Book Name"
    << setw(20) << "Author"
    << setw(10) << "Price" << endl;

    cout << "-----" <<
endl;

for(i = 0; i < 4; i++)
{
    b[i].print_details();
    total += b[i].get_price();
}

    cout << "-----" <<
endl;
    cout << "Total Price of All Books = " << total << endl;

    return 0;
}

```

Output:

Book ID	Book Name	Author	Price
101	Clanuage	DennisRitchie	450
102	DBMS	Korth	550
103	OperatingSystem	Galvin	700
104	ComputerNetworks	Forouzan	600
Total Price of All Books = 2300			