



Recovering and Inspecting deleted files

- Check for Deleted Files
- Recover the Deleted Files
- Analyzing and inspecting the recovered files. Perform this using Export option in Forensic Toolkit and also Perform manually through command line.

Step 1: Open AccessData Forensic Toolkit and create a New case

Step 2: Fill the Forensic Examiner Information

FTK Report Wizard - Case Information

Forensic Examiner Information

The following information will appear on the Case Information page of the report:

Agency/Company:

Examiner's Name:

Address:

Phone: Fax:

E-Mail:

Comments:

< Back **Next >** Cancel

Step 3: Select all the case log options and Click Next

Case Log Options

Case Log Options


The case log is a text file named FTK.log in the case folder. It gets created automatically by FTK and contains a record of events that occur during the course of the case. You can choose which type of events you would like to be logged.

You can also add your own comments to the log file at any time by selecting "Add Case Log Entry..." under the "Tools" menu item, and you can view the log file by selecting "View Case Log" under the "Tools" menu item.

Events to go in the Case Log

☒ Case and evidence events	Events related to the addition and processing of file items when evidence is added or when using Analysis Tools later in the case.
☒ Error messages	Events related to any error conditions encountered during the case.
☒ Bookmarking events	Events related to the addition and modification of bookmarks.
☒ Searching events	Events related to searching. All search queries and resulting hit counts will be recorded.
☒ Data carving / Internet searches	Events related to special data carving or internet keyword searches that are performed during the case.
☒ Other events	Other events not related to the above, such as copying, viewing, and ignoring files.

< Back **Next >** Cancel

Step 4: Select all the Processes to perform and click next

Evidence Processing Options [X]

Processes to Perform

Evidence is added to a case in several steps. Some of the processes are always performed, while others are optional, depending on your needs and time/resource constraints.

☒ MD5 Hash	An MD5 hash is a 16 byte value generated based upon a file's content. It is used to uniquely identify files. Hashes can be used to verify a file's integrity, or to identify duplicate files. MD5 hashes are used by the KFF to identify known files.
☒ SHA1 Hash	A SHA1 hash is a 20 byte value. The SHA1 hashing algorithm is newer than MD5, but is not yet as widely used.
☒ KFF Lookup	KFF (Known File Filter) is a utility that compares MD5 file hashes against a database of MD5 hashes from known files. The purpose of KFF is to eliminate files known to be unimportant, or to alert the investigator to known illicit or dangerous files.
☒ Entropy Test	For unknown file types, an entropy test is used to determine whether the file's data is compressed or encrypted. Such files contain no plain text and will not be indexed. Unnecessary indexing of such files can waste large amounts of time and resources.
☒ Full Text Index	The Forensic Toolkit includes a very powerful search engine, dtSearch, which enables the investigator to do instantaneous searching of textual data. In order to take advantage of this search feature, the data must first be indexed.
☒ Store Thumbnails	Create and store thumbnails for all graphics in the case. This option speeds up browsing through the Graphics view at the expense of consuming more space in the case folder.
☒ Decrypt EFS Files	Automatically locate and attempt to decrypt EFS encrypted files found on NTFS partitions within the case. (Requires AccessData Password Recovery Toolkit 5.20 or newer)
☒ File Listing Database	Create a Microsoft Access (Jet) database containing a list of all files in the case. The attributes included are based on the Preprocessing File Listing Database Column Setting. This database can be recreated with custom column settings in Copy Special.
☒ HTML File Listing	Create an HTML version of the File Listing.
☒ Data Carve	Automatically find specific file types embedded in other files and from free space. Retrieve results using Data Carving Option on Tools Menu.
☒ Registry Reports	Generate common registry reports during preprocessing.

[Carving Options](#)

[< Back](#) [Next >](#) [Cancel](#)

Step 5: Click on Include all items and Click Next

Refine Case - Default

×

Refine Case - Default

In order to save time and resources, and/or to eliminate irrelevant data, you may choose to exclude certain kinds of data from the case. Here, you can choose default inclusion/exclusion settings that will apply to each evidence item that gets added to the case. To exclude data, make any changes to the settings below. Note: any items that get excluded will not appear anywhere in the case, and will be inaccessible.

Include All Items

Optimal Settings

Email Emphasis

Text Emphasis

Graphics Emphasis

Unconditionally Add

☒ File Slack (data beyond the end of the logical file but within the area allocated to that file by the file system)

☒ Free Space (areas in the file system not currently allocated to any file, but possibly containing deleted file data)

☒ KFF Ignorable Files (files found by KFF to be forensically unimportant, i.e., OS system files, known applications, etc.)

☐ Extract files from KFF ignorable containers

Conditionally Add

Add other items to the case only if they satisfy

BOTH the file status and the file type

 criteria

File Status Criteria

Deletion Status:

☐ Deleted

☐ Not deleted

☒ Either

Encryption Status:

☐ Encrypted

☐ Not encrypted

☒ Either

Email Status:

☐ From email

☐ Not from email

☒ Either

☒ Include Duplicate Files

☒ OLE Streams

File Type Criteria

☒ Documents

☒ Executables

☒ Spreadsheets

☒ Archives

☒ Databases

☒ Folders

☒ Graphics

☒ Other Known

☒ Multimedia

☒ Unknown

☒ Email msgs

< Back

Next >

Cancel

Step 7: Click on Add Evidence

Add Evidence to Case

X

Add Evidence

Any number of evidence items can be added to the case. There are several types of evidence items:
Acquired image of drive: Several formats supported; can be an image of a logical or physical drive
Local drive: Can be a logical or physical drive
Folder: Adds all files in the specified folder, including contents of subfolders
Individual File: Adds a single file. NOTE: Disk image files should be added as acquired images.
The default refinement options, set previously, can be overridden independently for each evidence item, and additional types of refinements can also be made. These refinements can include the exclusion of date/size ranges, as well as specific folders. To make these further refinements, highlight an evidence item in the list and press Refine Evidence - Advanced...

Add Evidence...

Edit Evidence...

Remove Evidence

Refine Evidence - Advanced...

Display Name	Source	Name/Nu...	Type	Refined	Time Zone	Comment
--------------	--------	------------	------	---------	-----------	---------

< Back

Next >

Cancel

Step 8: Select Acquired Image of drive and continue

Add Evidence to Case

Any number of evidence items can be added to the case. There are several types of evidence items:

- Acquired image of drive: Several formats supported; can be an image of a logical or physical drive
- Local drive: Can be a logical or physical drive
- Folder: Adds all files in the specified folder, including contents of subfolders
- Individual File: Adds a single file. NOTE: Disk image files should be added as acquired images.

The default refinement options, set previously, can be overridden independently for each evidence item, and additional types of refinements can also be made. These refinements can include the exclusion of date/size ranges, as well as specific folders. To make these further refinements, highlight an evidence item in the list and press Refine Evidence - Advanced...

Add Evidence to Case

Type of Evidence to Add to Case

- ☒ Acquired Image of Drive
- ☐ Local Drive
- ☐ Contents of a Folder
- ☐ Individual File

Continue... Cancel

< Back Next > Cancel

Step 9: Fill the Evidence information

Evidence Information

Evidence Location:
C:\Users\user\Downloads\pd_image.E01

Evidence Display Name:
pd_image

Evidence Identification Name/Number:

Comment:

Local Evidence Time Zone:
Choose time zone for evidence ...

OK Cancel

Step 10: The Evidence is added, now click on Next

Add Evidence to Case

X

Add Evidence

Any number of evidence items can be added to the case. There are several types of evidence items:

- Acquired image of drive: Several formats supported; can be an image of a logical or physical drive
- Local drive: Can be a logical or physical drive
- Folder: Adds all files in the specified folder, including contents of subfolders
- Individual File: Adds a single file. NOTE: Disk image files should be added as acquired images.

The default refinement options, set previously, can be overridden independently for each evidence item, and additional types of refinements can also be made. These refinements can include the exclusion of date/size ranges, as well as specific folders. To make these further refinements, highlight an evidence item in the list and press Refine Evidence - Advanced...

Add Evidence...Edit Evidence...Remove EvidenceRefine Evidence - Advanced...

Display Name	Source	Name/Nu...	Type	Refined	Time Zone	Comment
pd_image\DISK_IMG-FAT...	C:\Users\user...	new	FAT32	N	Asia/Sing...	

< BackNext >Cancel

Step 11: Click on Finish

Case Summary

New Case Setup is Now Complete

Case Settings

Case directory where the file database, index, and other case-specific files will be stored:

C:\Users\user\Desktop\New folder\james bond

Number of Evidence Items: 1

Processes to be Performed:

File Extraction:	Yes
File Identification:	Yes
MD5 Hash:	Yes
SHA1 Hash:	Yes
KFF Lookup:	Yes
Entropy Test:	Yes
Full Text Index:	Yes
Store Thumbnails:	Yes
Decrypt EFS Files:	Yes
File Listing Database:	Yes
File Listing HTML:	Yes
Data Carving:	Yes
Registry Reports:	Yes

Remember that although each of these processes adds to the initial processing time, they each play an important role in the investigation process.

Processes that are not performed initially can be initiated at a later point in the investigation except the HTML file listing and automated Registry Reports. Additional evidence can also be added later.

Press "Back" if you wish to review or change your settings
Press "Finish" to accept the current settings and start processing the evidence

Step 12: Wait till the files are processing

Processing Files...

Current Evidence Item:


C:\Users\user\Downloads\pd_image.E01



Current File Item:

pd_image\DISK_IMG-FAT32\DriveFreeSpace002

Current File Item Status	Total Process Status
Action: <u>Filtering Text</u>	Elapsed Time: <u>0.00:00:03</u>
File Type: <u>Drive Free Space</u>	Total Items Examined: <u>139</u>
Item Size: <u>26,214,400 (2 of 154)</u>	Total Items Added: <u>139</u>
Progress: <u>24,340,017</u>	Total Items Indexed: <u>127</u>

Log the case/system status every 10 minutes ☐ Log extended information

Step 13: Select any File and click on Export File**Step 14: Select Desired destination path and Click on OK**



Step 15: Check the file directory if the file is extracted

