

Players Table

Stores information about each player, including their in-game character details.

Column Name	Data Type	Description
PlayerID	String	Primary key, unique identifier for each player
Username	String	Player's username
CharacterName	String	Name of the player's character
CharacterClass	String	Character class (Warrior, Mage, Rogue)
Level	Number	Character level
Experience	Number	XP points
HealthPoints	Number	Current health points
Inventory	Map	Items in the character's inventory
CreatedAt	String	Account creation date
UpdatedAt	String	Last update date

Game Sessions Table

Keeps track of individual game sessions, allowing for save/load functionality.

Column Name	Data Type	Description
SessionID	String	Primary key
PlayerID	String	Links the session to a player
SessionName	String	Friendly name for the session
CurrentState	Map	Serialized game state (story progress, player positions)
Active	BOOL	Whether the session is active
CreatedAt	String	Session creation date
UpdatedAt	String	Last update date

Player_Sessions Table

Defines the relationship between players and game sessions (many-to-many).

Column Name	Data Type	Description
ID	String	Primary key
PlayerID	String	Foreign key referencing Players.player_id
SessionID	String	Foreign key referencing Game_Sessions.session_id
LastActive	String	Timestamp of the player's last activity

NPCs Table

Stores information about non-player characters in the game.

Column Name	Data Type	Description
NPCID	String	Primary key
Name	String	NPC's name
Attributes	Map	Attributes (health, strength, dialogue)
Location	String	Current in-game location of the NPC
SessionID	String	Foreign key referencing Game_Sessions.session_id
DialogueState	String	State of the dialogue tree

Quests Table

Manages quests, objectives, and their status.

Column Name	Data Type	Description
QuestID	String	Primary key
Name	String	Quest name
Description	String	Full description of the quest
Status	String	Status (Pending, Completed, Failed)
AssociatedSession	String	Foreign key referencing Game_Sessions.session_id
Rewards	Map	Rewards for quest completion (items, XP)

Logs Table

For storing interaction logs, chat history, and debugging.

Column Name	Data Type	Description
LogID	String	Primary key
SessionID	String	Foreign key referencing Game_Sessions.session_id
PlayerID	String	Foreign key referencing Players.player_id
Message	String	The content of the log (dialogue, actions)
CreatedAt	String	Timestamp of the log entry