```
import numpy as np
import matplotlib.pyplot as plt
import pandas as pd
```

```
dataset = pd.read_csv('/content/drive/MyDrive/robotic_arm_positions_normal01.csv')
X = dataset.iloc[:, 4:7].values
y = dataset.iloc[:, 0:4].values
```

```
print(X[0])
print(y[0])
```

```
[ 0.02  0.   -0.14]
[  0   0 -90 -90]
```

```
from sklearn.model_selection import train_test_split
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size = 0.20, random_state = 0)
```

```
print(y_test[0])
```

```
[165  95 -65 -35]
```

```
from sklearn.linear_model import LinearRegression
regressor = LinearRegression()
regressor.fit(X_train, y_train)
```

```
▾ LinearRegression
LinearRegression()
```

```
y_pred=regressor.predict(X_test)
```

```
from sklearn.metrics import mean_squared_error
mean_squared_error(y_test, y_pred)
```

```
538.4963317306424
```

```
from sklearn.metrics import r2_score
r2_score(y_test, y_pred, multioutput='raw_values')
```

```
array([0.81339726, 0.7275659 , 0.235786  , 0.07451201])
```

```
regressor.predict([[ 0.02,  0 ,  -0.14]])
```

```
array([[ 87.06534969,  33.24966579, -67.63586804, -60.13623897]])
```