```
BJIT@DESKTOP-3N9TI6I ► Apollo O Jabir ≠ • ✓

~ git branch abir
```

```
3JIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)
$ git status
On branch abir
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        abir-hossain.md
        abir-profile.banner.png
nothing added to commit but untracked files present (use "git add" to track)
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)
$ git add abir-hossain.md abir-profile.banner.png
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)
$ git commit -m "Added git profile markdown & profile banner image" -m "Ref#205"
[abir f7a041d] Added git profile markdown & profile banner image
2 files changed, 50 insertions(+)
create mode 100644 abir-hossain.md
create mode 100644 abir-profile.banner.png
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)
```

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)

$ git checkout main

Switched to branch 'main'

Your branch is up to date with 'origin/main'.
```

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (main)
$ git pull
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 9 (delta 1), reused 8 (delta 1), pack-reused 0
Unpacking objects: 100% (9/9), 126.37 KiB | 299.00 KiB/s, done.
From github.com:samin-irtiza-bjit/Apollo
   5043558..2663fb9 main
                                -> origin/main
   [new branch]
                      samin
                                  -> origin/samin
Updating 5043558..2663fb9
Fast-forward
 Apollo.jpg
                             Bin 0 -> 88359 bytes
 README.md
                             12 +++++++
 samin-github-header.png
                             Bin 0 -> 38810 bytes
                             49 +++++++++++++
 samin-irtiza.md
 4 files changed, 60 insertions(+), 1 deletion(-)
 create mode 100644 Apollo.jpg
 create mode 100644 samin-github-header.png
 create mode 100644 samin-irtiza.md
```

```
BJIT@DESKTOP-3N9T16I MINGW64 ~/Desktop/git/git-github-exam/Apollo (main)
$ git checkout abir
Switched to branch 'abir'
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)
$ git status
On branch abir
nothing to commit, working tree clean
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)
$ git merge main
Merge made by the 'ort' strategy.
 Apollo.jpg
                         Bin 0 -> 88359 bytes
 README.md
                          12 ++++++++
 samin-github-header.png |
                         Bin 0 -> 38810 bytes
 samin-irtiza.md
                          4 files changed, 60 insertions(+), 1 deletion(-)
 create mode 100644 Apollo.jpg
 create mode 100644 samin-github-header.png
 create mode 100644 samin-irtiza.md
```

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)

$ git status
On branch abir
nothing to commit, working tree clean

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)

$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
```

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (main)
$ git pull
remote: Enumerating objects: 17, done.
remote: Counting objects: 100% (17/17), done.
remote: Compressing objects: 100\% (11/11), done.
remote: Total 13 (delta 2), reused 12 (delta 2), pack-reused 0
Unpacking objects: 100% (13/13), 65.60 KiB | 309.00 KiB/s, done.
From github.com:samin-irtiza-bjit/Apollo
   2663fb9..ffc97d2 main
                              -> origin/main
 * [new branch]
                   fazle1
                              -> origin/fazle1
               nazmul
 * [new branch]
                              -> origin/nazmul
Updating 2663fb9..ffc97d2
Fast-forward
                                22 ++++++++++++++++++++
 README.md
 fazle-github-header-image.png
                               Bin 0 -> 61606 bytes
 fazle_mubin.md
                                3 files changed, 55 insertions(+)
 create mode 100644 fazle-github-header-image.png
 create mode 100644 fazle_mubin.md
```

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (main)
$ git checkout abir
Switched to branch 'abir'
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)
$ git merge main
Merge made by the 'ort' strategy.
README.md
                                  fazle-github-header-image.png
                                 Bin 0 -> 61606 bytes
fazle_mubin.md
                                  3 files changed, 55 insertions(+)
create mode 100644 fazle-github-header-image.png
create mode 100644 fazle_mubin.md
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)
$ git status
On branch abir
Changes not staged for commit:
 (use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
       modified: README.md
```

```
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
         modified:
                      README.m
no changes added to commit (use "git add" and/or "git commit -a")
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)
$ git add README.md
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)
$ git status
On branch abir
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:
                    README.md
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/git/git-github-exam/Apollo (abir)
$ git commit -m "Added installation steps to readme" -m "Ref#266"
[abir 7a6199e] Added installation steps to readme
 1 file changed, 16 insertions(+)
```