

Ipconfig 1

```
Reply from fe80::2ceb:ccb5:788:1e35%11: time<1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time<1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time<1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time<1ms

Ping statistics for fe80::2ceb:ccb5:788:1e35%11:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::2ceb:ccb5:788:1e35%11
    IPv4 Address. . . . . : 50.0.0.10
    Subnet Mask . . . . . : 255.0.0.0
    Default Gateway . . . . . : 

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Tunnel adapter 6T04 Adapter:

    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2002:3200:a::3200:a
    Default Gateway . . . . . : 

C:\Users\user>hostname
sys1
```

Ipconfig 2

```
Administrator: Command Prompt
C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::35fd:cc8:9b31:c87e%11
    IPv4 Address. . . . . : 50.0.0.20
    Subnet Mask . . . . . : 255.0.0.0
    Default Gateway . . . . . : 

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:


    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Tunnel adapter 6T04 Adapter:


    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2002:3200:14::3200:14
    Default Gateway . . . . . : 

C:\Users\user>
```


Ping username1




ping username2



Folder sharing 1



Folder sharing 2



Remote

