Aria Home Espresso Machine: User Manual

Model KW-ARIA-2. Sold by Kettlewick Coffee Co., a fictional company used for demonstration.

1. Specifications

- Pump pressure: 15 bar (extraction runs at 9 bar)
- Water tank: 1.8 litres, removable
- Heat-up time: about 45 seconds with the thermoblock
- Power: 1,450 W, 220 to 240 V
- Weight: 6.2 kg

2. First use

Rinse the water tank and fill it with fresh, cold water. Plug in the machine and press the power button. Before your first coffee, run two full tanks of water through the group head and the steam wand to flush the system. This removes any residue from manufacturing.

3. Making an espresso

- Use 18 g of finely ground coffee in the double basket.
- Tamp evenly with about 15 kg of pressure.
- Lock the portafilter and press the double-shot button.
- Aim for 36 g of espresso in 25 to 30 seconds. Grind finer if it runs fast, coarser if it runs slow.

4. Descaling

Descale the Aria **every 2 months, or after 300 shots**, whichever comes first. In hard-water areas, descale monthly. When descaling is due, the cup icon blinks orange.

- Empty the water tank and add 500 ml of water mixed with one sachet of Kettlewick descaler.
- Place a 1-litre container under the group head and steam wand.
- Hold the power and steam buttons together for 5 seconds to start the descaling cycle.
- The cycle takes about 20 minutes. Rinse the tank and run one full tank of clean water afterwards.

Do not use vinegar. It can damage the seals and is not covered by the warranty.

5. Daily cleaning

Purge and wipe the steam wand after every use. Rinse the portafilter and baskets daily. Empty the drip tray when the red float rises. Once a week, backflush the group head with the blind basket.

6. Error codes

Code	Meaning	What to do
E01	Water tank empty or not seated	Refill the tank and press it down firmly until it clicks.
E02	Boiler overheating	Switch off and let the machine cool for 30 minutes. If it repeats, contact support.
E03	Pump blocked or air in the system	Run the steam wand for 10 seconds, then try again. Descale if it persists.
E04	Grinder or portafilter jam	Remove the portafilter, check for over-tamped coffee, and clean the shower screen.
E05	Temperature sensor fault	Not user-serviceable. Contact support for a warranty repair.
E06	Descaling overdue	Run the descaling cycle in section 4. The machine stays usable for 50 more shots.

7. Warranty

The Aria has a **2-year limited warranty** from the date of purchase, covering defects in materials and workmanship. Registering the machine within 30 days extends the warranty to 3 years. The warranty does not cover damage from scale build-up, vinegar, commercial use, or repairs by unauthorised technicians. See the Returns and Warranty Policy for how to file a claim.