

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Search functionality	7.628 s	1	0	1	0	4	0	1	3	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Search functionality	TC-0137 Validate " Sorting the search results by name"

TAG	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@TC-0137	1	0	1	0	1	0	1	0	
@tag	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Search functionality	1	0	1	0	7.628 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search functionality	TC-0137 Validate " Sorting the search results by name"	4	0	1	3	7.619 s

DETAILED SECTION -- 7

Search functionality

FAILED	DURATION - 7.628 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 4:37:14.130 PM // 4	1:37:21.758 PM /	Pass - 0	1	Pass - 0	4
		Fail - 1		Fail - 1	🖊 ' 🕖
		Skip - 0		Skip - 3	

TC-0137 Validate " Sorting the search results by name"



#	Step / Hook Details	Status	Duration
1	Given Navigate to search home page	FAILED	0.021 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class com.pdl.step_definitions.StepD_search_functionality		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		

Step / Hook Details	Status	Duratio
at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147)		
at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:530)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:758)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:453)		
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
Caused by: java.lang.reflect.InvocationTargetException		
at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)		
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)		
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)		
at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
43 more Caused by: java.lang.Error: Unresolved compilation problem: Syntax error on token "}", delete this token		
at com.pdl.pages.PageObjectM_search. <init>(PageObjectM_search.java:107)</init>		
at com.pdl.step_definitions.StepD_search_functionality. <init>(StepD_search_functionality.java:11)</init>		
at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
image	- I //OSED	0.100 0

#	Step / Hook Details	Status	Duration
	Value Valu		
2	When navigate to components and insert "monitors" and click on it	SKIPPED	0.004 s
3	Then Click on the drop-down button.	SKIPPED	0.005 s
4	And click on sort by name(A-Z)	SKIPPED	0.002 s