Start: Feb 28, 8:16:40.698 AM End: Feb 28, 8:17:25.976 AM **Duration: 45.278 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 2 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 40 50 60 40 50 60 40 50 60 30 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 50 % 100 100

Feature		Scenario St					ер		
Name	Duration	T	P	F	S	T	P	F	S
Search functionality	45.278 s	1	0	1	0	4	2	1	1

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Search functionality	TC-0137 Validate " Sorting the search results by name"

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@TC-0137	1	0	1	0	1	0	1	0
@tag	1	0	1	0	1	0	1	0


FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Search functionality	1	0	1	0	45.278 s

SCENARIOS SUMMARY

-- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search functionality	TC-0137 Validate " Sorting the search results by name"	4	2	1	1	45.187 s

DETAILED SECTION

Search functionality

FAILED	DURATION - 45.278 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 8:16:40.698 AM // 8	8:17:25.976 AM /	Pass - 0	1	Pass - 2	4
		Fail - 1		Fail - 1	🔼 ' 🏉
		Skip - 0		Skip - 1	

TC-0137 Validate " Sorting the search results by name"



#	Step / Hook Details	Status	Duration
1	Given Navigate to search home page	PASSED	0.651 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.487 s
	image		
	Name Na		
2	When navigate to components and insert "monitors" and click on it	PASSED	1.311 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	image		
	Register Account Was asset to the state of		
3	Then Click on the drop-down button And enter name "Name A-Z"	FAILED	20.177 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method" "css selector", "selector", "#input\-sort\") (Session info: chome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/betodriver/ troubles/hooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '0.40bc5406b' System info: os.name: Windows 11', os.	#	Step / Hook Details	Status	Duration
unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:miniPinLength: true, webauthn:extension:miniPinLength: true, webauthn:extension:miniPinLength: true, webauthn:extension:miniPinLength: true, webauthn:extension:prf; true, webauthn:virtualAuthenticators: true) Session ID: 50817394637cad39be1539e2a8c36c9 at java.base/jakl.internal.reflect.DirectConstructor.HandleAccessor.newInstance(DirectConstructor) ava:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor, java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor, java:501) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.entltpCommandExecutor.invokeExecute(PriverCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.ElementLocation.SelementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:68) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocatior.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.openqa.selenium.remo		(Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50817f394637cad39be1539e2a8c36c9, findElement {using=id, value=input-sort }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61, userDataDir: C:\Users\HP\AppData\Local\T}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53152}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53152/devtoo,		
at java.base/jdk.internal.reflect.DirectConstructor.HandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:485) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.Service.DriverCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation.selementFinder\$2.findElement(ClementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(ClementLocation.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementHocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementHocator.findElement(PefaultElementHocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementHocator.findElement(PefaultElementHocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementHocator.findElement(PefaultElementHocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementHocator.findElement(PefaultElementHocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementHocator.findElement(PefaultElementHocator.java:38) at org.openqa.selenium.remote.RemoteWebDriver.java:349) at org.openqa.selenium.remote.Remo		unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.Service.DriverCommandExecutor.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.remote.RemoteWebDriver.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.pdl.sep_definitions.StepD_search_verify_drop_down_button_is_clickable_and_insert_value(PageObjectM_search_java:115) at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality.java:69) at ?.Click on the drop-down button And enter name "Name A-Z"(file:///C:/Eal%20students/URL%20Repository/		at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)		
at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.pdl.pages.PageObjectM_search.verify_drop_down_button_is_clickable_and_insert_value(PageObjectM_search.java:115) at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality.java:69) at ?.Click on the drop-down button And enter name "Name A-Z"(file:///C:/Eal%20students/URL%20Repository/		at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.pdl.pages.PageObjectM_search.verify_drop_down_button_is_clickable_and_insert_value(PageObjectM_search.java:115) at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality.java:69) at ?.Click on the drop-down button And enter name "Name A-Z"(file:///C:/Eal%20students/URL%20Repository/				
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.pdl.pages.PageObjectM_search.verify_drop_down_button_is_clickable_and_insert_value(PageObjectM_search.java:115) at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality.java:69) at ?.Click on the drop-down button And enter name "Name A-Z"(file:///C:/Eal%20students/URL%20Repository/		at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.pdl.pages.PageObjectM_search.verify_drop_down_button_is_clickable_and_insert_value(PageObjectM_search.java:115) at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality.java:69) at ?.Click on the drop-down button And enter name "Name A-Z"(file:///C:/Eal%20students/URL%20Repository/		at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.pdl.pages.PageObjectM_search.verify_drop_down_button_is_clickable_and_insert_value(PageObjectM_search.java:115) at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality.java:69) at ?.Click on the drop-down button And enter name "Name A-Z"(file:///C:/Eal%20students/URL%20Repository/		at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.pdl.pages.PageObjectM_search.verify_drop_down_button_is_clickable_and_insert_value(PageObjectM_search.java:115) at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality.java:69) at ?.Click on the drop-down button And enter name "Name A-Z"(file:///C:/Eal%20students/URL%20Repository/		at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
at com.pdl.pages.PageObjectM_search.verify_drop_down_button_is_clickable_and_insert_value(PageObjectM_search.java:115) at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality. java:69) at ?.Click on the drop-down button And enter name "Name A-Z"(file:///C:/Eal%20students/URL%20Repository/		at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
at ?.Click on the drop-down button And enter name "Name A-Z"(file:///C:/Eal%20students/URL%20Repository/		at com.pdl.pages.PageObjectM_search.verify_drop_down_button_is_clickable_and_insert_value(PageObjectM_search.java:115) at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality.		
* Not displayable characters are replaced by '?'.		at ?.Click on the drop-down button And enter name "Name A-Z"(file:///C:/Eal%20students/URL%20Repository/PDLConnect_Automation_Testing/src/test/resources/features/Search_Functionality.feature:25)		
AFTER STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.360 s	_		PASSED	0.360 s

#	Step / Hook Details	Status	Duration
	Value Valu		
4	Then click on search	SKIPPED	0.005 s