Cucumber Report

Start : Feb 27, 7:05:50.977 PM	End : Feb 27, 7:05:59.784 PM	Duration : 8.807 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 2

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Registration Page-Static Heade	*8.807 s*	*1*	*0*	*1*	*0*	*3*	*0*	*1*	*2*

#	Feature Name	Scenario Name
1	*Registration Page-Static Heade*	*Verify wishlist option displays in the header and after clicking the wishlist the user can see user's wishlist*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Verify_wishlist_option_displays_in_the_header_and_after_clicking_the_wishlist_the_user_can_see_user's_wishlist	1	0	1	0	1	0	1	0
@TC_0014	1	0	1	0	1	0	1	0
@RegistartionPageStaticHeader	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Registration Page-Static Heade	1	0	1	0	8.807 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Registration Page-Static Heade	Verify wishlist option displays in the header and after clicking the wishlist the user can see user's wishlist	3	0	1	2	8.798 s

Registration Page-Static Heade

FAILED	DURATION - 8.807 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 3 Pass - 0 Fail - 1 Skip - 2
/ 7:05:50.977 PM // 7:05:59.784 PM /			

Verify wishlist option displays in the header and after clicking the wishlist the user can see user's wishlist

FAILED	DURATION - 8.798 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2
/ 7:05:50.986 PM // 7:05:59.784 PM /			
Registration Page-Static Heade			
@Verify_wishlist_option_displays_in_the_header_and_-after_clicking_the_wishlist_the_user_can_see_user's_w-ishlist@TC_0014 @RegistartionPageStaticHeader			

#	Step / Hook Details	Status	Duration
1	Given I Log in with valid credentials	FAILED	0.232 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class com.pdl.step_definitions. A1_TCS7_21_RegistrationStaticHeader_QA2 at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:530) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:758) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:453) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.Error: Unresolved compilation problem: Syntax error, insert "}" to complete ClassBody at com.pdl.pages.LoginPage_Quafox.<init>(LoginPage_Quafox.java:63) at com.pdl.step_definitions.A1_TCS7_21_RegistrationStaticHeader_QA2.<init>(A1_TCS7_21_RegistrationStaticHeader_QA2.java:15) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.624 s
	image		

#	Step / Hook Details	Status	Duration
2	Then I Click the "Wishlist" option in the header	SKIPPED	0.004 s
3	And I Verify that the wishlist page displays all the items added by the user	SKIPPED	0.002 s