

# Cucumber Report

Feb 28, 2025, 12:09:58 PM

Start : Feb 28, 12:09:23.589 PM

End : Feb 28, 12:09:56.175 PM

Duration : 32.586 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search functionality</u>	32.586 s	1	0	1	0	3	2	1	0

#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>TC-0137 Validate " Sorting the search results by name"</u>

<b><i>TAG</i></b>	<b><i>Scenario</i></b>				<b><i>Feature</i></b>			
<b><i>Name</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@TC-0137	1	0	1	0	1	0	1	0
@tag	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search functionality</u>	1	0	1	0	32.586 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search functionality</u>	<u>TC-0137 Validate " Sorting the search results by name"</u>	3	2	1	0	32.569 s

## Search functionality

<b>FAILED</b>	DURATION - 32.586 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:09:23.589 PM // 12:09:56.175 PM /					

## TC-0137 Validate " Sorting the search results by name"

<b>FAILED</b>	DURATION - 32.569 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:09:23.606 PM // 12:09:56.175 PM /				
Search functionality				
@TC-0137 @tag				

#	Step / Hook Details	Status	Duration
1	Given Navigate to search home page	PASSED	0.409 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.463 s
	image 		
2	When navigate to components and insert "monitors" and click on it	PASSED	0.535 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
	image 		
3	Then Click on the drop-down button And enter name "Name A-Z"	FAILED	20.666 s


#	Step / Hook Details	Status	Duration
	<pre> org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [b98094d4e1c4deee541796e2f031333f, actions {actions=[org.openqa.selenium.interactions.Sequence@fddd7ae]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57836}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57836/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b98094d4e1c4deee541796e2f031333f   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:415)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:178)   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:200)   at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184)   at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:197)   at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)   at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1939)   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)   at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151)   at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174)   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)   at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:636)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:200)   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:218)   at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:213)   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)   at org.openqa.selenium.json.Json.toJson(Json.java:47)   at org.openqa.selenium.json.Json.toJson(Json.java:41)   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)   at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)   at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605)   at com.pdl.pages.PageObjectM_search.verify_select_element(PageObjectM_search.java:147) </pre>		



#	Step / Hook Details	Status	Duration
	<p>at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality.java:71)</p> <p>at ?.Click on the drop-down button And enter name "Name A-Z"(file:///C:/Eal%20students/URL%20Repository/PDLConnect_Automation_Testing/src/test/resources/features/Search_Functionality.feature:25)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:357) at org.openqa.selenium.json.Json.toJson(Json.java:45) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) at com.pdl.pages.PageObjectM_search.verify_select_element(PageObjectM_search.java:147) at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality.java:71) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:530) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:758) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:453) at</p>		

#	Step / Hook Details	Status	Duration
	<pre> org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: java.lang.reflect. InvocationTargetException   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:118)   at java.base/java.lang.reflect.Method.invoke(Method.java:580)   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:411)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:178)   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:200)   at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184)   at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:197)   at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)   at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1939)   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)   at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151)   at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174)   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)   at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:636)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:200)   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:218)   at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)   at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:213)   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)   at org.openqa.selenium.json.Json.toJson(Json.java:47)   at org.openqa.selenium.json.Json.toJson(Json.java:41)   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)   at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)   at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605)   at com.pdl.pages.PageObjectM_search.verify_select_element(PageObjectM_search.java:147)   at com.pdl.step_definitions.StepD_search_functionality.click_on_the_drop_down_button_and_enter_name(StepD_search_functionality. java:71)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)   at java.base/java.lang.reflect.Method.invoke(Method.java:580)   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:530) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:758)		

#	Step / Hook Details	Status	Duration
	<pre> at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:453) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#\input-sort"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b98094d4e1c4deee541796e2f031333f, findElement {using=id, value= input-sort}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57836}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57836/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b98094d4e1c4deee541796e2f031333f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:275) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:224) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	image		

#	Step / Hook Details	Status	Duration
			