
Calling a BIP Report in Oracle AI Agent Studio

Step 1: Navigate to AI Agent Studio

Go to:

Tools → AI Agent Studio

Step 2: Create a New Tool to Call the BIP Report

Since BIP reports are invoked using a SOAP payload, create an External REST tool.

Navigate to **Tools → Create Tool** and enter:

- **Event Type:** External REST
- **Tool Name:** (Provide a meaningful name)
- **Family:** Select appropriate family
- **Description:** Provide a clear description of the tool purpose

The screenshot shows the configuration form for a new tool named 'Period Close Report BIP Tool'. The form is titled 'Period Close Report BIP Tool' and has 'Cancel' and 'Save' buttons in the top right corner. Below the title bar, there is a yellow banner with the text 'Have questions about building better AI agents?' and a link to 'Ask Oracle'. The form contains several input fields: 'Tool Type' (External REST), 'Tool Name' (Period Close Report BIP Tool), 'Tool Code' (PERIOD_CLOSE_REPORT_BIP_TOOL), 'Family' (SCM), and 'Product'. There is also a 'Description' field with the text 'This tool is used to call the BIP report.' At the bottom, there is a toggle switch for 'Require human approval' which is currently turned off, and a note that says 'Enable if you want human approval before running the tool.'

Period Close Report BIP Tool Cancel Save

Have questions about building better AI agents?
Get expert guidance on designing, optimizing, and scaling high-performance AI agents. Ask Oracle Dismiss

Tool Type
External REST

Tool Name
Period Close Report BIP Tool

Tool Code
PERIOD_CLOSE_REPORT_BIP_TOOL

Family
SCM


Product

Description
This tool is used to call the BIP report.


Require human approval
☐ Enable if you want human approval before running the tool.

Step 3: Configure Authentication

1. Click **Authentication**
2. Click **Add**
3. Enter:
 - **Instance URL**
 - **Authentication Type:** Basic Authentication
 - **Authentication :** Enter Instance Username and password
4. Click **Update**



The screenshot shows the 'Authorization' tab selected. Below the tab name, there is a sub-header 'Authorization' followed by the instruction 'Add the first connection to third party service.' and a button with a plus icon and the text '+ Add'.




The screenshot shows the 'Authorization' form with the following fields and controls:

- Instance URL**: A text input field with a 'Required' label below it.
- Description**: A text input field with a 'Required' label below it.
- Authentication Type**: A dropdown menu showing 'Basic'.
- Authentication details**: A section containing two fields:
 - User Name**: A text input field with a 'Required' label below it.
 - Password**: A text input field with a toggle icon and a 'Required' label below it.
- Buttons**: 'Cancel' and 'Update' buttons at the bottom right.

Step 4: Add Function

1. In the **Functions** section, click **Add**
2. Provide the following details:



The screenshot shows the 'Functions' tab selected. Below the tab name, there is a sub-header 'Functions' followed by the instruction 'After an external endpoint is added, you can see it here.' and a button with a plus icon and the text '+ Add'.

Function Details

- **Name:** Name of the function
- **Operation Type:** HTTP POST
- **Resource Path:**
- /xmlpserver/services/ExternalReportWSSService
- **Description:** Description of the function

Edit Endpoint

Name PeriodCloseReport Only numbers, alphabets, _ and - are allowed	Operation Type HTTP POST
Resource Path /xmlpserver/services/ExternalReportWSSService	
Description Period Close Report BIP Tool	
Body Template <pre><soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:pub="http://xmlns.oracle.com/oxp/service/PublicReportService"> <soap:Header/> <soap:Body> <pub:runReport> <pub:reportRequest> <pub:attributeFormat>csv</pub:attributeFormat> <pub:flattenXML/> <pub:parameterNameValues> <pub:item> <pub:name>p_period_name</pub:name> <pub:values> <pub:item>{periodname}</pub:item> </pub:values> </pub:item> <pub:item> <pub:name>p_ledger_name</pub:name> <pub:values></pre>	

Step 5: Add Sample SOAP Body Template



Sample Payload.xml

Important Notes:

- If your report has parameters, include them inside `<pub:parameterNameValues>`.
- If no parameters exist, remove that section.
- Output format should be **CSV**.
- Report path must be provided in `<pub:reportAbsolutePath>`.
- Report must be stored in **Shared Folders**.

Step 6: Add Parameters (Mandatory if used)

If your SOAP body uses dynamic placeholders like:

- {periodname}
- {ledgerName}

Add corresponding parameters in the **Parameters Section** of the function.

Parameters	Sample Queries	Headers
+ Add		
Name ledgerName		Data Type String
Description ledgerName		
Name periodname		Data Type String
Description periodname		

Step 7: Add Headers (Mandatory)

Add the following header:


- **Name:** Content-Type
- **Value:** application/soap+xml

Save the function and then save the Tool.

Parameters	Sample Queries	Headers
+ Add		
Name Content-Type		Value application/soap+xml

Step 8: Attach Tool to Agent

1. Open your Agent
2. Attach the newly created Tool
3. Save the Agent



Step 9: Configure Agent Prompt

Below is a **cleaned and structured sample prompt**.



Sample Agent
Prompt.txt

Step 10: Create Agent Team and Run

1. Create an Agent Team
2. Add your Agent
3. Test and run the Agent

This is the sample Output from Agent

Apps Associates: EBDT Demo Instance

ORACLE

Period Close Report Agent Team Draft

Custom Agent Team

▶ ⚙

Have questions about building better AI agents?
Get expert guidance on designing, optimizing, and scaling high-performance AI agents.

👤

🔧

📄

🔍

📄 Period Close Report Agent
period close report agent

🔧 Tools(8)

📄 Topics(0)

Period Close Report Agent Team

Tools:

📄 LLM Call(0) <>

📄 Period Close Report BIP Tool <>

📄 Period Close Report BIP Tool <>

📄 LLM Call(1) <>

📄 LLM Call(2) <>

📄

Field	Value / Summary
Period Name	Feb-25
Ledger Name	INIT US USD Primary Ledger
Report Fetch	Success

Module	Organization	Unaccounted	Accounted but Not Transferred	Error	Draft
Payables	INIT US BU	128	248	0	0
Receivables	INIT US BU	0	2	0	0
Costing		0	0	0	0

Accounting Error Summary	Co unt	Details
Project Costing	3	Account 105.1330.605000.P00.000.F000 is invalid — subledger accounting can't create this account because it doesn't allow detailed posting
Project Costing	20	Input source values do not map to any output value in mapping set "Default Account Combinations". Define default outputs or mappings for missing input values
Project Costing	21	Original account was replaced by an alternate account. Suggest enabling posting for account 105.1240.605000.P00.000.F000 or changing the account rule assignment
Project Costing	3	Account 105.1160.611000.P00.000.F000 is invalid — subledger accounting can't create this account because it doesn't allow detailed posting

END