



DevOps Project Setup

By Mr. Ashok

(Backend)



(Frontend)



(Containerization)



kubernetes

(Orchestration)

Spring Boot + Angular + Docker + Kubernetes – Project Setup

-> In this tutorial we will deploy one Fullstack Project (Spring Boot + Angular) as Docker Containers in Kubernetes Cluster

-> Here we will complete our setup in 3 steps

- 1) Environment Setup
- 2) Backend Deployment (Spring Boot Application)
- 3) Frontend Deployment (Angular Application)

Step - 1. Environment Setup

1.1) Setup Kubernetes Cluster

1.2) Launch Ubuntu VM in AWS Cloud

1.3) Connect to Ubuntu VM using MobaXterm

1.4) Install Docker in Ubuntu VM using below commands

```
$ curl -fsSL get.docker.com | /bin/bash
```

```
$ sudo usermod -aG docker $USER
```

```
$ newgrp docker
```

```
$ docker info
```

1.5) Install Maven in Ubuntu VM using below command

```
$ sudo apt install maven
```

1.6) Install Git client in Ubuntu VM using below command

```
$ sudo apt install git
```

1.7) Install Node and Angular CLI in Ubuntu VM using below commands

```
$ curl https://raw.githubusercontent.com/creationix/nvm/master/install.sh | bash
```

```
$ source ~/.bashrc
```

```
$ nvm install node
```

```
$ node version
```

```
$ npm install -g @angular/cli
```

```
$ ng v
```

Note: With this we have completed environment setup to start our Build and Deployment.

Step - 2. Backend Application Deployment

2.1) Clone Backend Application using git clone

```
$ git clone <repo-URL>
```

2.2) Perform Maven Build for backend application

```
$ cd <project-directory>
```

```
$ mvn clean package
```

2.3) Write Dockerfile for backend application

```
FROM openjdk:11
COPY target/contact-backend-app.jar /usr/app/
WORKDIR /usr/app/
ENTRYPOINT ["java", "-jar", "contact-backend-app.jar"]
EXPOSE 8080
```

2.4) Create Docker image for backend application using below commands

```
$ docker build -t <image-name> .
$ docker tag <image-name> <tag-name>
$ docker login
$ docker push <tag-name>
~
```

2.5) Connect to Kubernetes Cluster Control Plane

2.6) Create Deployment Manifest file for backend application like below

apiVersion: apps/v1

kind: Deployment

metadata:

name: contactbackendappdeployment

spec:

replicas: 2

selector:

matchLabels:

DevOps

Mr. Ashok

app: contactbackend

template:

metadata:

name: contactbackend

labels:

app: contactbackend

spec:

containers:

- name: contactbackendcontainer

image: <image-name>

ports:

- containerPort: 8080

apiVersion: v1

kind: Service

metadata:

name: contactbackendsvc

spec:

type: NodePort

selector:

app: contactbackend

ports:

- port: 80

targetPort: 8080

nodePort: 30001

...

2.7) Deploy backend application on Kubernetes Cluster

```
$ kubectl apply -f backend-deployment.yml  
$ kubectl get pods  
$ kubectl get pods -o wide  
$ kubectl get svc
```

2.8) Access Backend application using URL

URL : <http://node-port:nodeip/>

Step - 3) Frontend Application Deployment

3.1) Install Node and Angular CLI in Ubuntu

```
$ curl https://raw.githubusercontent.com/creationix/nvm/master/install.sh | bash
```

```
$ source ~/.bashrc
```

```
$ nvm install node
```

```
$ node version
```

```
$ npm install -g @angular/cli
```

```
$ ng v
```

3.2) Clone Frontend application using git clone

```
$ git clone <repo-url>
```

3.3) Configure Backend Application URL in Frontend application

```
$ cd <project-directory>
```

```
$ cd src/app
```

```
$ vi contact.service.ts
```

Note: configure backend url in frontend application for integration

3.4) Build frontend application

\$ ng build

Note: If you get a problem saying "could-not-find-the-implementation-for-builder-angular-devkit-build-angulardev" then execute below commands to fix the problem

\$ npm install --save-dev @angular-devkit/build-angular

3.4) Create Dockerfile for Angular application

```
# Use official nginx image as the base image
FROM nginx:latest

# Copy the build output to replace the default nginx contents.
COPY /dist/contact-ui /usr/share/nginx/html

# Expose port 80
EXPOSE 80
```

3.5) Create docker image for frontend application

\$ docker build -t contact_ui_ng_app .

\$ docker tag contact_ui_ng_app ashokit/contact_ui_ng_app

\$ docker login

\$ docker push ashokit/contact_ui_ng_app

3.6) Create deployment manifest file for frontend application

apiVersion: apps/v1

kind: Deployment

metadata:

name: contactfronendappdeployment

spec:

replicas: 2

selector:

matchLabels:

app: contactfronend

template:

metadata:

name: contactfronend

DevOps

labels:**app: contactfronend****spec:****containers:****- name: contactfronendcontainer****image: ashokit/contact_ui_ng_app****ports:****- containerPort: 80**

apiVersion: v1**kind: Service****metadata:****name: contactfrondsvc****spec:****type: NodePort****selector:****app: contactfronend****ports:****- port: 80****targetPort: 80****nodePort: 30002**

...

3.7) Deploy frontend application on Kubernetes and expose as Node Port

\$ kubectl apply -f frontend-deployment.yml**\$ kubectl get pods****\$ kubectl get pods -o wide****\$ kubectl get svc**

3.8) Access Frontend Application using URL

URL : <http://node-ip:nodeport/>**=== Learn Here... Lead Anywhere...!!! ===**