




4

statistic	value
mean	2.480200501
median	2
mode	2
standard deviation	1.112067463
maximum	4
minimum	1
count	=COUNT(Sales_Fact!F:F)

2

2

statistic	value
mean	2.480200501
median	2
sum	1.59
average	2.431578947
if	cheap
countif	0
text	=TEXT(Sales_Fact!F2,"0.00")
x look up	not found
v look up	not found

1

sum	1.59
average	2.431578947
if	cheap
countif	0
text	1.00
x look up	not found
=IFERROR(VLOOKUP(Sales_Fact!A2, Product_Dim!A:B,2,FALSE),"not found")	

	A	B	C	D	E
1	sum	1.59			
2	average	2.431578947			
3	if	cheap			
4	countif	0			
5	text	1.00			
6	x look up	not found			
7	v look up	not found			
8					
9					
10					
11					
12					
13					
14					
15					

1

	A	B	C	D
1	statistic	value		
2	mean	2.480200501		
3	median	2		
4	mode	2		
5	standard deviation	1.112067463		
6	maximum	4		
7	minimum	1		
8	count	1995		
9				
10				
11				
12				
13				
14				
15				
16				

	A	B	C	D	E	F	G
1	sum	1.59					
2	average	2.431578947					
3	if	cheap					
4	=COUNTIF(Sales_Fact!C2:C101,						
5	"electronics")						
6	x look up	not found					
7	v look up	not found					
8							
9							
10							
11							
12							
13							
14							

1