


Resource acquisition report:


TOOLS:

GNS3:

Status installed




GNS3VM: Installed



Cisco c3725image

Installed



GitHub Repository:

Done

The screenshot shows the GitHub repository settings page for the repository 'CN-CCP-ISP-Network' under the user 'samiyasaeed38-hub'. The page is titled 'General' and includes a sidebar with navigation links: Code, Issues, Pull requests, Agents, Actions, Projects, Wiki, Security and quality, Insights, and Settings. The main content area is divided into sections: Access (Collaborators, Moderation options), Code and automation (Branches, Tags, Rules, Actions, Models, Webhooks, Copilot, Environments, Codespaces, Pages), Repository name (CN-CCP-ISP-Network, Rename button), Template repository (checkbox), Default branch (main, Preview button), and Releases (Enable release immutability checkbox). The bottom of the image shows a Windows taskbar with various application icons and system information: 37°C Sunny, 5:13 AM, 6/14/2026.

General

Repository name

CN-CCP-ISP-Network

Rename

☐ Template repository

Template repositories let users generate new repositories with the same directory structure and files. [Learn more about template repositories.](#)

Default branch

The default branch is considered the "base" branch in your repository, against which all pull requests and code commits are automatically made, unless you specify a different branch.

main

Preview

Releases

☐ Enable release immutability

Disallow assets and tags from being modified once a release is published.