

fSOC APK FORENSICS

Mobile Malware Analysis Report

Target APK:	sample_reports
Report Generated:	2026-01-19 22:11:53
Analysis Type:	Deep Manual Forensic Analysis
Classification:	TLP:WHITE - Unrestricted Distribution

SECURITY NOTICE: This report contains technical analysis of potentially malicious software. Handle with appropriate security measures and only share with authorized personnel.

APK FORENSIC ANALYSIS REPORT

fSOC Mobile Malware Intelligence

REPORT DATE: 2026-01-19

ANALYST: fSOC Forensics Division

CLASSIFICATION: MALICIOUS - HIGH RISK

ANALYSIS TYPE: Manual Forensic Examination (apktool, jadx, strings, grep)

EXECUTIVE SUMMARY

MALWARE TYPE: Trojanized Streaming Application / Potentially Unwanted Program (PUP)

RISK LEVEL: HIGH

THREAT CATEGORY: Pirated Media App with Anti-Analysis & Security Bypass Capabilities

The analyzed APK "Pikashow" is a pirated streaming application that has been modified to bypass signature verification and security controls. It exhibits multiple characteristics of a Potentially Unwanted Program (PUP) with

trojanized components including:

1. APK Signature Killer - Bypasses Android's signature verification
2. Xposed Framework Integration - Runtime hooking capabilities
3. Root/Emulator Detection - Anti-analysis evasion techniques
4. SSL Certificate Bypass - Man-in-the-Middle vulnerability
5. Excessive Permissions - Data harvesting potential
6. Remote Configuration - C2-like update mechanism via Firebase
7. Native Code Obfuscation - Hidden functionality in libpika.so

This application poses significant security risks including:

- Potential for remote code execution via app updates
- Man-in-the-Middle attacks due to SSL bypass
- Privacy violations through excessive data collection
- Device compromise through hooking frameworks

METADATA

FILE INFORMATION

File Name: Pikashow.apk
File Size: 17,179,897 bytes (16.4 MB)
File Type: Zip archive (APK)
SHA-256 Hash: 39eeb95059edadedd820a58ee53599d93e21b8f683521df26369dd64fa7285f2

PACKAGE INFORMATION

Package Name: com.offshore.pikachu
Application Label: Pikashow
Version Code: 82
Version Name: 10.8.2
Min SDK Version: 21 (Android 5.0 Lollipop)
Target SDK Version: 29 (Android 10)
Compile SDK: 31 (Android 12)

SIGNING CERTIFICATE

Subject: CN=Sam Jeo, OU=Android, O=Android, L=UK, ST=London, C=44
Issuer: CN=Sam Jeo, OU=Android, O=Android, L=UK, ST=London, C=44
Valid From: 2021-05-22
Valid Until: 2046-05-16
Signature Type: RSA

NOTE: Certificate appears to be self-signed with suspicious/generic information.

The certificate is NOT associated with any legitimate developer.

PERMISSIONS ANALYSIS

CRITICAL RISK PERMISSIONS

Permission	Risk Assessment
QUERY_ALL_PACKAGES	CRITICAL - Enumerate all apps
REQUEST_INSTALL_PACKAGES	CRITICAL - Can install APKs
REQUEST_DELETE_PACKAGES	CRITICAL - Can delete apps
SYSTEM_ALERT_WINDOW	CRITICAL - Overlay attacks
WRITE_SETTINGS	CRITICAL - Modify system settings
RECEIVE_BOOT_COMPLETED	HIGH - Persistence mechanism

HIGH RISK PERMISSIONS

Permission	Risk Assessment
ACCESS_FINE_LOCATION	HIGH - GPS location tracking
READ_EXTERNAL_STORAGE	HIGH - Read user files
WRITE_EXTERNAL_STORAGE	HIGH - Modify user files
INTERNET	HIGH - Network communication
ACCESS_NETWORK_STATE	MEDIUM - Network information
ACCESS_WIFI_STATE	MEDIUM - WiFi information
CHANGE_WIFI_STATE	HIGH - WiFi manipulation
FOREGROUND_SERVICE	MEDIUM - Background operations
WAKE_LOCK	MEDIUM - Keep device awake
VIBRATE	LOW - User notification

VENDOR-SPECIFIC BADGE PERMISSIONS

- com.sec.android.provider.badge.permission.READ/WRITE (Samsung)
- com.htc.launcher.permission.READ_SETTINGS/UPDATE_SHORTCUT (HTC)
- com.sonyericsson.home.permission.BROADCAST_BADGE (Sony)
- com.huawei.android.launcher.permission.CHANGE_BADGE (Huawei)
- com.oppo.launcher.permission.READ_SETTINGS/WRITE_SETTINGS (OPPO)

CLOUD MESSAGING PERMISSIONS

- com.google.android.c2dm.permission.RECEIVE
- com.offshore.pikachu.permission.C2D_MESSAGE
- com.google.android.gms.permission.AD_ID

MALICIOUS BEHAVIORS ANALYSIS

1. APK SIGNATURE BYPASS (CRITICAL)

Location: bin.mt.apksignaturekillerplus.HookApplication
com.bug.load.ProxyApplication
com.bug.fuck.R
me.weishu.exposed.ExposedApplication

Description:

The application contains a known malicious component "APK Signature Killer Plus"

which is designed to bypass Android's signature verification. This allows:

- Running modified/tampered APKs without signature validation
- Bypassing Play Protect and security scanners
- Executing unsigned or incorrectly signed code

Inheritance Chain:

App -> ExposedApplication -> HookApplication -> ProxyApplication -> R -> vq0

Evidence:

- Package "bin.mt.apksignaturekillerplus" present
- Class hierarchy shows hooking framework integration
- Multiple "fine2()" methods called during app initialization
- Static loading of "pika" native library for runtime manipulation

2. XPOSED FRAMEWORK INTEGRATION (CRITICAL)

Location: me.weishu.exposed.ExposedApplication
defpackage.tw2, defpackage.cc0

Description:

Application extends ExposedApplication (VirtualXposed/Exposed framework) which

provides runtime hooking capabilities without root. This enables:

- Method interception and modification at runtime
- Bypassing security checks in other applications
- Hiding root/Xposed detection from banking apps
- Dynamic code injection

3. SSL CERTIFICATE BYPASS (HIGH)

Location: com.offshore.pikachu.view.Embed\$

Evidence:

```
```java
```

```
@SuppressWarnings({"WebViewClientOnReceivedSslError"})
```

```
public void onReceivedSslError(WebView webView, SslErrorHandler sslErrorHandler,
```

```
 SslError sslError) {
 sslErrorHandler.proceed(); // VULNERABLE: Accepts all SSL certificates
}
```

```
```
```

Impact:

- Vulnerable to Man-in-the-Middle attacks
- All HTTPS traffic can be intercepted
- User credentials and data can be stolen
- Streaming content can be modified/injected

4. WEBVIEW SECURITY BYPASS (HIGH)

Location: com.offshore.pikachu.view.Embed

Vulnerable Settings:

```
```java
```

```
setAllowFileAccessFromFileURLs(true) // VULNERABLE
setAllowUniversalAccessFromFileURLs(true) // VULNERABLE
setAllowContentAccess(true) // VULNERABLE
```

```
setJavaScriptEnabled(true)
```

```
```
```

Impact:

- Cross-origin attacks possible
- Local file system access via WebView
- Potential for data exfiltration

5. ROOT/EMULATOR DETECTION - ANTI-ANALYSIS (MEDIUM)

Location: defpackage.xj

Detection Methods:

- Check for test-keys in Build.TAGS
- Check for /system/app/Superuser.apk
- Check for /system/xbin/su
- Check for emulator (goldfish, ranchu hardware)
- Check for debugger attachment

Evidence:

```
```java
```

```
public static boolean Wwwwwwwwww() { // isRooted check
if (str.contains("test-keys")) return true;
if (new File("/system/app/Superuser.apk").exists()) return true;
return new File("/system/xbin/su").exists();
}
```

```
public static boolean Wwwwwwwwww() { // isEmulator check
if (Build.PRODUCT.contains("sdk")) return true;
String hardware = Build.HARDWARE;
return hardware.contains("goldfish") || hardware.contains("ranchu");
}
```

## 6. CERTIFICATE PINNING BYPASS DETECTION (MEDIUM)

## 7. REMOTE CONFIGURATION / C2 CAPABILITY (HIGH)

## 8. NATIVE CODE OBFUSCATION (HIGH)

- Java\_com\_google\_android\_Google\_adventure
- Java\_com\_google\_android\_Google\_drama
- Java\_com\_google\_android\_Google\_family
- Java\_com\_google\_android\_Google\_pikashow
- Java\_com\_google\_android\_Google\_returnD
- Java\_com\_google\_android\_Google\_stringFromJNI
- Java\_com\_google\_android\_Google\_update
- Java\_com\_google\_android\_Google\_web
- Java\_com\_google\_android\_Google\_web2
- Java\_com\_google\_android\_Google\_yt

The class "com.google.android.Google" masquerades as a legitimate Google class

but loads the native "pika" library. This suggests:

- URLs/endpoints stored in native code to evade detection
- Potential additional hidden functionality
- String encryption/decryption routines

## 9. BOOT PERSISTENCE (MEDIUM)

Location: AndroidManifest.xml

Receivers:

```xml

```
<receiver android:name="com.onesignal.BootUpReceiver">
  <intent-filter>
    <action android:name="android.intent.action.BOOT_COMPLETED"/>
    <action android:name="android.intent.action.QUICKBOOT_POWERON"/>
  </intent-filter>
</receiver>
```

```

The application registers for BOOT\_COMPLETED, allowing it to:

- Start automatically on device boot
- Maintain persistence
- Resume background operations

### Obfuscation Techniques Observed:

- Control flow obfuscation
- ProGuard/R8 optimization

- org.telegram.messenger (Telegram)
- com.dv.adm (Advanced Download Manager)
- idm.internet.download.manager
- idm.internet.download.manager.plus

- idm.internet.download.manager.lite

FILE/PAYLOAD IOCs

## SUSPICIOUS NATIVE LIBRARIES

lib/\*/libpika.so - Custom native library with obfuscated functions

lib/\*/libffmpeg.so - FFmpeg (legitimate, for video playback)

lib/\*/libavcodec.so - FFmpeg codec library

lib/\*/libavutil.so - FFmpeg utility library

lib/\*/libavresample.so - FFmpeg resampling library

lib/\*/librtmp-jni.so - RTMP streaming support

lib/\*/libjingle\_peerconnection\_so.so - WebRTC (Google)

lib/\*/libflacJNI.so - FLAC audio decoder

lib/\*/libopusV2JNI.so - Opus audio codec

## SUSPICIOUS PACKAGES

bin.mt.apksignaturekillerplus - Signature bypass tool

com.bug.load - Proxy/hooks loader

com.bug.fuck - Offensive package name (R class)

me.weishu.exposed - Xposed/VirtualXposed framework

defpackage.\* - Obfuscated classes (900+ files)

## DEX FILES

classes.dex - Primary DEX file

classes2.dex - Secondary DEX file (multidex)

## ATTRIBUTION

## DEVELOPER IDENTITY

Certificate CN: Sam Jeo  
Location Claimed: London, UK  
Organization: Android (generic placeholder)

## ATTRIBUTION CONFIDENCE: LOW

The developer identity appears to be fabricated or pseudonymous.

"Sam Jeo" is likely a fake identity. The certificate information

**uses generic placeholders common in pirated/malicious applications.**

## ASSOCIATED INFRASTRUCTURE

Project ID: offshore1play  
(Suggests offshore/piracy-related operations)

## THIRD-PARTY INTEGRATIONS

- OneSignal (Push notifications)
- Firebase (Remote config, analytics, crashlytics)
- Google Cast (Chromecast support)
- ExoPlayer (Video playback)
- Glide (Image loading)
- OkHttp (Networking)

## CRYPTOCURRENCY & FINANCIAL CHECK

```
Wallet Addresses Found: NONE
Mining Configuration Found: NONE
Banking Overlay Targeting: NONE DETECTED
Financial Fraud Indicators: NONE DETECTED
```

Note: While no direct cryptocurrency or financial fraud components were found, the application's capability to install arbitrary APKs and receive remote configuration updates means such functionality could be deployed at any time.

## YARA / DETECTION SIGNATURES

```
rule Pikashow_APK_Signature_Killer {
meta:
description = "Detects Pikashow APK with signature bypass"
author = "fSOC Forensics"
date = "2026-01-19"
hash = "39eeb95059edadedd820a58ee53599d93e21b8f683521df26369dd64fa7285f2"
```

```
strings:
$pkg = "com.offshore.pikachu"
$sig_killer = "bin.mt.apksignaturekillerplus"
$exposed = "me.weishu.exposed"
$bug_fuck = "com.bug.fuck"
$bug_load = "com.bug.load"
$native = "libpika.so"
$firebase = "offshore1play.firebaseio.com"
```

```
condition:
uint32(0) == 0x04034b50 and // ZIP magic
$pkg and
2 of ($sig_killer, $exposed, $bug_fuck, $bug_load) and
($native or $firebase)
}
```

```
rule Pikashow_SSL_Bypass {
meta:
description = "Detects SSL certificate bypass in Pikashow"
```

```
strings:
$ssl_bypass = "onReceivedSslError"
$proceed = "proceed"
$webview = "WebViewClient"
```

```
condition:
all of them
}
```

## RECOMMENDATIONS

## IMMEDIATE ACTIONS

1. REMOVE this application immediately from any device
2. SCAN device for additional malware using reputable AV
3. CHANGE passwords for any accounts accessed while app was installed
4. MONITOR accounts for unauthorized activity
5. REVOKE permissions if app was granted sensitive access

## ENTERPRISE ACTIONS

1. BLOCK package name: com.offshore.pikachu
2. BLOCK SHA-256: 39eeb95059edadedd820a58ee53599d93e21b8f683521df26369dd64fa7285f2
3. BLOCK Firebase endpoints: offshore1play.firebaseio.com

4. ADD to mobile threat defense (MTD) blocklist
5. ALERT users who may have installed similar piracy apps

## NETWORK INDICATORS TO BLOCK

- offshore1play.firebaseio.com
- offshore1play.appspot.com
- awsindstream.com
- Any domains resolved from Firebase Remote Config

## IP ADDRESSES IDENTIFIED

- 18.162.49.53 (P2P Engine configuration)
- 129.226.78.157
- 170.106.200.210
- 193.112.233.92

## URLS EXTRACTED

- <https://awsindstream.com> (Streaming server)
- [https://uptostream.com/api/streaming/source/get?token=&file;\\_code=](https://uptostream.com/api/streaming/source/get?token=&file;_code=)
- <https://www.dailymotion.com/embed/video/>
- <https://rest.opensubtitles.org/search>
- <https://api.onesignal.com/>
- <https://pro.ip-api.com/json?fields=2181826&key;=bfZaACAMusWJuJJ>

## TELEGRAM/COMMUNICATION CHANNELS

- <https://rebrand.ly/Pikashow> (Website)
- <https://rebrand.ly/Pikashow-channel> (Telegram Channel)
- <https://rebrand.ly/Pikashow-private> (Private Channel)
- <https://rebrand.ly/Pikashow-help-bot> (Support Bot)

## API KEYS EXPOSED

- Google API Key: AIzaSyAprP6BLafKpKrmCu5k0v\_Ttky0oYS3-Hs
- IP-API Key: bfZaACAMusWJuJJ
- OneSignal App ID: 8351eecd-1a83-96b7-6616a4282c72

## CONCLUSION

**The Pikashow APK (version 10.8.2) is a HIGH-RISK trojanized application that**

masquerades as a legitimate streaming service. While its primary purpose appears to be providing pirated media content, the application contains multiple

**dangerous capabilities:**

1. Active signature verification bypass enabling tampered code execution
2. Xposed framework integration for runtime hooking
3. SSL certificate bypass creating MITM vulnerabilities
4. Remote configuration capabilities allowing behavior modification
5. Self-update functionality with APK installation permissions
6. Extensive anti-analysis techniques

The combination of these capabilities creates a significant threat vector.

Even if the current payload is primarily focused on piracy, the infrastructure

is in place for:

- Credential theft
- Banking trojan deployment
- Ransomware delivery
- Botnet enrollment
- Cryptocurrency mining

**VERDICT: MALICIOUS - DO NOT INSTALL OR USE**

**END OF FORENSIC REPORT**

Report Generated: 2026-01-19  
Analyst: fSOC Mobile Malware Intelligence Division  
Classification: TLP:WHITE - Unrestricted Distribution