







Gauss bump — 4096 neurons  
 $f(x, y) = \exp[-\|(x, y) - (0.2, 0.1)\|^2/0.5^2]$   
 Center (0.35, -0.25), displayed radius 0.36 · relative fit error 4.22e-14  
 Spokes scaled by 32 and aligned at the center; their projected average reconstructs the fit.  
 All 32 spoke functions  
 Each curve lies above its radial spoke



# Fast concentric waves — 4096 neurons







$$f(x, y) = \cos[6\pi\|(x, y) - (0.3, -0.2)\|/\sqrt{2}]$$

Center (0.35, -0.25), displayed radius 0.36 · relative fit error 1.23e-13

Spokes scaled by 32 and aligned at the center; their projected average reconstructs the fit.

All 32 spoke functions  
Each curve lies above its radial spoke

Actual target surface  
Colored lines locate the four spatial slices



Composition — 4096 neurons

$$f(x, y) = \exp[\sin(\pi x)\cos(\pi y)]$$

Center (0.35, -0.25), displayed radius 0.36 · relative fit error 3.86e-14

Spokes scaled by 32 and aligned at the center; their projected average reconstructs the fit.

All 32 spoke functions  
Each curve lies above its radial spoke

Actual target surface  
Colored lines locate the four spatial slices

