AgentCamp

14 March 2026

09:00 AM – 04:00 PM CST

Harbour Space University
Barcelona, Spain



An event by the: global AI community

Sponsored by: encamina PIENSA EN COLORES · V-Valley · ITEQUIA · isolutions · HARBOUR SPACE

AgentCamp

AI in the Data Platform: Genie vs Fabric Data Agents

14 March 2026

09:00 AM – 04:00 PM CST

Harbour Space University, Barcelona, Spain



Samantha Cruz

Data Engineer and Team Lead

An event by the: global AI community

Sponsored by: encamina PIENSA EN COLORES, V-Valley, ITEQUIA, isolutions, HARBOUR SPACE

AgentCamp

encamina
PIENSA EN COLORES

V-Valley

ITEQUIA

isolutions

HARBOUR.
SPACE

Agenda

- Introduction
- What Can They Do?
- Governance
- Requirements
- Pricing
- Integrations

Confidential


AgentCamp

Introduction

Data Agents

Confidential

What are these Data Agents?



Confidential

What are these Data Agents?

The Problem

- Business users can’t find all information they need on Dashboards
- Data teams are often overloaded
- Data lives across multiple engines and platforms
- Governance and security must not be bypassed
- Direct database access increases risk and complexity

Confidential

What are these Data Agents?

The Solution: A Governed AI Layer

- Users ask questions in natural language
- The agent validates identity and permissions
- It selects the appropriate engine
- Executes the query within existing governance
- Returns a readable, contextualized answer

Confidential

AgentCamp


What Can They Do?

How far can your agents go?

Confidential

Fabric Data Agent


- Governed AI layer inside Microsoft Fabric
- Allows natural language access to Lakehouses, Warehouses, Semantic Models and KQL databases
- Enforces Fabric permissions, OneLake security and existing RLS/CLS
- Designed to integrate natively with the Microsoft ecosystem (Power BI, Copilot, Teams)



Confidential

Databricks AI/BI Genie

- A conversational analytics layer built into Databricks SQL
- Translates natural language into governed SQL queries
- Enforces Unity Catalog permissions and fine-grained access controls
- API-first design, enabling custom integrations and embedded experiences



Confidential

What Can They Do?

- The main purpose of these data Agents is the ability to talk to your data in a managed, safe and controlled space.

Tool	Genie	Data Agent
Ask questions in natural language	✓	✓
Governed access	✓	✓
Questions translated into code	Limited (SQL ONLY)	Broader (SQL, DAX, KQL)
API integration	✓	✓
Ecosystem integration	Databricks	Microsoft

Confidential

What Can They Do?

Comparing the differences

Capability / Difference	Databricks Genie	Fabric Data Agent
Output Format Options	Natural language answers **plus structured output** such as tables and charts directly (visualizations in Databricks SQL)	Natural language answers **text only** (no native chart/visual output)
Native Collaboration Integration	Not built-in (requires custom api/Teams integration)	**Native/Microsoft 365 integration potential** (Copilot + Teams + Fabric ecosystem)
Cross-Engine Source Support	Primarily Databricks SQL lineage; multi-engine less native	Supports broader Fabric sources (Lakehouse, Warehouse, Power BI semantic models, KQL)
Visual BI Integration	Built into Databricks SQL dashboards / visualization layers	Deep Power BI + Microsoft ecosystem potential
Multi-Cloud Support	Supported across cloud providers (Azure, AWS, GCP)	Azure-only platform
API-first Programmatic Integration	API available for custom integration (Teams/Slack bots)	API / endpoint supported (preview, integrated into CU model)
Governance Model	Unity Catalog governance deeply integrated	Fabric permissions + Purview ecosystem

Confidential

AgentCamp

Governance: Genie

- All Genie space access is governed by **Unity Catalog access control** (privileges, ownership).
- Fine-grained access with **privilege hierarchy** on catalogs, schemas, tables, views.
- **Attribute-based access control (ABAC)** supports tag-driven dynamic policies (row/column filters).
- Workspace-level restrictions can isolate environments (production vs dev).
- Unity Catalog supports **row filters and column masks**, which Genie respects.
- Access requests can be handled through configured destinations (Teams, Slack, email).

AgentCamp

Governance: Data Agents

- Uses **Microsoft Fabric identity & permissions model** for all underlying data access.
- Ability to **share published agents** with controlled permission models.
- Honors **row-level and column-level security** of underlying sources (e.g., semantic models, lakehouses).
- Access to data sources requires appropriate permissions for that source type.
- Integration with **OneLake catalog security** ensures consistent data access control.
- When used with Azure AI Foundry, identity passthrough ensures the agent uses the caller's permissions.


AgentCamp

Integrations

How far can your agents go?

Confidential

Where Can Fabric Data Agents Live?



Microsoft 365 & Collaboration

- Microsoft Teams
- Microsoft 365 Copilot

Business Intelligence

- Power BI
- Semantic Models

Custom Applications

- Copilot Studio
- Azure AI Foundry
- Python SDK

Enterprise Automation

- Power Platform
- APIs

Confidential


Genie Integration Possibilities

Inside Databricks
- SQL Warehouse
- Unity Catalog
- AI/BI Dashboards

Embedded Experiences
- Internal portals
- Data applications
- Custom web apps

Programmatic Access
- REST API
- Backend services
- Automation workflows

Collaboration (Optional / Custom)
- Microsoft Teams (via bot + API)
- Slack (via bot + API)



Confidential

Requirements

What does it take to implement these tools on your workplace?

Confidential

Databricks Genie Requirements

Technical Requirements & Limits

Governance

- Data must be registered in **Unity Catalog**

Compute

- Requires **Pro or Serverless SQL Warehouse**
- CAN USE permission required
- Warehouse credentials embedded in the space

Required Permissions

- Databricks SQL entitlement
- CAN USE on SQL Warehouse
- SELECT on underlying data
- CAN EDIT or CAN MANAGE on Genie space

Confidential

Databricks Genie Limits

Technical Limits

Governance

- Up to **30 tables/views per Genie space**

Throughput

- ~20 questions/min per workspace (UI)
- ~5 questions/min via API (public preview tier)

Capacity

- Up to **10,000 conversations per space**
- Up to **10,000 messages per conversation**

Confidential

Fabric Data Agents Requirements

- **Required Platform & Capacity**
  - Paid Fabric capacity (F2 or higher) or Power BI Premium per capacity (P1+) with Fabric enabled.
  - Fabric Data Agent tenant setting **enabled** (admin controlled).
  - Cross-geo AI processing and storing enabled (for regions without local Azure OpenAI).
  - At least one supported data source (Lakehouse, Warehouse, Power BI semantic model, KQL database, ontology).
- **Data Sources**
  - Up to **five combined sources** total.
- **Permissions & Access**
  - User must have necessary data source permissions to query underlying data (read/build depending on source type).

Confidential

Fabric Data Agents Limits

Data Sources
• Max **five sources combined** (Lakehouse, Warehouse, Power BI semantic models, KQL, ontology).

Query / Language Support
• Supports **read-only** queries in SQL, DAX, KQL. No write operations.
• Only structured data; unstructured (DOCX, PDF) not supported.

Result / Answer Limitations
• Some community reports indicate the agent's output may limit list items or partial results for context and performance reasons (e.g., ~25 items). This is not an official documented hard limit but an observed behavior in preview.

Ecosystem & Model Constraints
• LLM model is fixed; cannot be changed by the agent configuration.

Capacity Billing
• Each agent request consumes capacity units; AI processing is background calculate (consumes CU minutes).

Confidential

AgentCamp

PRICING

Let’s understand the pricing structure

Confidential

Fabric Data Agents Pricing

Data Agent Cost Model:

- Requires Fabric capacity (fixed monthly cost)
- AI usage consumes capacity based on token processing
- Query execution also consumes Fabric compute

Cost depends on:

- Number of users
- Frequency of questions
- Complexity of queries
- Size of dataset

Metrics App Operation Name	Description	Operation Unit of Measure	Consumption rate
AI Query	The input prompt	Per 1,000 Tokens	100 CU seconds
AI Query	The output completion	Per 1,000 Tokens	400 CU seconds

SKU	Capacity unit (CU)	Pay-as-you-go*	Reservation
F2	2	€235.055/month	€139.813/month ~41% savings
		...	
F2048	2,048	€240,696.183/month	€143,168.242/month ~41% savings

Confidential

AgentCamp

Databricks Genie Pricing


- No separate Genie license
- Billed through **Databricks SQL Warehouse** usage
- Compute billed by **DBU (Databricks Unit)** consumption
- Costs vary by warehouse type and size
- Idle warehouses can still incur charges

Cost depends on:


- Number of users
- Frequency of questions
- Complexity of queries
- Size of dataset

Confidential

Databricks Genie Pricing



Confidential


Microsoft Azure
databricks
isol-dev-dbw-testingunitycatalog
NYC Taxi Trips Genie
Configure
Benchmarks
Monitoring
Share
explain me the dataset
The dataset contains New York City taxi trip records. Each row represents a single taxi trip, including pickup and dropoff timestamps, trip distance, fare amount, and the pickup and dropoff zip codes. This data can be used to analyze taxi usage patterns, fares, and trip characteristics across different locations and times.
Is this useful?
What is the average trip distance for the taxi trips?
What is the average fare amount for the taxi trips
What is the average fare amount by pickup ZIP code?
Always review the accuracy of responses.
Fabric
gold
DemoAgente
Home
Workspaces
Copilot
OneLake catalog
Monitor
Real-Time
Workloads
Data Agent Demo
My workspace
Fabric
Home
Draft
Share
Add data
Agent instructions
Publish
Explorer
Test the agent's responses
Clear chat
explain me the dataset
The dataset available contains information about taxi trips. Here are the details of the data columns:
dropoff_zip: The ZIP code where the passenger was dropped off.
fare_amount: The fare charged for the trip.
pickup_zip: The ZIP code where the passenger was picked up.
tpep_dropoff_datetime: The date and time when the trip ended (dropoff).
tpep_pickup_datetime: The date and time when the trip started (pickup).
trip_distance: The distance traveled during the trip.
This dataset is useful for analyzing taxi trip patterns, fares, travel distances, and pickup/dropoff locations across different times and places. If you have any specific analysis or queries you want to explore with this data, just let me know!
Response time: 4 sec
Sample questions
What is the average fare amount by pickup ZIP code?
Created with AI. Mistakes are possible. Review terms
main

AgentCamp


Why not.... combining them?

Do I have to pick one platform or the other?

Confidential

Building a Data Intelligence Bridge

- You don’t have to choose only one
- It’s possible to orchestrate both Genie and Fabric Data Agents together
- Multi-agent orchestration enables broader, cross-platform intelligence
- Combines strengths of Databricks and Fabric while retaining governance



Source: Aghasemi, “Building a Data Intelligence Bridge”
https://medium.com/@aghasemi_81284/building-a-data-intelligence-bridge-databricks-genie-microsoft-fabric-data-agent-integration-48c36e466486

Confidential

AgentCamp

Before we go...

Stay tuned!

Confidential

AgentCamp

AgentCamp

isolutions

Careers Page

Join us now!

Confidential

AgentCamp

encamina
PIENSA EN COLORES

V-Valley

ITEQUIA

isolutions

HARBOUR.
SPACE

AgentCamp

Questions?

Confidential

AgentCamp

Join the Global AI Meetup



Confidential