



SIMPLE SMOOTH DESIGN OF LINES

Heartily enjoy originality, and noble experience
Enable you to heartily enjoy the three-dimensional sense of the private space,
Is a baptism of living art,
Which integrates vision, touch, taste, smell and hearing,
Heartily enjoy originality and noble experience.

FACTORY:
Address: Helong Industry Zone, Fengtang Town, Chaoan
District, Chaozhou, Guangdong
Tel:0086-768-6853770
Fax:0086-768-6853994

Website:
<http://meiyujia.en.alibaba.com>
<http://cnSelora.com>
<http://www.chaozhoutoilet.com>
E-mail:selora01@selora.vip
Wechat/WhatsApp:0086-13902792402

CERAMIC ELEMENTS MADE

COMPANY PRODUCTS CATALOGUE

Our company established in the "Pottery Capital of China", Chaozhou City Guangdong Province in 2000, has grown one of the stronger enterprises with matching products enterprises in the sanitary ware household industry, owing its own production bases a for sanitary ware, bathroom cabinet, massage tub, steam room and auxiliary matching products in China, manufacturing mainly 10-odd kinds of sanitary ware, high-grade wood cabinet, surfing massage bathtub, luxurious steam room, glass washbasin, matching hardware tap, shower and so on.

COMPANY PROFILE

Following the operational concept of "take science and technology as the guide", "take quality as the life and service for the development", upon the international first-rate industrial design and research and R & D technology, experienced 10-odd years of sharpened baptism of international market, our Company ha taken a lead to pass the strict attestation of international quality system ISO9001 and CE certification, established two main operational departments for the international trade and the domestic sale, achieved its high-efficient management mode of design and R&D, production & Selling, logistics & after-sales seamless docking. It has formed a long-term OEM strategic partner relationship with many world's famous professional building materials markets and supermarkets with its product quality and specifications meeting European standards, sold well to 30-odd provinces, cities, autonomous regions in China, exported in batch to 50-odd countries and regions such as Europe, Turkey, Southeast Asia, Singapore, Africa, the Middle East, Dubai, United Arab Emirates, Iran, Korea, Russia and so on. Trusted and praised deeply by foreign and domestic customers. Our Company has achieved more than 1000 quality networks in the world and more than 2 million clients, with its brand and products reputed all over the world.



To devote itself to the high-quality life demand of the global customers, our company invested huge capital in Chaozhou to increase productivity in 2000, set up its product R & D center and large production base, and introduced foreign advanced technology and large automatic tunnel kiln production. Our company has currently its production area up to 80000-odd square meters and 480 workers,with its annual productivity 4 million pieces,fully meeting all kinds of customers demands,turning one of the largest domestic enterprises of sanitary ware production.In order to serve the global customers better and promote the enterprise's core competitive ability,our company enterprise forges ahead,upgrading constantly in its product R & D, technology innovation,marketing system, insisting its R & D and design of environmental protection, water-saving, comfortableness and health, and bringing a brand-new modern sanitary bath life enjoyment for the global customers.



It appears to float gently in its surroundings-creating the sense of weightlessness that translates throughout the series.




**8207**

Washdown One-piece Toilet

Size: 720x375x800mm

P-trap: 180mm Roughing-in

S-trap: 250/300mm Roughing-in




**8221**

Washdown One-piece Toilet

Size: 680x370x840mm

P-trap: 180mm Roughing-in

S-trap: 250/300mm Roughing-in





**8298**

Washdown One-piece Toilet

Size: 680x360x800mm


P-trap: 180mm Roughing-in


S-trap: 250/300mm Roughing-in



**8225**

Washdown One-piece Toilet
Size: 680x390x795mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in




**8226**

Washdown One-piece Toilet

Size: 730x390x790mm

P-trap: 180mm Roughing-in

S-trap: 250/300mm Roughing-in




**8227**

Washdown One-piece Toilet

Size: 690x370x780mm


P-trap: 180mm Roughing-in

S-trap: 250/300mm Roughing-in



**8258**

Washdown One-piece Toilet
Size: 685x395x740mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in






8220

Siphonic One-piece Toilet


Size: 715x450x650mm

S-trap: 250/300mm Roughing-in



**8267**

Siphonic One-piece Toilet
Size: 720x395x695mm
S-trap: 250/300mm Roughing-in




**8297**

Siphonic One-piece Toilet

Size: 715x382x730mm

S-trap: 300mm Roughing-in



8291

Siphonic One-piece Toilet
Size: 680*420*620mm
S-trap:300mm Roughing-in





Black is the epitome of timelessly modern bathroom design, for a perfectly coordinated look. It is the ideal choice for modern house design.

以永恒经典色彩为主题，完全是卫浴空间的夺目之光，是现代风尚家居的理想选择。






WH-009

Wall-hung Toilet

Size: 540x380x350mm

P-trap: 180mm Roughing-in




G-011

Pedestal Basin

Size: 510x450x850mm

Fixing to wall with back






WH-009

Wall-hung Toilet

Size: 540x380x350mm

P-trap: 180mm Roughing-in





G-011

Pedestal Basin

Size: 510x450x850mm

Fixing to wall with back




**WH-045**

Wall-hung Toilet

Size: 575x375x350mm


P-trap: 180mm Roughing-in

**G-007**

Wall-hung Toilet


Size: 480x420x830mm

P-trap: 180mm Roughing-in




**WH-045**

Wall-hung Toilet
Size: 575x375x350mm
P-trap: 180mm Roughing-in


**G-007**

Wall-hung Toilet
Size: 480x420x830mm
P-trap: 180mm Roughing-in




**WH-045**

Wall-hung Toilet
Size: 575x375x350mm
P-trap: 180mm Roughing-in



**WH-009**


Wall-hung Toilet
Size: 540x380x350mm
P-trap: 180mm Roughing-in





WH-018

Wall-hung Toilet
Size: 570x360x340mm
P-trap: 180mm Roughing-in







WH-011

Wall-hung Toilet

Size: 520x360x310mm

P-trap: 180mm Roughing-in






WH-015

Wall-hung Toilet

Size: 570x380x340mm


P-trap: 180mm Roughing-in



One Piece Toilet Suite

**8221**


Washdown One-piece Toilet
Size: 680x370x840mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**WB-052**


Wall-hung Basin
Size: 520x440x380mm
Wall-hung installation

**021**


Bidet
Size: 560x375x380mm
Fixing to wall with back

**8206**

Washdown/Siphonic One-piece Toilet
Size: 685x365x840mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**G-011**

Pedestal Basin
Size: 515x445x850mm
Fixing to wall with back

**WB-031**


Wall-hung Basin
Size: 510x420x370mm
Wall-hung installation

**8287**


Washdown One-piece Toilet
Size: 720x420x940mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**G-004**


Pedestal Basin
Size: 490x500x840mm
Fixing to wall with back

**WH-001**


Wall-hung Toilet
Size: 590x340x405mm
Outlet diameter: 100mm
Back against the wall to install

**8213**


Washdown/Siphonic One-piece Toilet
Size: 680x370x840mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**3024**

Pedestal Basin
Size: 600x460x840mm
Fixing to wall with back


**WB-027**

Wall-hung Basin
Size: 600x460x500mm
Wall-hung installation




One Piece Toilet**8287**


Washdown One-piece Toilet
Size: 720x420x940mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8221**


Washdown One-piece Toilet
Size: 680x370x840mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8298**


Washdown One-piece Toilet
Size: 680x360x800mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8207**


Washdown One-piece Toilet
Size: 720x375x800mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8206**


Washdown/Siphonic One-piece Toilet
Size: 680x365x840mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8208**


Washdown One-piece Toilet
Size: 700x360x750mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8278**


Washdown/Siphonic One-piece Toilet
Size: 740x500x690mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8280**


Washdown/Siphonic One-piece Toilet
Size: 680x360x775mm
P-trap: 180mm Roughing-in
S-trap: 250/300/400mm Roughing-in

**8201**


Washdown One-piece Toilet
Size: 630x350x750mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8258**


Washdown One-piece Toilet
Size: 685x395x740mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8210**

Washdown One-piece Toilet
Size: 755x365x770mm
P-trap: 180mm Roughing-in
S-trap: 250mm Roughing-in


**8304**

Washdown One-piece Toilet
Size: 720x375x800mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in


**One Piece Toilet**

One Piece Toilet**8212**


Washdown/Siphonic One-piece Toilet
Size: 700x360x810mm
P-trap: 180mm Roughing-in
S-trap: 250/300/400mm Roughing-in

**8213**


Washdown/Siphonic One-piece Toilet
Size: 680x370x840mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8214**


Washdown/Siphonic One-piece Toilet
Size: 680x360x755mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8219**


Washdown One-piece Toilet
Size: 700x385x760mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8220**

Washdown/Siphonic One-piece Toilet
Size: 715x450x650mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8305**


Washdown One-piece Toilet
Size: 690x390x830mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8215**


Washdown/Siphonic One-piece Toilet
Size: 700x380x755mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8306**


Washdown One-piece Toilet
Size: 630x370x830mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8308**


Washdown One-piece Toilet
Size: 780x380x750mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8222**


Washdown/Siphonic One-piece Toilet
Size: 660x360x810mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8307**

Washdown/Siphonic One-piece Toilet
Size: 680x460x750mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in


**8225**

Washdown/Siphonic One-piece Toilet
Size: 700x390x780mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in




One Piece Toilet**8226**


Washdown/Siphonic One-piece Toilet
Size: 730x390x790mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8227**


Washdown/Siphonic One-piece Toilet
Size: 690x370x815mm
P-trap: 180mm Roughing-in
S-trap: 200/250/300mm Roughing-in

**8230**


Washdown/Siphonic One-piece Toilet
Size: 670x370x700mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8236**


Washdown One-piece Toilet
Size: 760x420x740mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8237**


Washdown One-piece Toilet
Size: 750x410x710mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8238**


Washdown One-piece Toilet
Size: 690x380x670mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8231**


Washdown One-piece Toilet
Size: 730x380x830mm
P-trap: 180mm Roughing-in
S-trap: 250mm Roughing-in

**8232**


Washdown/Siphonic One-piece Toilet
Size: 690x370x750mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8281**


Washdown/Siphonic One-Piece Toilet
Size: 710x375x755mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8239**


Washdown/Siphonic One-piece Toilet
Size: 650x345x730mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**8243**

Washdown One-piece Toilet
Size: 700x370x660mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in


**8244**

Washdown One-piece Toilet
Size: 690x370x640mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in




One Piece Toilet**8247**


Siphonic One-piece Toilet
Size: 725x365x650mm
S-trap: 300/400mm Roughing-in

**8248**


Siphonic One-piece Toilet
Size: 660x420x580mm
S-trap: 250/300mm Roughing-in

**8252**


Siphonic One-piece Toilet
Size: 620x370x690mm
S-trap: 300/400mm Roughing-in

**8268**


Siphonic One-piece Toilet
Size: 625x355x715mm
S-trap: 300/400mm Roughing-in

**8272**


Washdown One-piece Toilet
Size: 780x420x820mm
S-trap: 300/400mm Roughing-in

**802**


Siphonic One-piece Toilet
Size: 650x340x685mm
S-trap: 300/400mm Roughing-in

**8254**


Siphonic One-piece Toilet
Size: 630x360x730mm
S-trap: 300/400mm Roughing-in

**8255B**


Siphonic One-piece Toilet
Size: 730x410x650mm
S-trap: 300/400mm Roughing-in

**8267**


Siphonic One-piece Toilet
Size: 720x395x695mm
S-trap: 250/300/400mm Roughing-in

**803**


Siphonic One-piece Toilet
Size: 655x355x765mm
S-trap: 300/400mm Roughing-in

**807**

Siphonic One-piece Toilet
Size: 720x365x655mm
S-trap: 300/400mm Roughing-in


**811**

Siphonic One-piece Toilet
Size: 700x400x770mm
S-trap: 300/400mm Roughing-in




One Piece Toilet**815**


Siphonic One-piece Toilet
Size: 660x360x730mm
S-trap: 300/400mm Roughing-in

**816**


Siphonic One-piece Toilet
Size: 705x350x605mm
S-trap: 300/400mm Roughing-in

**817N**


Siphonic One-piece Toilet
Size: 680x380x770mm
S-trap: 300/400mm Roughing-in

**822**


Siphonic One-piece Toilet
Size: 720x360x765mm
S-trap: 300/400mm Roughing-in

**823N**

Siphonic One-piece Toilet
Size: 730x400x720mm
S-trap: 300/400mm Roughing-in

**824**


Siphonic One-piece Toilet
Size: 700x370x710mm
S-trap: 300/400mm Roughing-in

**818**


Siphonic One-piece Toilet
Size: 690x370x770mm
S-trap: 300/400mm Roughing-in

**819**


Siphonic One-piece Toilet
Size: 685x375x760mm
S-trap: 300/400mm Roughing-in

**821N**


Siphonic One-piece Toilet
Size: 690x375x660mm
S-trap: 300/400mm Roughing-in

**825N**


Siphonic One-piece Toilet
Size: 700x365x650mm
S-trap: 300/400mm Roughing-in

**826**

Siphonic One-piece Toilet
Size: 705x375x780mm
S-trap: 300/400mm Roughing-in


**827N**

Siphonic One-piece Toilet
Size: 690x460x660mm
S-trap: 300/400mm Roughing-in




One Piece Toilet**828**


Siphonic One-piece Toilet
Size: 690x360x600mm
S-trap: 300/400mm Roughing-in

**831**


Siphonic One-piece Toilet
Size: 720x390x765mm
S-trap: 300/400mm Roughing-in

**832**


Siphonic One-piece Toilet
Size: 710x380x740mm
S-trap: 300/400mm Roughing-in

**842**


Siphonic One-piece Toilet
Size: 690x380x735mm
S-trap: 300/400mm roughing-in

**850**

Siphonic One-piece Toilet
Size: 680x375x725mm
S-trap: 300/400mm roughing-in

**851**


Siphonic One-piece Toilet
Size: 735x415x605mm
S-trap: 300/400mm roughing-in

**833**


Siphonic One-piece Toilet
Size: 610x350x750mm
S-trap: 300/400mm Roughing-in

**834**


Siphonic One-piece Toilet
Size: 700x360x780mm
S-trap: 300/400mm roughing-in

**839**


Siphonic One-piece Toilet
Size: 695x375x750mm
S-trap: 300/400mm roughing-in

**852**


Siphonic One-piece Toilet
Size: 715x405x635mm
S-trap: 300/400mm roughing-in

**853B**

Siphonic One-piece Toilet
Size: 700x430x650mm
S-trap: 300/400mm roughing-in


**854**

Siphonic One-piece Toilet
Size: 675x360x775mm
S-trap: 300/400mm roughing-in




One Piece Toilet**855**


Siphonic One-piece Toilet
Size:690x370x800mm
S-trap: 300/400mm roughing-in

**856**


Siphonic One-piece Toilet
Size:710x390x630mm
S-trap: 300/400mm roughing-in

**857**


Siphonic One-piece Toilet
Size:700x380x750mm
S-trap: 300/400mm roughing-in

**861**


Siphonic One-piece Toilet
Size:700x375x680mm
S-trap: 300/400mm roughing-in

**862**

Siphonic One-piece Toilet
Size:590x340x710mm
S-trap: 300/400mm roughing-in

**863**


Siphonic One-piece Toilet
Size:680x400x740mm
S-trap: 300/400mm roughing-in

**858**


Siphonic One-piece Toilet
Size:705x390x750mm
S-trap: 300/400mm roughing-in

**859**


Siphonic One-piece Toilet
Size:715x375x755mm
S-trap: 300/400mm roughing-in

**860**


Siphonic One-piece Toilet
Size:680x380x765mm
S-trap: 300/400mm roughing-in

**864**


Siphonic One-piece Toilet
Size:665x400x755mm
S-trap: 300/400mm roughing-in

**865**

Siphonic One-piece Toilet
Size:700x350x720mm
S-trap: 300/400mm roughing-in

**866**

Siphonic One-piece Toilet
Size:590x380x730mm
S-trap: 300/400mm roughing-in



One Piece Toilet Suite

8291
Siphonic One-piece Toilet
Size: 680x420x620mm
S-trap: 300mm Roughing-in



8292
Siphonic One-piece Toilet
Size: 650x410x600mm
S-trap: 300mm Roughing-in



8293
Siphonic One-piece Toilet
Size: 650x470x610mm
S-trap: 300mm Roughing-in



8321
Siphonic One-piece Toilet
Size: 680x505x630mm
S-trap: 300mm Roughing-in



8322
Siphonic One-piece Toilet
Size: 640x490x610mm
S-trap: 300mm Roughing-in



8324
Siphonic One-piece Toilet
Size: 760x410x590mm
S-trap: 300mm Roughing-in



8294
Siphonic One-piece Toilet
Size: 740x420x580mm
S-trap: 300mm Roughing-in



8295
Siphonic One-piece Toilet
Size: 660x515x615mm
S-trap: 300mm Roughing-in



8296
Siphonic One-piece Toilet
Size: 670x430x600mm
S-trap: 300mm Roughing-in



8326
Siphonic One-piece Toilet
Size: 680x460x595mm
S-trap: 300mm Roughing-in



8327
Siphonic One-piece Toilet
Size: 630x400x650mm
S-trap: 300mm Roughing-in



8328
Siphonic One-piece Toilet
Size: 770x500x620mm
S-trap: 300mm Roughing-in

One Piece Toilet Suite



8325

Siphonic One-piece Toilet

Size: 680x420x620mm

S-trap: 300mm Roughing-in





8326

Siphonic One-piece Toilet

Size:680x460x595mm

S-trap: 300mm Roughing-in



PEANUT

BREAKTHROUGH
AND CONSTANT INNOVATION




8293N

NEW DESIGN
AND CREATIVITY

size: 670X470X625mm

WHITE	BLACK	GREY	ORANGE
BURGUNDY	BLUE	MILITARY GREEN	PINK




**BREAKTHROUGH
AND CONSTANT INNOVATION**

2023


NEW DESIGN
AND CREATIVITY



8329

SIZE: 660X390X600mm

WHITE	BLACK	GREY	ORANGE
BURGUNDY	BLUE	MILITARY GREEN	PINK










8280black



WB053black



8280green



WB053green



8281grey+orange



8281black



WB053black



8281green



WB053green



8280grey



WB053grey



8281grey



WB053grey



8280green



3040green



8280grey



3040grey



8280blue



WB053blue



8280blue-1



WB053blue-1



8281blue



3040blue



8281blue-1



3040blue-1






Widened seat



User memory function



Led Screen

Auto open/close
Auto flip with the foot sensor

Widened seat



Rotary side switch



Night light

Auto open/close
Auto flip with the foot sensor

widened seat



Rotary side switch



Night light

Auto open/close
Auto flip with the foot sensor

IN-005

Intelligent toilet (Auto open/close)

User memory functionWater pressure requirement:
with water pressure requirement

Size: 715x440x470mm

Ceramic seat: 380x300mm

Seat cover: 330x220mm

Drainage pattern: single hole+S-trap

Rough in: 200~450mm customizable

Wire length: 1.5m

Product function

Led Screen	Auto open	Auto flip with the foot sensor	Auto flush with foot sensor	User memory function
Auto flush	Auto close	Men's recognition flush	Instant heat water	Rear washing
Nozzle position adjustment	Nozzle self-cleaning	Anti-bacterial nozzle	Water filtration	Seat sensor
Warm air drying	Night light	Soft closing seat	Remote control	Self-calibration
IPX4 waterproof	High/low voltage pressure protection	Leakage protection	Burning protection	Flame retardant seat

IN-006

Intelligent toilet (Auto open/close)

Safe protectionWater pressure requirement:
With water pressure requirement

Size: 715x425x510mm

Ceramic seat: 380x300mm

Seat cover: 330x220mm

Drainage pattern: single hole+S-trap

Rough in: 200~450mm customizable

Wire length: 1.5m

Product function

Led Screen	Auto open	Auto flip with the foot sensor	Auto flush with foot sensor
Auto flush	Auto close	Men's recognition flush	Instant heat water
Nozzle position adjustment	Nozzle self-cleaning	Anti-bacterial nozzle	Water filtration
Warm air drying	Night light	Soft closing seat	Remote control
IPX4 waterproof	High/low voltage pressure protection	Leakage protection	Burning protection

IN-008

Intelligent toilet (Auto open/close)

Without water pressure requirementWater pressure requirement:
without water pressure requirement

Size: 715x425x470mm

Ceramic seat: 380x300mm

Seat cover: 330x220mm

Drainage pattern: single hole+S-trap

Rough in: 200~450mm customizable

Wire length: 1.5m

Product function

Led Screen	Auto open	Auto flip with the foot sensor	Auto flush with foot sensor
Auto flush	Auto close	Men's recognition flush	Instant heat water
Nozzle position adjustment	Nozzle self-cleaning	Anti-bacterial nozzle	Water filtration
Warm air drying	Night light	Soft closing seat	Remote control
IPX4 waterproof	High/low voltage pressure protection	Leakage protection	Burning protection



IN-012
Intelligent toilet (Auto open/close)

Water pressure requirement:
without water pressure requirement

Without water pressure requirement


Size: 690x490x540mm
Ceramic seat: 440x410mm
Seat cover: 315x220mm

Drainage pattern: single hole+S-trap/P-trap
Rough in: 200~450mm customizable
Wire length: 1.5m

Product function

Led Screen	Auto open	Flush by kicking	flip the seat by kicking with foot
Auto flush	Auto close	Men's recognition flush	heat water
Nozzle position self-cleaning	Nozzle anti-bacterial nozzle	Water filtration	Rear washing
Warm air drying	Night light	Seat sensor	Women washing
IPX4 waterproof	Highflow voltage pressure protection	Pre-wet	Mobile wash
	Leakage protection	Adjustable seat temperature	children washing
	Burning protection	Adjustable water temperature	
	Flame retardant seat	Adjustable air temperature	
	Water pressure adjustment		

Safe protection
Dual mode switchable Auto open/close



IN-014 (Auto open/close)

Intelligent toilet

Water pressure requirement:
without water pressure requirement

Size: 670x400x470mm

Drainage pattern: S-trap/P-trap

Rough in: 200~450mm customizable

Product color available




Product function

without water pressure requirement	Led Screen	Auto open	Auto flip with the foot sensor	Auto flush with foot sensor	Auto flush	Auto close	Men's recognition flush
Instant heat water	Rear washing	Women washing	Mobile wash	Water pressure adjustment	Nozzle position self-cleaning	Nozzle anti-bacterial nozzle	Water filtration
Seat sensor	Pre-wet	Adjustable seat temperature	Adjustable water temperature	Adjustable air temperature	Warm air drying	Night light	Soft closing seat
Self-calibration	Rotary side switch	Seat heating	ECO model	IPX4 waterproof	Highflow voltage pressure protection	Leakage protection	Burning protection
					Flame retardant seat		

Built in water tank

Dual mode switchable Auto open/close



IN-015 (Auto open/close)

Intelligent toilet

Water pressure requirement:
without water pressure requirement

Size: 670x400x470mm

Drainage pattern: S-trap/P-trap

Rough in: 200~450mm customizable

Product color available



Product function

without water pressure requirement	Led Screen	Auto open	Auto flip with the foot sensor	Auto flush with foot sensor	Auto flush	Auto close	Men's recognition flush
Instant heat water	Rear washing	Women washing	Mobile wash	Water pressure adjustment	Nozzle position self-cleaning	Nozzle anti-bacterial nozzle	Water filtration
Seat sensor	Pre-wet	Adjustable seat temperature	Adjustable water temperature	Adjustable air temperature	Warm air drying	Night light	Soft closing seat
Self-calibration	Rotary side switch	Seat heating	ECO model	IPX4 waterproof	Highflow voltage pressure protection	Leakage protection	Burning protection
					Flame retardant seat		

Built in water tank

Dual mode switchable Auto open/close



Auto open function demonstration




Without water pressure requirement

Safe protection
Dual mode switchable Auto open/close



Built in water tank
Dual mode switchable Auto open/close



Intelligent toilet**IN-019N**


Size :700x400x450mm

Rough in : S-trap 300/400mm

Material : Ceramic/ABS cover

Water Heated : Instant Heated

Inner/outside diameter:6/8 cm



Special	Automatic flush Flush during power failure
Standard	Female cleaning Hip cleaning Mobile cleaning Massage cleaning A key to stop Spray regulation Seat heating Drying from heater Wind temperature regulation Water temperature regulation Water-pressure adjust glaze washing
Others	Knob operation key Self-cleaning nozzle Heated water instantly Seat induction Leakage protection Energy province electricity Double filtration Automatic deodorization Power Memory
Performance	LED indicating screen Mute slow down Night light 12V safety voltage Smart cleaning glaze Flame retardant material Remote control

Intelligent toilet**IN-020N**


Size :670x390x460mm

Rough in : S-trap 300/400mm

Material : Ceramic/ABS cover

Water Heated : Instant Heated

Inner/outside diameter:6/8 cm



Special	Automatic flush Flush during power failure
Standard	Female cleaning Hip cleaning Mobile cleaning Massage cleaning A key to stop Spray regulation Seat heating Drying from heater Wind temperature regulation Water temperature regulation Water-pressure adjust glaze washing
Others	Knob operation key Self-cleaning nozzle Heated water instantly Seat induction Leakage protection Energy province electricity Double filtration Automatic deodorization Power Memory
Performance	LED indicating screen Mute slow down Night light 12V safety voltage Smart cleaning glaze Flame retardant material Remote control


Intelligent toilet**IN-021**

Size:680*420*490mm

Rough in : S-trap 300/400mm

Material: Ceramic/ABS cover


Inner/outside diameter:6/8cm



Unique Selling Point:	1.No electricity Rear Washing 2.No electricity Bidet Washing 3.No electricity flushing 4.Low water pressure operation 5.Internal power pure mechanical water fitting
Function:	1. Bidet Washing 2. Rear Washing 3. foot sensor 4.Strong power siphonic flushing 5. IPX4 Water Proof Cover 6.Double Filter 7.Sunken water tank

Intelligent toilet**IN-009N**

Size :700x400x465mm



Rough in : S-trap 300/400mm


Material : Ceramic/ABS cover

Water Heated : Instant Heated

Inner/outside diameter:6/8 cm

Intelligent toilet**IN-010N**

Size :700x430x465mm




Rough in : S-trap 300/400mm

Material : Ceramic/ABS cover

Water Heated : Instant Heated

Inner/outside diameter:6/8 cm

Intelligent toilet**IN-018N**

Size :700x400x450mm

Rough in : S-trap 300/400mm

Material : Ceramic/ABS cover

Water Heated : Instant Heated

Inner/outside diameter:6/8 cm

Special	Automatic flush Flush during power failure
Standard	Female cleaning Hip cleaning Mobile cleaning Massage cleaning A key to stop Spray regulation Seat heating Drying from heater Wind temperature regulation Water temperature regulation Water-pressure adjust glaze washing
Others	Knob operation key Self-cleaning nozzle Heated water instantly Seat induction Leakage protection Energy province electricity Double filtration Automatic deodorization Power Memory
Performance	LED indicating screen Mute slow down Night light 12V safety voltage Smart cleaning glaze Flame retardant material Remote control

Special	Automatic flush Flush during power failure
Standard	Female cleaning Hip cleaning Mobile cleaning Massage cleaning A key to stop Spray regulation Seat heating Drying from heater Wind temperature regulation Water temperature regulation Water-pressure adjust glaze washing
Others	Knob operation key Self-cleaning nozzle Heated water instantly Seat induction Leakage protection Energy province electricity Double filtration Automatic deodorization Power Memory
Performance	LED indicating screen Mute slow down Night light 12V safety voltage Smart cleaning glaze Flame retardant material Remote control

Special	Automatic flush Flush during power failure
Standard	Female cleaning Hip cleaning Mobile cleaning Massage cleaning A key to stop Spray regulation Seat heating Drying from heater Wind temperature regulation Water temperature regulation Water-pressure adjust glaze washing
Others	Knob operation key Self-cleaning nozzle Heated water instantly Seat induction Leakage protection Energy province electricity Double filtration Automatic deodorization Power Memory
Performance	LED indicating screen Mute slow down Night light 12V safety voltage Smart cleaning glaze Flame retardant material Remote control

Intelligent toilet**IN-022**


Size: 520*395*540mm

Rough in: 250/300mm Roughing-in

Material: Ceramic/ABS cover

Water Heated: Instant Heated

Inner/outside diameter: 6/8cm



Function:

- | | |
|----------------------------------|-----------------------------------|
| 1. Bidet Washing | 10. Adjustable Nozzle Position |
| 2. Rear Washing | 11. Power Outage Flushing |
| 3. Kids Mode | 12. Soft Night Light |
| 4. Warm Wind Drying | 13. Electrical Leakage Protection |
| 5. Moving Massage | 14. Remote Control |
| 6. Adjustable Water Temperature | 15. LED Display |
| 7. Adjustable Drying Temperature | 16. One-Key Knob |
| 8. Adjustable Seat Temperature | 17. B-type: Feet Sensor Flushing |
| 9. Self-Cleaning Nozzle | 18. C-type: Auto Open/Close Cover |

Intelligent toilet**IN-023**


Size: 520*370*513mm

Rough in: 300mm Roughing-in

Material: Ceramic/ABS cover

Water Heated: Instant Heated

Inner/outside diameter: 6/8cm



Function:

- | | |
|--------------------------------|-------------------------------|
| 1.Seat Heating | 13.LED Display |
| 2.Warm Wind Drying | 14.Electrical Leakage |
| 3.Automatic Deodorization | 15.Protection |
| 4.Adjustable Water Temperature | 16.Power Outage Flushing |
| 5.Adjustable Drying | 17.Safety Plug |
| 6.Temperature | 18.UF Up Seat Cover |
| 7.Rear Washing | 19.Slow Down Seat Cover |
| 8.Bidet Washing | 20.Self Cleaning Glaze |
| 9.Self-Cleaning Nozzle | 21.Small Bathroom Design |
| 10.Adjustable Nozzle Position | 22.Intelligent Remote Control |
| 11.Moving Washing | 23.Seat Cover Sensor |
| 12.Adjustable Water Power | 24.Foot sensor flushing |

Intelligent toilet**IN-024**


Size : 580x380x450mm

Rough in : S-trap 300/400mm

Material : Ceramic/ABS cover

Water Heated : Instant Heated

Inner/outside diameter: 6/8 cm



Special

- Open cover by radar automatic
- Open seat by foot induction
- Double mode switch
- Flushing by identify male urine
- Automatic flush
- Flush during power failure

Standard

- Female cleaning
- Hip cleaning
- Mobile cleaning
- Massage cleaning
- A key to stop
- Spray regulation
- Seat heating
- Drying from heater
- Wind temperature regulation
- Water temperature regulation
- Water-pressure adjust
- glaze washing

Others


- Knob operation key
- Self-cleaning nozzle
- Heated water instantly
- Seat induction
- Leakage protection
- Energy province electricity
- Double filtration
- Automatic deodorization
- Power Memory

Performance

- LED indicating screen
- Mute slow down
- Night light
- 12V safety voltage
- Smart cleaning glaze
- Flame retardant material
- Remote control

Intelligent toilet**IN-025**


Size : 580x380x450mm
Rough in : S-trap 300/400mm
Material : Ceramic/ABS cover
Water Heated : Instant Heated
Inner/outside diameter: 6/8 cm

*Intelligent toilet***IN-026**

Size : 580x380x350mm
Rough in : P-trap 180mm
Material : Ceramic/ABS cover
Water Heated : Instant Heated
Inner/outside diameter: 6/8 cm

*Intelligent toilet***IN-027**

Size : 580x380x350mm
Rough in : P-trap 180mm
Material : Ceramic/ABS cover
Water Heated : Instant Heated
Inner/outside diameter: 6/8 cm




Special	Automatic flush	Flush during power failure
Standard	Female cleaning Hip cleaning Mobile cleaning Massage cleaning A key to stop Spray regulation Seat heating Drying from heater Wind temperature regulation Water temperature regulation Water-pressure adjust glaze washing	
Others	Knob operation key Self-cleaning nozzle Heated water instantly Seat induction Leakage protection Energy province electricity Double filtration Automatic deodorization Power Memory	
Performance	LED indicating screen Mute slow down Night light 12V safety voltage Smart cleaning glaze Flame retardant material Remote control	

Special	Automatic flush	Flush during power failure
Standard	Female cleaning Hip cleaning Mobile cleaning Massage cleaning A key to stop Spray regulation Seat heating Drying from heater Wind temperature regulation Water temperature regulation Water-pressure adjust glaze washing	
Others	Knob operation key Self-cleaning nozzle Heated water instantly Seat induction Leakage protection Energy province electricity Double filtration Automatic deodorization Power Memory	
Performance	LED indicating screen Mute slow down Night light 12V safety voltage Smart cleaning glaze Flame retardant material Remote control	

Special	Automatic flush	Flush during power failure
Standard	Female cleaning Hip cleaning Mobile cleaning Massage cleaning A key to stop Spray regulation Seat heating Drying from heater Wind temperature regulation Water temperature regulation Water-pressure adjust glaze washing	
Others	Knob operation key Self-cleaning nozzle Heated water instantly Seat induction Leakage protection Energy province electricity Double filtration Automatic deodorization Power Memory	
Performance	LED indicating screen Mute slow down Night light 12V safety voltage Smart cleaning glaze Flame retardant material Remote control	

Intelligent toilet**IN-028**


Size:555*370*470mm
P-trap:180mm Roughing-in
Material: CeramiclABS cover
Water Heated:Instant Heated
Wall-hung Toilet



Special	Automatic flush/Flush during power failure
Standard	Female cleaning Hip cleaning Mobile cleaning/Massage cleaning A key to stop Spray regulation Seat heating Drying from heater Wind temperature regulation Water temperature regulation Water-pressure adjust glaze washing
Others	Knob operation key Self-cleaning nozzle Heated water instantly Seat induction Leakage protection Energy province electricity Double filtration Automatic deodorization Power Memory
Performance	LED indicating screen Mute slow down Night light 12V safety voltage Smart cleaning glaze Flame retardant material Remote control

Intelligent toilet**IN-029**


Size:535*370*470mm
P-trap:180mm Roughing-in
Material: CeramiclABS cover
Water Heated:Instant Heated
Wall-hung Toilet



Special	Automatic flush/Flush during power failure
Standard	Female cleaning Hip cleaning Mobile cleaning/Massage cleaning A key to stop Spray regulation Seat heating Drying from heater Wind temperature regulation Water temperature regulation Water-pressure adjust glaze washing
Others	Knob operation key Self-cleaning nozzle Heated water instantly Seat induction Leakage protection Energy province electricity Double filtration Automatic deodorization Power Memory
Performance	LED indicating screen Mute slow down Night light 12V safety voltage Smart cleaning glaze Flame retardant material Remote control

Intelligent toilet**IN-030**

Size:564x388x442mm
P-trap:180mm Roughing-in
Material: CeramiclABS cover
Water Heated:Instant Heated
Wall-hung Toilet



Function:	1. Bidet Washing	9. Adjustable Seat Temperature
	2. Rear Washing	10. Self-Cleaning Nozzle
	3. Warm Wind Drying	11. Electrical Leakage Protection
	4. LED Screen	12. Remote Control
	5. Night Light	13. Flush without power
	6. Moving Massage	14. Auto Flush After Leaving Seat
	7. Adjustable Water Temperature	15. Side Knob operation
	8. Adjustable Drying Temperature	16. Foot sensor flushing

Intelligent Seat Cover**IN-1201**

Intelligent seat cover

Size:510*395*150mm

Voltage:110~220V



Function:

- | | |
|----------------------------------|-----------------------------------|
| 1. Bidet Washing | 9. Adjustable Seat Temperature |
| 2. Rear Washing | 10. Self-Cleaning Nozzle |
| 3. Defecation Assist | 11. Adjustable Nozzle Position |
| 4. Warm Wind Drying | 12. Side Controlled Panel |
| 5. Strong-Soft Massage | 13. Electrical Leakage Protection |
| 6. Moving Massage | 14. Remote Control |
| 7. Adjustable Water Temperature | 15. Kids Mode |
| 8. Adjustable Drying Temperature | 16. C-type: Auto Open/Close Cover |

Intelligent Seat Cover**IN-1007B**

Intelligent seat cover

Size:510*395*150mm

Voltage:110~220V



Function:

- | | |
|----------------------------------|-----------------------------------|
| 1. Bidet Washing | 9. Adjustable Seat Temperature |
| 2. Rear Washing | 10. Self-Cleaning Nozzle |
| 3. Defecation Assist | 11. Adjustable Nozzle Position |
| 4. Warm Wind Drying | 12. Side Controlled Panel |
| 5. Strong-Soft Massage | 13. Electrical Leakage Protection |
| 6. Moving Massage | 14. Remote Control |
| 7. Adjustable Water Temperature | 15. Kids Mode |
| 8. Adjustable Drying Temperature | |

Intelligent Seat Cover**IN-1009**

Intelligent seat cover

Size:510*460*150mm

Voltage:110~220V




Function:

- | | |
|---------------------------------|-----------------------------------|
| 1. Bidet Washing | 8. Adjustable Drying Temperature |
| 2. Rear Washing | 9. Adjustable Seat Temperature |
| 3. Defecation Assist | 10. Self-Cleaning Nozzle |
| 4. Warm Wind Drying | 11. Adjustable Nozzle Position |
| 5. Strong-Soft Massage | 12. Side Controlled Panel |
| 6. Moving Massage | 13. Electrical Leakage Protection |
| 7. Adjustable Water Temperature | 14. Night Light |

Black is the epitome of timelessly modern bathroom design, for a perfectly coordinated look. It is the ideal choice for modern house design.

以永恒经典色彩为主题，完全是卫浴空间的夺目之光，是现代风尚家居的理想选择。






WH-045

Wall-hung Toilet

Size: 575x375x350mm

P-trap: 180mm Roughing-in




WH-009

Wall-hung Toilet

Size: 540x380x350mm

P-trap: 180mm Roughing-in






 WH-001 Wall-hung Toilet Size:590x340x405mm P-trap: 180mm Roughing-in 	 WH-002 Wall-hung Toilet Size:570x350x330mm P-trap: 180mm Roughing-in 	 WH-003 Wall-hung Toilet Size:550x360x390mm P-trap: 180mm Roughing-in
 WH-008 Wall-hung Toilet Size:560x350x340mm P-trap: 180mm Roughing-in 	 WH-011 Wall-hung Toilet Size:520x360x310mm P-trap: 180mm Roughing-in 	 WH-013 Wall-hung Toilet Size:490x360x240mm P-trap: 180mm Roughing-in
 WH-015 Wall-hung Toilet Size:570x380x340mm P-trap: 180mm Roughing-in 	 WH-018 Wall-hung Toilet Size:570x360x340mm P-trap: 180mm Roughing-in 	 WH-019 Wall-hung Toilet Size:560x360x310mm P-trap: 180mm Roughing-in




WH-021

Wall-hung Toilet
Size:490x360x310mm
P-trap: 180mm Roughing-in




WH-022

Wall-hung Toilet
Size:505x360x305mm
P-trap: 180mm Roughing-in




WH-023

Wall-hung Toilet
Size:520x335x310mm
P-trap: 180mm Roughing-in




WH-024

Wall-hung Toilet
Size:510x350x300mm
P-trap: 180mm Roughing-in




WH-025

Wall-hung Toilet
Size:495x365x300mm
P-trap: 180mm Roughing-in




WH-026

Wall-hung Toilet
Size:490x350x365mm
P-trap: 180mm Roughing-in




WH-027

Wall-hung Toilet
Size:530x360x310mm
P-trap: 180mm Roughing-in




WH-028

Wall-hung Toilet
Size:480x360x360mm
P-trap: 180mm Roughing-in




WH-029

Wall-hung Toilet
Size:590x360x340mm
P-trap: 180mm Roughing-in




WH-030

Wall-hung Toilet
Size:510x360x375mm
P-trap: 180mm Roughing-in




FW-031

Floor-standing Toilet
Size:550x360x410mm
P-trap: 180mm Roughing-in



**WH032**

Wall-hung Toilet
Size: 495x360x345mm
P-trap: 180mm Roughing-in



matt white



shiny black



matt black



matt light green



matt light grey



matt dark grey



matt sky blue



matt pink



matt dark green




matt khaki



WH033

Wall-hung Toilet
Size: 515x360x350mm
P-trap: 180mm Roughing-in



matt white



matt black



shiny black



matt brown



matt dark green



matt sky blue



matt khaki



matt light green



matt pink



matt white



matt black



shiny black



matt light green



matt sky blue





matt pink



WH034

Wall-hung Toilet
Size: 540x360x350mm
P-trap: 180mm Roughing-in




matt khaki



matt dark green




XS076



Art Basin
Size:420x420x130mm
Above counter mounting




XS240



Art Basin
Size:420x420x160mm
Above counter mounting




XS107B



Art Basin
Size:610x340x110mm
Above counter mounting






XS013/XS010



Art Basin
Size:400x400x135mm
Size:500x400x135mm
Above counter mounting








Size: 1080x510x80mm

Concealed - Water Tank

Fixing to Wall With Back



**H-03****Size: 1090x580x80mm****Concealed - Water Tank****Fixing to Wall With Back**

**H-04**

Size: 1000x580x80mm

Concealed - Water Tank

Fixing to Wall With Back

**H-05**

Size: 1140x580x80mm

Concealed - Water Tank

Fixing to Wall With Back



The panel is made of ABS engineering plastic with novel styles and various color to choose.



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating



Model: Round plating




BEAUTY CURRENT

Rhythm of space originates from the design inspiration; everlasting beauty flows in the plain lines and common life is pregnant with the lofty ideas.




Two Piece Toilet Suite**2007**


Washdown Two-piece Toilet
Size: 710x390x765mm
P-trap: 180mm Roughing-in
S-trap: 250mm Roughing-in

**3015**


Pedestal Basin
Size: 580x460x850mm
Fixing to wall with back

**007**


Bidet
Size: 590x350x400mm
Fixing to wall with back

**2010**


Washdown Two-piece Toilet
Size: 675x375x795mm
P-trap: 180mm Roughing-in
S-trap: 250mm Roughing-in

**3008**


Pedestal Basin
Size: 615x480x860mm
Fixing to wall with back

**010**

Bidet
Size: 550x355x410mm
Fixing to wall with back

**2008**


Washdown Two-piece Toilet
Size: 670x375x820mm
P-trap: 180mm Roughing-in
S-trap: 250mm Roughing-in

**3014**


Pedestal Basin
Size: 665x505x860mm
Fixing to wall with back

**008**


Bidet
Size: 590x360x420mm
Fixing to wall with back

**2011**


Washdown Two-piece Toilet
Size: 780x380x790mm
P-trap: 180mm Roughing-in
S-trap: 250mm Roughing-in

**3021**

Pedestal Basin
Size: 640x510x820mm
Fixing to wall with back


**011**

Bidet
Size: 540x370x390mm
Fixing to wall with back


**Two Piece Toilet Suite**

Two Piece Toilet Suite**2014**


Washdown Two-piece Toilet
Size: 685x405x790mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**3016**


Pedestal Basin
Size: 580x440x830mm
Fixing to wall with back

**014**


Bidet
Size: 565x360x390mm
Fixing to wall with back

**2028**


Washdown Two-piece Toilet
Size: 650x340x770mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**2007**

Washdown Two-piece Toilet
Size: 710x390x765mm
P-trap: 180mm Roughing-in
S-trap: 250mm Roughing-in

**2010**


Washdown Two-piece Toilet
Size: 675x375x795mm
P-trap: 180mm Roughing-in
S-trap: 250mm Roughing-in

**2015**


Washdown Two-piece Toilet
Size: 700x380x740mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**3009**


Pedestal Basin
Size: 550x440x840mm
Fixing to wall with back

**WB-044**


Wall-hung Basin
Size: 490x450x340mm
Wall-hung installation

**2029**


Washdown Two-piece Toilet
Size: 655x350x785mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**2021**

Siphonic Two-piece Toilet
Size: 725x400x790mm
S-trap: 300mm Roughing-in


**2020**

Siphonic Two-piece Toilet
Size: 690x400x760mm
S-trap: 300mm Roughing-in




**2011**


Washdown Two-piece Toilet
Size: 780x380x790mm
P-trap: 180mm Roughing-in
S-trap: 250mm Roughing-in

**2014**


Washdown Two-piece Toilet
Size: 685x405x790mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**2015**


Washdown Two-piece Toilet
Size: 700x380x740mm
P-trap: 180mm Roughing-in
S-trap: 250/300mm Roughing-in

**2016**


Washdown Two-piece Toilet
Size: 690x355x835mm
P-trap: 180mm Roughing-in





**2017**

Washdown Two-piece Toilet
Size: 640x360x810mm
P-trap: 180mm Roughing-in
S-trap: 100/250mm Roughing-in

**2018**

Washdown Two-piece Toilet
Size: 605x380x800mm
P-trap: 180mm Roughing-in
S-trap: 100/250mm Roughing-in







G001
Pedestal Basin
Size:310X335x800mm
Fixing to wall with back



G002
Pedestal Basin
Size:540x475x815mm
Fixing to wall with back



G004
Pedestal Basin
Size:490x500x840mm
Fixing to wall with back



G011
Pedestal Basin
Size:515x450x860mm
Fixing to wall with back



G012
Pedestal Basin
Size:460x480x960mm
Fixing to wall with back



G014
Pedestal Basin
Size:435x375x840mm
Fixing to wall with back



G006
Pedestal Basin
Size:490x330x880mm
Fixing to wall with back



G007
Pedestal Basin
Size:470X420x860mm
Fixing to wall with back



G008
Pedestal Basin
Size:460x460x820mm
Fixing to wall with



G015A
Pedestal Basin
Size:400x400x850mm
Fixing to wall with back



G015B
Pedestal Basin
Size:400x400x840 mm
Fixing to wall with back



G016
Pedestal Basin
Size:485x475x835mm
Fixing to wall with back

**G018**

Pedestal Basin
Size:470x470x850mm
Fixing to wall with back

**G022**

Pedestal Basin
Size:290x320x900mm
Fixing to wall with back

**G025**

Pedestal Basin
Size:335x330x835mm
Fixing to wall with back

**G030A-1**

Pedestal Basin
Size:475x475x865mm
Fixing to wall with back

**G030B-1**

Pedestal Basin
Size:475x475x865mm
Fixing to wall with back

**G031**

Pedestal Basin
Size:525x400x850mm
Fixing to wall with back

**G026**

Pedestal Basin
Size:405x400x830mm
Fixing to wall with back

**G028A**

Pedestal Basin
Size:400x400x830mm
Fixing to wall with back

**G028B**

Pedestal Basin
Size:400x400x830mm
Fixing to wall with back

**G032A**

Pedestal Basin
Size:455x460x850mm
Fixing to wall with back

**G032B**

Pedestal Basin
Size:460x460x840mm
Fixing to wall with back

**G033**

Pedestal Basin
Size:430x430X870 mm
Fixing to wall with back



G034

Pedestal Basin
Size:395X410X855mm
Fixing to wall with back



G035

Wall-hung Pedestal Basin
Size:450x450x830mm
Fixing to wall with back



G014G

Pedestal Basin
Size:435x375x840mm
Fixing to wall with back



G028AG

Pedestal Basin
Size:400x400x830mm
Fixing to wall with back



G028AS

Pedestal Basin
Size:400x400x830mm
Fixing to wall with back



G028BB

Pedestal Basin
Size:400x400x830mm
Fixing to wall with back



G016G

Pedestal Basin
Size:485x475x835mm
Fixing to wall with back



G028AB

Pedestal Basin
Size:400x400x830mm
Fixing to wall with back



G028ABG

Pedestal Basin
Size:400x400x830mm
Fixing to wall with back



G032G

Pedestal Basin
Size:455x460x850mm
Fixing to wall with back



G036G

Wall-hung Pedestal Basin
Size:410x420x870mm
Fixing to wall with back



G037G

Wall-hung Pedestal Basin
Size:420x420x830mm
Fixing to wall with back

BASIN

CONCISE

Straight lines and elegant soft curves exist side by side in the mild, delicate and luxurious atmosphere. It seems random, but simply decorates the entire series and gives out noble and charming flavour.



T801A

M8x100mm
Material: Iron/Stainless steel
For Wall Hung Basin



T801B

M10x140mm
Material: Iron/Stainless steel
For Wall Hung Basin



T801F-1

M8x80mm
Material: Iron/Stainless Steel
For Wall Hung Basin



T803

Hook
Size: M5x40mm
For Wall Hung Urinal/Basin/Toilet



T807

Hook
Size: M5x40mm
For Wall Hung Urinal/Basin/Toilet



T808

Hook
Size: M5x40
For Wall Hung Urinal/Basin/Toilet



T923B

Rotating Drainer
Material:
Copper/Stainless Steel



T924

Pressing Drainer
Material:
Copper/Stainless Steel



T906D

Material:
Plastic with Chrome finish



T926

Material:
Alloy/Copper



T806C



T806F




T806F-1



T806H

Pedestal Basin**3001**


Pedestal Basin
Size: 500x410x810mm
Fixing to wall with back

**3002**


Pedestal Basin
Size: 580x480x875mm
Fixing to wall with back

**3003**


Pedestal Basin
Size: 565x410x800mm
Fixing to wall with back

**3008**


Pedestal Basin
Size: 615x480x860mm
Fixing to wall with back

**3009**


Pedestal Basin
Size: 550x440x840mm
Fixing to wall with back

**3011**


Pedestal Basin
Size: 610x500x835mm
Fixing to wall with back

**3004**


Pedestal Basin
Size: 550x470x890mm
Fixing to wall with back

**3005**


Pedestal Basin
Size: 565x455x855mm
Fixing to wall with back

**3007**


Pedestal Basin
Size: 560x460x820mm
Fixing to wall with back

**3013**


Pedestal Basin
Size: 680x500x820mm
Fixing to wall with back

**3014**

Pedestal Basin
Size: 665x505x860mm
Fixing to wall with back


**3015**

Pedestal Basin
Size: 580x460x850mm
Size: 650x495x870mm
Fixing to wall with back


**Pedestal Basin**

Pedestal Basin


3016
Pedestal Basin
Size: 580x440x830mm
Fixing to wall with back




3019
Pedestal Basin
Size: 600x460x830mm
Fixing to wall with back




3020
Pedestal Basin
Size: 620x490x820mm
Fixing to wall with back




3030
Pedestal Basin
Size: 520x435x850mm
Fixing to wall with back




3032
Pedestal Basin
Size: 660x520x890mm
Fixing to wall with back




3035
Pedestal Basin
Size: 390x460x800mm
Fixing to wall with back




3021
Pedestal Basin
Size: 640x510x820mm
Fixing to wall with back




3023
Pedestal Basin
Size: 590x480x820mm
Fixing to wall with back




3024
Pedestal Basin
Size: 600x460x840mm
Fixing to wall with back




3036
Pedestal Basin
Size: 400x400x830mm
Fixing to wall with back



3039
Pedestal Basin
Size: 620x450x830mm
Fixing to wall with back




3040
Pedestal Basin
Size: 600x465x820mm
Fixing to wall with back

**Pedestal Basin**

**WB-019**


Wall-hung Basin
Size: 550x420x480mm
Wall-hung installation

**WB-020**


Wall-hung Basin
Size: 680x500x600mm
Wall-hung installation

**WB-021**


Wall-hung Basin
Size: 515x450x480mm
Wall-hung installation

**WB-022**


Wall-hung Basin
Size: 610x470x570mm
Wall-hung installation

**WB-023**


Wall-hung Basin
Size: 500x410x540mm
Wall-hung installation

**WB-024**


Wall-hung Basin
Size: 610x475x450mm
Wall-hung installation

**WB-025**


Wall-hung Basin
Size: 550x470x490mm
Wall-hung installation

**WB-026**


Wall-hung Basin
Size: 600x485x430mm
Wall-hung installation

**WB-028**


Wall-hung Basin
Size: 560x450x400mm
Wall-hung installation

**WB-048**


Wall-hung Basin
Size: 600x460x500mm
Wall-hung installation

**WB-029**


Wall-hung Basin
Size: 555x430x415mm
Wall-hung installation

**WB-031**


Wall-hung Basin
Size: 520x435x385mm
Wall-hung installation

**WB-032**


Wall-hung Basin
Size: 550x430x400mm
Wall-hung installation

**WB-033**


Wall-hung Basin
Size: 525x420x475mm
Wall-hung installation

**WB-036**


Wall-hung Basin
Size: 560x435x425mm
Wall-hung installation

**WB-037**


Wall-hung Basin
Size: 570x450x390mm
Wall-hung installation

**WB-039**

Wall-hung Basin
Size: 520x520x400mm
Wall-hung installation


**WB-042**

Wall-hung Basin
Size: 565x490x400mm
Wall-hung installation




**WB-043**


Wall-hung Basin
Size: 530x440x360mm
Wall-hung installation

**WB-044**


Wall-hung Basin
Size: 490x350x340mm
Wall-hung installation

**WB-045**


Wall-hung Basin
Size: 510x465x400mm
Wall-hung installation

**WB-047**


Wall-hung Basin
Size: 555x480x360mm
Wall-hung installation

**WB-046**


Wall-hung Basin
Size: 470x460x370mm
Wall-hung installation

**WB-052**


Wall-hung Basin
Size: 520x440x380mm
Wall-hung installation

**WB-053**


Wall-hung Basin
Size: 500x450x390mm
Wall-hung installation

**WB-054**


Wall-hung Basin
Size: 450x415x345mm
Wall-hung installation

**WB-055**


Wall-hung Basin
Size: 460X490X410mm
Wall-hung installation

**SWB-018**


Wall-hung Basin
Size: 420x380x185mm
Wall-hung installation

**SWB-019**


Wall-hung Basin
Size: 430x290x140mm
Wall-hung installation

**SWB-020**


Wall-hung Basin
Size: 430x290x140mm
Wall-hung installation

**SWB-021**


Wall-hung Basin
Size: 460x280x170mm
Wall-hung installation

**SWB-022**


Wall-hung Basin
Size: 460x280x170mm
Wall-hung installation

**SWB-023**


Wall-hung Basin
Size: 645x445x210mm
Wall-hung installation

**SWB-024**


Wall-hung Basin
Size: 360x360x150mm
Wall-hung installation

**SWB-025**

Wall-hung Basin
Size: 370x185x90mm
Wall-hung installation

**SWB-026**


Wall-hung Basin
Size: 370x185x90mm
Wall-hung installation






UB-002

Under Counter Basin
Size: 650x450x190mm




UB-004

Under Counter Basin
Size: 490x410x195mm




UB-007

Under Counter Basin
Size: 415x335x190mm




UB-008

Under Counter Basin
Size: 465x380x190mm




UB-009

Under Counter Basin
Size: 470x350x180mm




UB-010

Under Counter Basin
Size: 520x390x180mm




AB-011

Above Counter Basin
Size: 500x455x185mm
Above counter mounting




AB-012

Above Counter Basin
Size: 560x470x200mm
Above counter mounting




AB-013

Above Counter Basin
Size: 420x420x185mm
Above counter mounting



AB-014

Above Counter Basin
Size: 490x400x185mm
Above counter mounting



T305

Sensor
Conceal Sensor



T306A

Sensor
Suspended on wall



T308-6

Sensor
For Floor Standing Urinal



T308E

Sensor
For Wall Hung Urinal



T803

Hook
Size: M5x40mm
For Wall Hung Urinal/Basin/Toilet



T807

Hook
Size: M5x40mm
For Wall Hung Urinal/Basin/Toilet



T808

Hook
Size: M5x40mm
For Wall Hung Urinal/Basin/Toilet



T816A

18cm
Material: Copper
For P trap Urinal



T816C

15cm
Material: Copper
For P trap Urinal



T908

Material: Stainless Steel /Copper
For S trap Urinal



T911

Material: Stainless Steel /Copper
For P trap Urinal



T601

Flush Valve
For Squatting pan/Urinal
Material: Copper/Stainless steel



T602

Flush Valve
For Squatting pan/Urinal
Material: Copper/Stainless steel




T603A


Flush Valve
For Wall Hung Urinal
Material: Copper/Stainless steel

**UP-001**


Urinal
Size: 430x370x1050mm
Fixing to wall with back

**UP-002**


Urinal
Size: 400x360x1000mm
Fixing to wall with back

**UP-003**


Urinal
Size: 460x330x1000mm
Fixing to wall with back

**UP-004**


Urinal
Size: 340x320x630mm
Wall-hung installation

**UP-005**


Urinal
Size: 390x335x820mm
Wall-hung installation

**UP-006**


Urinal
Size: 390x370x790mm
Wall-hung installation

**UP-007**


Urinal
Size: 410x315x630mm
Wall-hung installation

**UP-009**


Urinal
Size: 480x320x720mm
Wall-hung installation

**UP-010**


Urinal
Size: 400x330x630mm
Wall-hung installation

**UP-011**


Urinal
Size: 325x300x690mm
Wall-hung installation

**UP-012**


Urinal
Size: 420x80x820mm
Wall-hung installation

**UP-013**


Urinal
Size: 460x355x980mm
Fixing to wall with back

**UP-015**


Urinal
Size: 290x250x485mm
Wall-hung installation

**UP-017**


Urinal
Size: 375x320x680mm
Wall-hung installation

**UP-018**

Urinal
Size: 350x270x700mm
Wall-hung installation

**UP-019**


Urinal
Size: 480x310x740mm
Wall-hung installation




Urinal

UP-021


Urinal
Size: 340x310x630mm
Wall-hung installation

**UP-022**


Urinal
Size: 340x300x690mm
Wall-hung installation

**UP-023**


Urinal
Size: 350x350x550mm
Wall-hung installation

**UP-024**


Urinal
Size: 360x300x460mm
Wall-hung installation

**UP-025**

Urinal
Size: 330x290x480mm
Wall-hung installation

**UP-026**

Urinal
Size: 350x240x280mm
Wall-hung installation



No place to hide dirt



Beyond the evenness standard



Straight edge lines, the paralleled sides



Easy to be installed
accurate corner locations

Straightly right angle
no place to hide dirt


Simply artistic
exceeds the international standards

Pan edges are paralleled


SP -314
Size:530x430x190mm**SP -315S**
Size:530x430x235mm**SP -324**
Size:590x465x210mm**SP -323S**
Size:590x465x240mm**SP -338**
Size:550x4330x190mm**SP -336S**
Size:550x430x240mm**SP -305**
Size:530x430x190mm**SP -337S**
Size:610x455x245mm**SP -321**
Size:550x440x190mm**SP -322S**
Size:550x440x240mm**SP -318**
Size:560x425x230mm**SP -317S**
Size:560x425x245mm




PT -802
Size:370x110x382mm




PT -803
Size:380x110x430mm




PT -804
Size:380x110x430mm




PT -805
Size:380x125x410mm




PT -806
Size:395x130x380mm




PT -807
Size:390x125x410mm




PT -808W
Size:380x120x410mm




PT -808H
Size:380x120x410mm




PT -808
Size:380x120x410mm




8273
Washdown One-piece Toilet
Size: 500x285x530mm
P-trap: 120mm Roughing-in
S-trap: 200/300mm Roughing-in




3026
Pedestal Basin
Size: 430x340x500mm
Fixing to wall with back




UP-027
Urinal
Size: 290x250x485mm
Wall-hung installation




SP-027
Squat Pan
Size: 405x315x200mm
Gravity-fed flushing system




8273F
Washdown One-piece Toilet
Size: 500x285x530mm
P-trap: 120mm Roughing-in
S-trap: 200/300mm Roughing-in




3026F
Pedestal Basin
Size: 430x340x500mm
Fixing to wall with back



UP-027F
Urinal
Size: 290x250x485mm
Wall-hung installation




SP-027F
Squat Pan
Size: 405x315x200mm
Gravity-fed flushing system




**8273G**


Washdown One-piece Toilet
Size: 500x285x530mm
P-trap: 120mm Roughing-in
S-trap: 200/300mm Roughing-in

**8273BL**

Washdown One-piece Toilet
Size: 500x285x530mm
P-trap: 120mm Roughing-in
S-trap: 200/300mm Roughing-in

**8273Y**



Washdown One-piece Toilet
Size: 500x285x530mm
P-trap: 120mm Roughing-in
S-trap: 200/300mm Roughing-in

**8273P**

Washdown One-piece Toilet
Size: 500x285x530mm
P-trap: 120mm Roughing-in
S-trap: 200/300mm Roughing-in

**8273OR**

Washdown One-piece Toilet
Size: 500x285x530mm
P-trap: 120mm Roughing-in
S-trap: 200/300mm Roughing-in



GT-016

1. 550x70x130mm
2. 315x70x120mm
3. 180x60x105mm
4. 205x80x105mm
5. 70x65x100mm
6. 115x70x70mm

GT-009

1. 510x65x140mm
2. 230x130x120mm
3. 200x105x100mm
4. 175x150x105mm
5. 110x65x90mm
6. 130x85x90mm

GT-013

1. 600x50x130mm
2. 310x40x133mm
3. 150x45x130mm
4. 185x110x100mm
5. 90x85x55mm
6. 90x85x95mm

GT-014

1. 600x110x160mm
2. 215x66x130mm
3. 215x66x130mm
4. 210x130x140mm
5. 120x80x70mm
6. 120x80x70mm

**LS-001****LS-002****LS-003****LS-004****LS-005****LS-006**

PERSONALITY

UNIQUE CHARM

