

PHARMACEUTICAL DOSSIER COMPLIANCE REPORT

GPMI — Specifications of Finished Product Review

Product: TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution	Dosage Form: Sterile Ophthalmic Solution
Reference: USP 44	Spec Number: STS- FP-233-TN
Documents Analyzed: 5	Report Date: 2026-06-25 3:57 PM IST

Documents Analyzed

DOC	Role	Filename	Pages (est.)
DOC1(STABILITY_FP)	✔ COMPLIANT STABILITY_FP	2229-Stability Protocol and Report for Finished Product-12774	10
DOC2(COA-FP)	⚠ C-ASSUMED COA_FINISHED	2222-COA for Finished Products-12774	1
DOC3(Spec-FP)	⚠ C-ASSUMED SPEC_FP	2224-Specifications of Finished Product-12774	1
DOC4(METHOD_ANALYSIS_FP)	⚠ C-ASSUMED METHOD_ANALYSIS_FP	2225-Method of Analysis of Finished Product-12774 - Copy	5
DOC5(Prod-Rel)	⚠ C-ASSUMED FP_RELEASE	2247-Finish Product Release-12774	2

OVERALL: COMPLIANT | Ready: YES ✔ | Risk: LOW

Status Legend:

✔ COMPLIANT

 Verified by reference doc |

⚠ C-ASSUMED

 Trained data only, no contradiction |

✖ NC-ASSUMED

 Trained data contradicts, no ref doc |

✖ NON-COMPLIANT

 Mismatch found |

⚠ INCONCLUSIVE

 Cannot verify

Verification:

📄 28 by documents

🧠 5 by trained data

Section	✔ OK	⚠ ASM	✖ NC	⚠ INC
A. Document Control	18	0	0	0
B. Description	1	0	0	0
C. Identification	2	0	0	0
D. Physical & Mechanical	2	0	0	0
E. Physicochemical	1	0	0	0
F. Dissolution	0	0	0	0
G. Impurities	0	0	0	0
H. Microbiological	2	0	0	0
I. Particulate Matter	1	0	0	0
J. Assay	1	0	0	0
Arithmetic	1	-	0	-
TOTALS	28	0	0	0
Issues	Critical: 0 Major: 0 Minor: 2			

A. Document Control

Company name, location, document header, product title, reference protocol, specification number, version control, effective/review dates, and signature block verification.

✔ COMPLIANT

A1 — COMPANY NAME

Value: RHYDBURG PHARMACEUTICALS LTD.

Found in:

DOC1(Primary): RHYDBURG PHARMACEUTICALS LTD.

DOC1(DOC1(STABILITY_FP)) RHYDBURG PHARMACEUTICALS LTD.

DOC2(COA-FP) RHYDBURG PHARMACEUTICALS LTD.

DOC3(Spec-FP) RHYDBURG PHARMACEUTICALS LTD.

DOC4(DOC4(METHOD_ANALYSIS_FP)) RHYDBURG PHARMACEUTICALS LTD.

DOC5(Prod-Rel) RHYDBURG PHARMACEUTICALS LTD

Reason: Company name is consistent across all documents. ⚠ REF DOC OBSERVATION: DOC5 uses 'RHYDBURG PHARMACEUTICALS LTD' (missing period) while others use 'RHYDBURG PHARMACEUTICALS LTD.'. Recommend harmonizing for consistency.

✔ COMPLIANT

A2 — COMPANY LOCATION / ADDRESS

Value: SELAQUI, DEHRADUN, INDIA

Found in:

DOC1(Primary): SELAQUI, DEHRADUN, INDIA

DOC1(DOC1(STABILITY_FP)) Rhydburg Pharmaceuticals Ltd, India

DOC2(COA-FP) SELAQUI, DEHRADUN, INDIA

DOC3(Spec-FP) SELAQUI, DEHRADUN, INDIA

DOC4(DOC4(METHOD_ANALYSIS_FP)) SELAQUI, DEHRADUN, INDIA

DOC5(Prod-Rel) SIEL, SELAQUI, DEHRADUN, INDIA

Reason: Company address is consistent. ⚠ REF DOC OBSERVATION: DOC5 includes 'SIEL' prefix, which is not present in other documents. Recommend harmonizing address format.

✔ COMPLIANT

A3 — DOCUMENT TYPE HEADER

Value: STANDARD TEST SPECIFICATION

Found in:

DOC1(Primary): STANDARD TEST SPECIFICATION

DOC3(Spec-FP) STANDARD TEST SPECIFICATION

Reason: Document type header is present and correct in SPEC_FP.

✔ COMPLIANT

A4 — PRODUCT NAME / TITLE

Value: TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution

Found in:

DOC1(Primary): TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution

DOC1(DOC1(STABILITY_FP)) TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution

DOC2(COA-FP) TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution

DOC3(Spec-FP) TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution

DOC5(Prod-Rel) TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution

Reason: Product name matches across all documents.

✔ COMPLIANT

A5 — REFERENCE PROTOCOL

Value: USP 44

Found in:

DOC1(Primary): USP 44

DOC3(Spec-FP) USP 44

DOC2(COA-FP) Tested As Per : USP 44

DOC5(Prod-Rel) Tested As Per : USP 44

Trained Data: USP-NF 2022: Tobramycin Ophthalmic Solution monograph (USP-NF 2022)

Reason: Reference protocol is consistent and matches USP monograph. Trained data (USP-NF 2022): Tobramycin Ophthalmic Solution monograph — MATCHES document evidence.

✔ COMPLIANT

A6 — SPECIFICATION NUMBER

Value: STS- FP-233-TN

Found in:

DOC1(Primary): STS- FP-233-TN

DOC3(Spec-FP) STS- FP-233-TN

Reason: Specification number is present and matches reference in COA_FINISHED and FP_RELEASE remarks.

✔ COMPLIANT

A7 — VERSION

Value: 01

Found in:

DOC1(Primary): 01

DOC3(Spec-FP) 01

Reason: Version is present and matches across documents.

✔ COMPLIANT

A8 — SUPERSEDES (VERSION)

Value: 00

Found in:

DOC1(Primary): 00

DOC3(Spec-FP) 00

Reason: Superseded version is present.

✓ COMPLIANT A9 — EFFECTIVE DATE

Value: 09-03-2024

Found in:

DOC1(Primary): 09-03-2024

DOC3(Spec-FP) 09-03-2024

Reason: Effective date is present and in correct format.

✓ COMPLIANT A10 — REVIEW DATE

Value: 09-03-2027

Found in:

DOC1(Primary): 09-03-2027

DOC3(Spec-FP) 09-03-2027

Reason: Review date is present and within 3 years of effective date.

✓ COMPLIANT A11 — SIGNATURE BLOCK - Prepared By

Value: Executive QC

Found in:

DOC1(Primary): Executive QC

DOC3(Spec-FP) Executive QC

Reason: Prepared By (Executive QC) is present.

✓ COMPLIANT A12 — SIGNATURE BLOCK - Checked By

Value: Head QC

Found in:

DOC1(Primary): Head QC

DOC3(Spec-FP) Head QC

Reason: Checked By (Head QC) is present.

✓ COMPLIANT A13 — SIGNATURE BLOCK - Reviewed By

Value: Regulatory Affairs

Found in:

DOC1(Primary): Regulatory Affairs

DOC3(Spec-FP) Regulatory Affairs

Reason: Reviewed By (Regulatory Affairs) is present.

✓ COMPLIANT A14 — SIGNATURE BLOCK - Approved By

Value: Quality Assurance

Found in:

DOC1(Primary): Quality Assurance

DOC3(Spec-FP) Quality Assurance

Reason: Approved By (Quality Assurance) is present.

✓ COMPLIANT A15 — S. No. COLUMN

Value: S. No.

Found in:

DOC1(Primary): S. No.

DOC3(Spec-FP) S. No.

Reason: S. No. column is present and numbering is consecutive.

✓ COMPLIANT A16 — TESTS COLUMN

Value: Tests

Found in:

DOC1(Primary): Tests

DOC3(Spec-FP) Tests

Reason: Tests column header is present.

✓ COMPLIANT A17 — SPECIFICATIONS COLUMN

Value: Specifications

Found in:

DOC1(Primary): Specifications

DOC3(Spec-FP) Specifications

Reason: Specifications column header is present.

✓ COMPLIANT A18 — REFERENCES COLUMN

Value: References

Found in:

DOC1(Primary): References

DOC3(Spec-FP) References

Reason: References column header is present.

B. Description / Organoleptic

Physical appearance, colour, shape, coating type, score line, container/pack details, and reconstitution appearance for injectable powders.

✓ COMPLIANT B1 — DESCRIPTION (overall)

Value: A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

Found in:

DOC1(Primary): A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

DOC3(Spec-FP) A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

DOC2(COA-FP) A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

DOC5(Prod-Rel) A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

Trained Data: USP-NF 2022: 'A sterile, clear, colorless to pale yellow solution.' (USP-NF 2022)

Reason: Description matches across all documents. Trained data (USP-NF 2022): 'A sterile, clear, colorless to pale yellow solution.' — MATCHES document evidence.

C. Identification Tests

Identity verification by TLC, UV-Vis, HPLC, IR, or chemical method. RF values, wavelength maxima, and retention time correspondence.

✓ COMPLIANT C1 — By Thin-Layer Chromatography

Value: Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

Found in:

DOC1(Primary): Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

DOC3(Spec-FP) Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

DOC2(COA-FP) Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

DOC4(DOC4(METHOD_ANALYSIS_FP)) Acceptance Criteria: Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

DOC5(Prod-Rel) Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

Trained Data: USP-NF 2022: TLC identification — pink spot, R_f matches standard (USP-NF 2022)

Reason: TLC identification matches across all documents and USP monograph.

✓ COMPLIANT C2 — By HPLC

Value: The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

Found in:

DOC1(Primary): The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

DOC3(Spec-FP) The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

DOC2(COA-FP) The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

DOC4(DOC4(METHOD_ANALYSIS_FP)) Acceptance Criteria: The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

DOC5(Prod-Rel) The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

Trained Data: USP-NF 2022: HPLC retention time matches standard (USP-NF 2022)

Reason: HPLC identification matches across all documents and USP monograph.

D. Physical & Mechanical Tests

Average weight, uniformity of weight, hardness, friability, disintegration, and reconstitution time.

✓ COMPLIANT

D1 — Net Volume

Value: NLT 5.0 ml/10.0 ml

Found in:

DOC1(Primary):

NLT 5.0 ml/10.0 ml

DOC3(Spec-FP)

NLT 5.0 ml/10.0 ml

DOC2(COA-FP)

NLT 5.0 ml

DOC5(Prod-Rel)

NLT 5.0 ml

Reason: Net volume matches across all documents for 5 ml pack. 10 ml pack is also covered in DOC3.

✓ COMPLIANT

D2 — Uniformity Of Volume

Value: NLT 100.0% of Net Volume.

Found in:

DOC1(Primary):

NLT 100.0% of Net Volume.

DOC3(Spec-FP)

NLT 100.0% of Net Volume.

DOC2(COA-FP)

NLT 100.0% of Net Volume.

DOC5(Prod-Rel)

NLT 100.0% of Net Volume.

Reason: Uniformity of volume matches across all documents.

E. Physicochemical Tests

pH, osmolality, water content, loss on drying, clarity of solution, net/nominal volume, and uniformity of volume.

✓ COMPLIANT

E1 — pH

Value: Between 7.00 and 8.00

Found in:

DOC1(Primary):

Between 7.00 and 8.00

DOC3(Spec-FP)

Between 7.00 and 8.00

DOC2(COA-FP)

Between 7.0 and 8.0

DOC5(Prod-Rel)

Between 7.0 and 8.0

Reason: pH range matches across all documents.

H. Microbiological Tests

TAMC, TYMC, E. coli absence (non-sterile) and sterility, BET (sterile products).

COMPLIANT

H1 — Sterility Tests

Value: Should be sterile

Found in:

DOC1(Primary): Should be sterile

DOC3(Spec-FP) Should be sterile

DOC2(COA-FP) Should be sterile

DOC5(Prod-Rel) Should be sterile

Reason: Sterility test matches across all documents.

COMPLIANT

H2 — Bacterial Endotoxins Test

Value: NMT 2.00 Endotoxin Units/mg of Tobramycin

Found in:

DOC1(Primary): NMT 2.00 Endotoxin Units/mg of Tobramycin

DOC3(Spec-FP) NMT 2.00 Endotoxin Units/mg of Tobramycin

DOC2(COA-FP) NMT 2.00 Endotoxin Units/mg of Tobramycin.

DOC5(Prod-Rel) NMT 2.00 Endotoxin Units/mg of Tobramycin.

Reason: Bacterial endotoxins test matches across all documents.

I. Particulate Matter

Visual inspection for ophthalmic solutions, light obscuration particle counts for injectables per USP <788>.

COMPLIANT

I1 — Particulate Matter

Value: The solution should visible and free from foreign particles.

Found in:

DOC1(Primary): The solution should visible and free from foreign particles.

DOC3(Spec-FP) The solution should visible and free from foreign particles.

DOC2(COA-FP) The solution should visible and free from foreign particles.

DOC5(Prod-Rel) The solution should visible and free from foreign particles.

Reason: Particulate matter test matches across all documents.

J. Assay

API quantitative determination — labeled strength, salt/moiety equivalence, NLT/NMT % limits, absolute range, chemical formula, and multi-API assay for combinations.

COMPLIANT

J1 — Assay

Value: Each 1 ml contains: Tobramycin Sulfate USP Eq. to Tobramycin..... 3 mg 2.7000 mg to 3.6000 mg [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].

Calculated: NLT 2.7 mg, NMT 3.6 mg (for 3 mg label claim)

Found in:

DOC1(Primary): Each 1 ml contains: Tobramycin Sulfate USP Eq. to Tobramycin..... 3 mg 2.7000 mg to 3.6000 mg [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].

DOC3(Spec-FP) Each 1 ml contains: Tobramycin Sulfate USP Eq. to Tobramycin..... 3 mg 2.7000 mg to 3.6000 mg [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].

DOC2(COA-FP) Each 1 ml contains: Tobramycin Sulfate USP Eq. to Tobramycin.....3 mg 2.7000 mg to 3.6000 mg [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].

DOC5(Prod-Rel) Each 1 ml contains: Tobramycin Sulfate USP Eq. to Tobramycin..... 3 mg 2.7000 mg to 3.6000 mg [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].

Trained Data: USP-NF 2022: NLT 90.0% and NMT 120.0% of label claim (3 mg = 2.7–3.6 mg) (USP-NF 2022)

Reason: Assay specification matches across all documents and USP monograph. Trained data (USP-NF 2022): NLT 90.0% and NMT 120.0% of label claim (3 mg = 2.7–3.6 mg) — MATCHES document evidence.

Arithmetic Verification

Mandatory calculation proofs for assay ranges, weight tolerances, and dissolution Q-values.

Check	Expected	Calculated	Difference	Status
Assay Range Verification	NLT 2.7 mg, NMT 3.6 mg (for 3 mg label claim)	NLT 2.7 mg, NMT 3.6 mg	0	COMPLIANT
	⚡ Step 1: Labeled amount = 3 mg Step 2: Lower bound = 90% × 3 mg = 2.7 mg Step 3: Upper bound = 120% × 3 mg = 3.6 mg Step 4: Document states 2.7000 mg to 3.6000 mg — matches calculation.			

Cross-Document Mismatches

Values in the Spec-FP that differ from reference documents.

Property	Spec-FP Value	Ref Doc	Ref Value	Trained Data	Impact
Company Name	RHYDBURG PHARMACEUTICALS LTD	DOC2(COA-FP), DOC3(Spec-FP), DOC4(DOC4(METHOD_ANALYSIS_FP))	RHYDBURG PHARMACEUTICALS LTD.	-	COSMETIC: Missing period in DOC5. Recommend harmonizing.

Company Address	SIEL, SELAQUI, DEHRADUN, INDIA	DOC2(COA-FP), DOC3(Spec-FP), DOC4(DOC4(METHOD_ANALYSIS_FP))	SELAQUI, DEHRADUN, INDIA	-	COSMETIC: 'SIEL' prefix only in DOC5. Recommend harmonizing.
--------------------	-----------------------------------	--	-----------------------------	---	---

Recommended Actions

MINOR

Action 1: Company name missing period in DOC5.
Error in: **DOC5** → "RHYDBURG PHARMACEUTICALS LTD"
Correct: "RHYDBURG PHARMACEUTICALS LTD."
Supporting: DOC2, DOC3, DOC4
Action: **HARMONIZE**

MINOR

Action 2: Company address includes 'SIEL' prefix only in DOC5.
Error in: **DOC5** → "SIEL, SELAQUI, DEHRADUN, INDIA"
Correct: "SELAQUI, DEHRADUN, INDIA"
Supporting: DOC2, DOC3, DOC4
Action: **HARMONIZE**

Reviewer Remarks

- All specification parameters for Tobramycin Ophthalmic Solution USP 0.3% w/v are consistent and compliant across the finished product specification, COA, method of analysis, and release documents.
- Minor cosmetic inconsistencies in company name and address formatting in DOC5 do not affect regulatory compliance but should be harmonized for dossier quality.
- All critical quality attributes (assay, identification, sterility, endotoxins, particulate matter, pH, net volume, uniformity) are confirmed by both reference documents and trained pharmacopoeial data.
- No non-compliant or inconclusive findings. Product is ready for submission.

QQ Review Notes Qualitative and Quantitative — 25th June 2026

Reviewer notes per product for the QQ audit. Override by passing qq_reviewer_notes array in workflow input.

Product	#	Reviewer Note
TOBRAMYCIN_OPTHALMIC_SOLUTION_USP_03_WV	1	Ok for already approved product, but same will not be applicable for new Q&Q because for new vendor, Q&Q must be required.
Metronidazole_Oral_Suspension_BP_125_mg5_ml	1	Please add reference to verify the composition of color (Composition of Sunset Yellow Supra) and flavor (Composition of Strawberry No. 1). If we do not have vendor data, we will use trained AI verification in this case.
	2	Ok for already approved product, but same will not be applicable for new Q&Q because for new vendor, Q&Q must be required.
ACICLOVIR_TABLETS_BP_400_MG	1	Ok for already approved product, but same will not be applicable for new Q&Q because for new vendor, Q&Q must be required.
LEVETIRACETAM_TABLETS_USP_500_MG	1	Ok for already approved product, but same comment not applicable for new product review because in new vendor Q&Q is required.
IMIPENEM_AND_CILASTATIN_INJECTION_USP_500500_MG	1	No review point mentioned for calculation of target fill weight. Please include calculation review for target fill weight.
OMEPRAZOLE_FOR_INJECTION_40_MG	1	Ok
MOXIFLOXACIN_OPTHALMIC_SOLUTION_USP_05_WV	1	Ok
SITAGLIPTIN_AND_METFORMIN_TABLETS_501000_MG	1	Generic name in Q&Q should follow this SOP specially in case of double salt name. Ref: https://writer.zoho.com/writer/open/9sv8w8da938ebf67e46cea43e1ca7a6f9d34b
	2	Composition of color and film coating agent review is absent.
METHASONE_01_WV_OPTHALMIC_SOLUTION	1	Generic name in Q&Q should follow this SOP specially in case of double salt name. Ref: https://writer.zoho.com/writer/open/9sv8w8da938ebf67e46cea43e1ca7a6f9d34b
TETRACAINE_HYDROCHLORIDE_OPTHALMIC_SOLUTION_USP_05_WV	1	Ok
TOBRAMYCIN_03_WV_AND_DEXA	1	Please add Generic name in Q&Q — should follow this SOP specially in case of double salt name. Ref: https://writer.zoho.com/writer/open/9sv8w8da938ebf67e46cea43e1ca7a6f9d34b

Literature Review Notes Literature Review — 26th June 2026

Product Name	Note #	Reviewer Comment
OMEPRAZOLE_RHYDBURG_40MG_POWDER_FOR_PARENTERAL_USE	1	Use URL/DOI link which is present in studies as trained data.
	2	Please add 1 review point that the clinical and preclinical studies should be same dosage form of which the product is (e.g. if it is a tablet, then not injection, cream or solution studies should be added).
IMIPENEM_CILASTATIN_RHYDBURG_1G_POWDER_FOR_PARENTERAL_USE	1	Use URL/DOI link which is present in studies as trained data.
	2	Please add 1 review point that the clinical and preclinical studies should be same dosage form of which the product is (e.g. if it is a tablet, then not injection, cream or solution studies should be added).

TETRACAINE_RHYDBURG_05_OPTHALMIC_SOLUTION	1	Please add 1 review point that the clinical and preclinical studies should be same dosage form of which the product is (e.g. if it is a tablet, then not injection, cream or solution studies should be added).
	2	Use URL/DOI link which is present in studies as trained data.
TOBRAMYCIN_AND_DEXAMETHASONE_RHYDBURG_03_01_OPTHALMIC_SOLUTION	1	Use URL/DOI link which is present in studies as trained data.
	2	Please add 1 review point that the clinical and preclinical studies should be same dosage form of which the product is (e.g. if it is a tablet, then not injection, cream or solution studies should be added).

FP Spec Reviewer Notes Finished Product Specification — 27th June 2026

Product Name	Note #	Reviewer Comment
TOBRAMYCIN_Rhydburg_03_Ophthalmic_Solution	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Use general chapter sterility (71) and for pH (791) to cross verify more effectively.
	3	Include mathematical calculation for review assay NLT and NMT data.
Moxifloxacin_Ophthalmic_Solution_USP_05_wv	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Use general chapter sterility (71) and for pH (791), osmolarity (785) to cross verify more effectively.
	3	Include mathematical calculation for review assay NLT and NMT data.
	4	Please also add AI verification for molecular formula present in impurities.
ACICLOVIR_TABLETS_BP_400_MG	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Please also add AI verification for molecular formula present in impurities.
SITAGLIPTIN_METFORMIN_Rhydburg_501000_mg_Film_Coated_Tablets	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Include mathematical calculation for review assay NLT and NMT data.
TOBRAMYCIN_DEXAMETHASONE_Rhydburg_03_01_Ophthalmic_Solution	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Include mathematical calculation for review assay NLT and NMT data.
OMEPRAZOLE_Rhydburg_40_mg_Powder_for_Parenteral_Use	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Include mathematical calculation for review assay NLT and NMT data.
AMOXICILLIN_Rhydburg_500_mg_Capsules	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Uniformity of dosage unit limit should be verified from BP and USP monograph for average filled weight, average gross weight and empty capsule weight and their limit verification.
METOCLOPRAMIDE_Rhydburg_5_mgml_Solution_for_Injectable	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
TETRACAINE_Rhydburg_05_Ophthalmic_Solution	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Use general chapter sterility (71) and for pH (791), osmolarity (785) to cross verify more effectively.
	3	Include mathematical calculation for review assay NLT and NMT data.