

PHARMACEUTICAL DOSSIER COMPLIANCE REPORT

GPPI — Specifications of Finished Product Review

Product: TOBRAMYCIN Rhydurg 0.3% Ophthalmic solution	Dosage Form: Sterile Ophthalmic Solution
Reference: USP 44	Spec Number: STS- FP-233-TN
Documents Analyzed: 5	Report Date: 2026-06-26 9:41 AM IST

Documents Analyzed

DOC	Role	Filename	Pages (est.)
DOC1(STABILITY_FP)	✓ COMPLIANT STABILITY_FP	2229-Stability Protocol and Report for Finished Product-12774	10
DOC2(COA-FP)	i C-ASSUMED COA_FINISHED	2222-COA for Finished Products-12774	1
DOC3(Spec-FP)	i C-ASSUMED SPEC_FP	2224-Specifications of Finished Product-12774	1
DOC4(METHOD_ANALYSIS_FP)	i C-ASSUMED METHOD_ANALYSIS_FP	2225-Method of Analysis of Finished Product-12774 - Copy	5
DOC5(Prod-Rel)	i C-ASSUMED FP_RELEASE	2247-Finish Product Release-12774	2

OVERALL: COMPLIANT | Ready: YES ✓ | Risk: LOW

Status Legend:	✓ COMPLIANT Verified by reference doc	i C-ASSUMED Trained data only, no contradiction	✗ NC-ASSUMED Trained data contradicts, no ref doc	✗ NON-COMPLIANT Mismatch found	⚠ INCONCLUSIVE Cannot verify
----------------	---------------------------------------	---	---	--------------------------------	------------------------------

Verification: 📄 28 by documents 🧠 5 by trained data

Section	✓ OK	i ASM	✗ NC	⚠ INC
A. Document Control	18	0	0	0
B. Description	1	0	0	0
C. Identification	2	0	0	0
D. Physical & Mechanical	2	0	0	0
E. Physicochemical	1	0	0	0
F. Dissolution	0	0	0	0
G. Impurities	0	0	0	0
H. Microbiological	2	0	0	0
I. Particulate Matter	1	0	0	0
J. Assay	1	0	0	0
Arithmetic	1	-	0	-
TOTALS	28	0	0	0
Issues	Critical: 0 Major: 0 Minor: 2			

A. Document Control

Company name, location, document header, product title, reference protocol, specification number, version control, effective/review dates, and signature block verification.

COMPLIANT A1 — COMPANY NAME

Value: RHYDBURG PHARMACEUTICALS LTD.

Found in:

- DOC1(Primary): RHYDBURG PHARMACEUTICALS LTD.
- DOC3(Spec-FP) RHYDBURG PHARMACEUTICALS LTD.
- DOC2(COA-FP) RHYDBURG PHARMACEUTICALS LTD.
- DOC5(Prod-Rel) RHYDBURG PHARMACEUTICALS LTD

Reason: Company name is consistent across all reference documents. REF DOC OBSERVATION: DOC5 omits the period in 'Ltd'. Recommend reviewing DOC5 for correction.

COMPLIANT A2 — COMPANY LOCATION / ADDRESS

Value: SELAQUI, DEHRADUN, INDIA

Found in:

- DOC1(Primary): SELAQUI, DEHRADUN, INDIA
- DOC3(Spec-FP) SELAQUI, DEHRADUN, INDIA
- DOC2(COA-FP) SELAQUI, DEHRADUN, INDIA
- DOC5(Prod-Rel) SIEL, SELAQUI, DEHRADUN, INDIA

Reason: Company address is consistent across reference documents. REF DOC OBSERVATION: DOC5 includes 'SIEL,' prefix, which is not present in other docs. Minor formatting difference.

COMPLIANT A3 — DOCUMENT TYPE HEADER

Value: STANDARD TEST SPECIFICATION

Found in:

- DOC1(Primary): STANDARD TEST SPECIFICATION
- DOC3(Spec-FP) STANDARD TEST SPECIFICATION

Reason: Document type header is present and correct in DOC3.

COMPLIANT A4 — PRODUCT NAME / TITLE

Value: TOBRAMYCIN OPHTHALMIC SOLUTION USP 0.3% W/V

Found in:

- DOC1(Primary): TOBRAMYCIN OPHTHALMIC SOLUTION USP 0.3% W/V
- DOC3(Spec-FP) TOBRAMYCIN OPHTHALMIC SOLUTION USP 0.3% W/V
- DOC2(COA-FP) TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution
- DOC5(Prod-Rel) TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution

Reason: Product name matches across all reference documents (minor difference in capitalization and inclusion of 'Rhydburg').

COMPLIANT A5 — REFERENCE PROTOCOL

Value: USP 44

Found in:

- DOC1(Primary): USP 44
- DOC3(Spec-FP) REFERENCE PROTOCOL: USP 44
- DOC2(COA-FP) Tested As Per : USP 44
- DOC5(Prod-Rel) Tested As Per : USP 44

Trained Data: USP-NF 2022: Tobramycin Ophthalmic Solution monograph (USP-NF 2022)

Reason: Reference protocol is consistent and matches trained data (USP-NF 2022).

COMPLIANT A6 — SPECIFICATION NUMBER

Value: STS- FP-233-TN

Found in:

- DOC1(Primary): STS- FP-233-TN
- DOC3(Spec-FP) STS- FP-233-TN
- DOC2(COA-FP) STS- FP-233-TN
- DOC5(Prod-Rel) STS-FP-233-TN

Reason: Specification number is consistent across reference documents. Minor hyphenation difference in DOC5.

COMPLIANT A7 — VERSION

Value: 01

Found in:

- DOC1(Primary): 01
- DOC3(Spec-FP) 01

Reason: Version number is present and matches reference.

COMPLIANT A8 — SUPERSEDES (VERSION)

Value: 00

Found in:

- DOC1(Primary): 00
- DOC3(Spec-FP) 00

Reason: Superseded version is present and matches reference.

✓ COMPLIANT A9 — EFFECTIVE DATE

Value: 09-03-2024

Found in:

DOC1(Primary): 09-03-2024

DOC3(Spec-FP) 09-03-2024

Reason: Effective date is present and in correct format.

✓ COMPLIANT A10 — REVIEW DATE

Value: 09-03-2027

Found in:

DOC1(Primary): 09-03-2027

DOC3(Spec-FP) 09-03-2027

Reason: Review date is present and within 3 years of effective date.

✓ COMPLIANT A11 — SIGNATURE BLOCK - Prepared By

Value: Executive QC

Found in:

DOC1(Primary): Executive QC

DOC3(Spec-FP) Executive QC

Reason: Prepared By (Executive QC) is present.

✓ COMPLIANT A12 — SIGNATURE BLOCK - Checked By

Value: Head QC

Found in:

DOC1(Primary): Head QC

DOC3(Spec-FP) Head QC

Reason: Checked By (Head QC) is present.

✓ COMPLIANT A13 — SIGNATURE BLOCK - Reviewed By

Value: Regulatory Affairs

Found in:

DOC1(Primary): Regulatory Affairs

DOC3(Spec-FP) Regulatory Affairs

Reason: Reviewed By (Regulatory Affairs) is present.

✓ COMPLIANT A14 — SIGNATURE BLOCK - Approved By

Value: Quality Assurance

Found in:

DOC1(Primary): Quality Assurance

DOC3(Spec-FP) Quality Assurance

Reason: Approved By (Quality Assurance) is present.

✓ COMPLIANT A15 — S. No. COLUMN

Value: S. No.

Found in:

DOC1(Primary): S. No.

DOC3(Spec-FP) S. No.

Reason: S. No. column is present and sequential.

✓ COMPLIANT A16 — TESTS COLUMN

Value: Tests

Found in:

DOC1(Primary): Tests

DOC3(Spec-FP) Tests

Reason: Tests column header is present.

✓ COMPLIANT A17 — SPECIFICATIONS COLUMN

Value: Specifications

Found in:

DOC1(Primary): Specifications

DOC3(Spec-FP) Specifications

Reason: Specifications column header is present.

✓ COMPLIANT A18 — REFERENCES COLUMN

Value: References

Found in:

DOC1(Primary): References

DOC3(Spec-FP) References

Reason: References column header is present.

B. Description / Organoleptic

Physical appearance, colour, shape, coating type, score line, container/pack details, and reconstitution appearance for injectable powders.

✔ COMPLIANT **B1** — DESCRIPTION (overall)

Value: A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

Found in:

📄 **DOC1(Primary):** A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

📄 **DOC3(Spec-FP)** A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

📄 **DOC2(COA-FP)** A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

📄 **DOC5(Prod-Rel)** A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

Trained Data: USP-NF 2022: 'A sterile, clear, colorless to pale yellow, aqueous solution.' (USP-NF 2022)

Reason: Description matches across all reference documents. Trained data (USP-NF 2022): 'A sterile, clear, colorless to pale yellow, aqueous solution.' — MATCHES document evidence.

C. Identification Tests

Identity verification by TLC, UV-Vis, HPLC, IR, or chemical method. RF values, wavelength maxima, and retention time correspondence.

✔ COMPLIANT **C1** — By Thin-Layer Chromatography

Value: Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

Found in:

📄 **DOC1(Primary):** Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

📄 **DOC3(Spec-FP)** Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

📄 **DOC2(COA-FP)** Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

📄 **DOC4(DOC4(METHOD_ANALYSIS_FP))** Acceptance Criteria: Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

📄 **DOC5(Prod-Rel)** Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

Trained Data: USP-NF 2022: TLC identification — pink spot, R_f matches standard (USP-NF 2022)

Reason: TLC identification matches across all reference documents and USP-NF 2022.

✔ COMPLIANT **C2** — By HPLC

Value: The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

Found in:

📄 **DOC1(Primary):** The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

📄 **DOC3(Spec-FP)** The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

📄 **DOC2(COA-FP)** The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

📄 **DOC4(DOC4(METHOD_ANALYSIS_FP))** Acceptance Criteria: The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

📄 **DOC5(Prod-Rel)** The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

Trained Data: USP-NF 2022: HPLC retention time matches standard (USP-NF 2022)

Reason: HPLC identification matches across all reference documents and USP-NF 2022.

D. Physical & Mechanical Tests

Average weight, uniformity of weight, hardness, friability, disintegration, and reconstitution time.

✔ COMPLIANT **D1** — Net Volume

Value: NLT 5.0 ml/10.0 ml

Found in:

- 📄 **DOC1(Primary):** NLT 5.0 ml/10.0 ml
- 📄 DOC3(Spec-FP) NLT 5.0 ml/10.0 ml
- 📄 DOC2(COA-FP) NLT 5.0 ml
- 📄 DOC5(Prod-Rel) NLT 5.0 ml

Reason: Net volume matches across all reference documents.

✔ COMPLIANT **D2** — Uniformity Of Volume

Value: NLT 100.0% of Net Volume.

Found in:

- 📄 **DOC1(Primary):** NLT 100.0% of Net Volume.
- 📄 DOC3(Spec-FP) NLT 100.0% of Net Volume.
- 📄 DOC2(COA-FP) NLT 100.0% of Net Volume.
- 📄 DOC5(Prod-Rel) NLT 100.0% of Net Volume.

Reason: Uniformity of volume matches across all reference documents.

E. Physicochemical Tests

pH, osmolality, water content, loss on drying, clarity of solution, net/nominal volume, and uniformity of volume.

✔ COMPLIANT **E1** — pH

Value: Between 7.00 and 8.00

Found in:

- 📄 **DOC1(Primary):** Between 7.00 and 8.00
- 📄 DOC3(Spec-FP) Between 7.00 and 8.00
- 📄 DOC2(COA-FP) Between 7.0 and 8.0
- 📄 DOC5(Prod-Rel) Between 7.0 and 8.0

Reason: pH range matches across all reference documents.

H. Microbiological Tests

TAMC, TYMC, E. coli absence (non-sterile) and sterility, BET (sterile products).

COMPLIANT H1 — Sterility Tests

Value: Should be sterile

Found in:

- DOC1(Primary): Should be sterile
- DOC3(Spec-FP) Should be sterile
- DOC2(COA-FP) Should be sterile
- DOC5(Prod-Rel) Should be sterile

Reason: Sterility test matches across all reference documents.

COMPLIANT H2 — Bacterial Endotoxins Test

Value: NMT 2.00 Endotoxin Units/mg of Tobramycin

Found in:

- DOC1(Primary): NMT 2.00 Endotoxin Units/mg of Tobramycin
- DOC3(Spec-FP) NMT 2.00 Endotoxin Units/mg of Tobramycin
- DOC2(COA-FP) NMT 2.00 Endotoxin Units/mg of Tobramycin.
- DOC5(Prod-Rel) NMT 2.00 Endotoxin Units/mg of Tobramycin.

Reason: Bacterial endotoxins test matches across all reference documents.

I. Particulate Matter

Visual inspection for ophthalmic solutions, light obscuration particle counts for injectables per USP <788>.

COMPLIANT I1 — Particulate Matter

Value: The solution should visible and free from foreign particles.

Found in:

- DOC1(Primary): The solution should visible and free from foreign particles.
- DOC3(Spec-FP) The solution should visible and free from foreign particles.
- DOC2(COA-FP) The solution should visible and free from foreign particles.
- DOC5(Prod-Rel) The solution should visible and free from foreign particles.

Reason: Particulate matter specification matches across all reference documents.

J. Assay

API quantitative determination — labeled strength, salt/moiety equivalence, NLT/NMT % limits, absolute range, chemical formula, and multi-API assay for combinations.

COMPLIANT J1 — Assay

Value: Each 1 ml contains: | Tobramycin Sulfate USP | Eq. to Tobramycin..... 3 mg | 2.7000 mg to 3.6000 mg | [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].

Calculated: NLT 2.7 mg, NMT 3.6 mg (for 3 mg label claim, 90%-120%)

Found in:

- DOC1(Primary): Each 1 ml contains: | Tobramycin Sulfate USP | Eq. to Tobramycin..... 3 mg | 2.7000 mg to 3.6000 mg | [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].
- DOC3(Spec-FP) Each 1 ml contains: | Tobramycin Sulfate USP | Eq. to Tobramycin..... 3 mg | 2.7000 mg to 3.6000 mg | [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].
- DOC2(COA-FP) Each 1 ml contains: | Tobramycin Sulfate USP | Eq. to Tobramycin.....3 mg | 2.7000 mg to 3.6000 mg | [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].
- DOC5(Prod-Rel) Each 1 ml contains: | Tobramycin Sulfate USP | Eq. to Tobramycin..... 3 mg | 2.7000 mg to 3.6000 mg | [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].
- DOC4(DOC4(METHOD_ANALYSIS_FP)) Acceptance Criteria: NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9).

Trained Data: USP-NF 2022: NLT 90.0% and NMT 120.0% of label claim (3 mg = 2.7–3.6 mg) (USP-NF 2022)

Reason: Assay specification matches across all reference documents and USP-NF 2022.

Arithmetic Verification

Mandatory calculation proofs for assay ranges, weight tolerances, and dissolution Q-values.

Check	Expected	Calculated	Difference	Status
Assay Range Verification	NLT 2.7 mg, NMT 3.6 mg (for 3 mg label claim, 90%-120%)	Lower: 3 mg × 0.90 = 2.7 mg; Upper: 3 mg × 1.20 = 3.6 mg	None	COMPLIANT
	Step 1: Labeled amount = 3 mg; Step 2: Lower bound = 3 mg × 90% = 2.7 mg; Step 3: Upper bound = 3 mg × 120% = 3.6 mg; Step 4: Stated range in document is 2.7000 mg to 3.6000 mg. Back calculation: 2.7 mg / 3 mg = 90%; 3.6 mg / 3 mg = 120%. All calculations match.			

Cross-Document Mismatches

Values in the Spec-FP that differ from reference documents.

Property	Spec-FP Value	Ref Doc	Ref Value	Trained Data	Impact
Company Name	RHYDBURG PHARMACEUTICALS LTD.	DOC5(Prod-Rel)	RHYDBURG PHARMACEUTICALS LTD	-	COSMETIC: Missing period in 'Ltd' in DOC5.
Company Address	SELAQUI, DEHRADUN, INDIA	DOC5(Prod-Rel)	SIEL, SELAQUI, DEHRADUN, INDIA	-	COSMETIC: 'SIEL,' prefix in DOC5 not present in other docs.

Recommended Actions

MINOR

Action 1: Minor formatting inconsistency: 'Ltd.' vs 'Ltd' in company name.

Error in: **DOC5** → "RHYDBURG PHARMACEUTICALS LTD"

Correct: "RHYDBURG PHARMACEUTICALS LTD."

Supporting: DOC3, DOC2

Action: **CORRECT**

MINOR

Action 2: Minor address formatting: 'SIEL,' prefix in address.

Error in: **DOC5** → "SIEL, SELAQUI, DEHRADUN, INDIA"

Correct: "SELAQUI, DEHRADUN, INDIA"

Supporting: DOC3, DOC2

Action: **CORRECT**

Reviewer Remarks

- All specification parameters in the STABILITY_FP document are fully supported by the reference SPEC_FP, COA_FINISHED, FP_RELEASE, and METHOD_ANALYSIS_FP documents.
- All arithmetic checks for assay range are correct and match both document and pharmacopoeial requirements.
- Minor cosmetic inconsistencies (period in 'Ltd.', address prefix) are noted in DOC5 but do not affect compliance.
- No critical or major issues identified. Ready for submission.

FP Spec Reviewer Notes Finished Product Specification — 27th June 2026

Product Name	Note #	Reviewer Comment
TOBRAMYCIN_Rhydburg_03_Ophthalmic_Solution	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Use general chapter sterility (71) and for pH (791) to cross verify more effectively.
	3	Include mathematical calculation for review assay NLT and NMT data.
Moxifloxacin_Ophthalmic_Solution_USP_05_wv	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Use general chapter sterility (71) and for pH (791), osmolarity (785) to cross verify more effectively.
	3	Include mathematical calculation for review assay NLT and NMT data.
	4	Please also add AI verification for molecular formula present in impurities.
ACICLOVIR_TABLETS_BP_400_MG	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Please also add AI verification for molecular formula present in impurities.
SITAGLIPTIN_METFORMIN_Rhydburg_501000_mg_Film_Coated_Tablets	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Include mathematical calculation for review assay NLT and NMT data.
TOBRAMYCIN_DEXAMETHASONE_Rhydburg_03_01_Ophthalmic_Solution	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Include mathematical calculation for review assay NLT and NMT data.
OMEPRAZOLE_Rhydburg_40_mg_Powder_for_Parenteral_Use	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Include mathematical calculation for review assay NLT and NMT data.
AMOXICILLIN_Rhydburg_500_mg_Capsules	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Uniformity of dosage unit limit should be verified from BP and USP monograph for average filled weight,

		average gross weight and empty capsule weight and their limit verification.
METOCLOPRAMIDE_Rhydburg_5_mgml_Solution_for_Injectable	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
TETRACAINE_Rhydburg_05_Ophthalmic_Solution	1	Add RTCA link of SOP to cross verify the parameter. Ref: https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
	2	Use general chapter sterility (71) and for pH (791), osmolarity (785) to cross verify more effectively.
	3	Include mathematical calculation for review assay NLT and NMT data.