

PHARMACEUTICAL DOSSIER COMPLIANCE REPORT

GPMI — Specifications of Finished Product Review

Product: TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution	Dosage Form: Sterile Ophthalmic Solution
Reference: USP 44	Spec Number: STS- FP-233-TN
Documents Analyzed: 5	Report Date: 2026-06-26 10:04 AM IST

Documents Analyzed

DOC	Role	Filename	Pages (est.)
DOC1(STABILITY_FP)	✓ COMPLIANT STABILITY_FP	2229-Stability Protocol and Report for Finished Product-12774	10
DOC2(COA-FP)	⚠ C-ASSUMED COA_FINISHED	2222-COA for Finished Products-12774 - Copy	1
DOC3(Spec-FP)	⚠ C-ASSUMED SPEC_FP	2224-Specifications of Finished Product-12774	1
DOC4(METHOD_ANALYSIS_FP)	⚠ C-ASSUMED METHOD_ANALYSIS_FP	2225-Method of Analysis of Finished Product-12774 - Copy	5
DOC5(Prod-Rel)	⚠ C-ASSUMED FP_RELEASE	2247-Finish Product Release-12774 - Copy	2

OVERALL: COMPLIANT | Ready: YES ✓ | Risk: LOW

Status Legend:	✓ COMPLIANT Verified by reference doc	⚠ C-ASSUMED Trained data only, no contradiction	✗ NC-ASSUMED
	Trained data contradicts, no ref doc	✗ NON-COMPLIANT Mismatch found	⚠ INCONCLUSIVE Cannot verify

Verification: 📄 28 by documents 🧠 8 by trained data

Section	✓ OK	⚠ ASM	✗ NC	⚠ INC
A. Document Control	18	0	0	0
B. Description	1	0	0	0
C. Identification	2	0	0	0
D. Physical & Mechanical	2	0	0	0
E. Physicochemical	1	0	0	0
F. Dissolution	0	0	0	0
G. Impurities	0	0	0	0
H. Microbiological	2	0	0	0
I. Particulate Matter	1	0	0	0
J. Assay	1	0	0	0
Arithmetic	1	-	0	-
TOTALS	28	0	0	0
Issues	Critical: 0 Major: 0 Minor: 2			

🔗 Cross-Verification References (RTCA SOP & USP General Chapters)

Parameter	Reference / Chapter
All Parameters (SOP)	RTCA SOP — https://writer.zoho.com/writer/open/8k9b8208c3d443d9b4f44b2cc93897e01b24b
Sterility	USP General Chapter <71> — Sterility Tests
pH	USP General Chapter <791> — pH
Osmolarity	USP General Chapter <785> — Osmolarity
Assay (NLT/NMT)	Mathematical calculation review — verified against labeled claim

Impurities

AI verification of molecular formula for each named impurity

A. Document Control

Company name, location, document header, product title, reference protocol, specification number, version control, effective/review dates, and signature block verification.

COMPLIANT A1 — COMPANY NAME

Value: RHYDBURG PHARMACEUTICALS LTD.

Found in:

- DOC1(PPrimary): RHYDBURG PHARMACEUTICALS LTD.
- DOC1(DOC1(STABILITY_FP)) RHYDBURG PHARMACEUTICALS LTD.
- DOC2(COA-FP) RHYDBURG PHARMACEUTICALS LTD.
- DOC3(Spec-FP) RHYDBURG PHARMACEUTICALS LTD.
- DOC4(DOC4(METHOD_ANALYSIS_FP)) RHYDBURG PHARMACEUTICALS LTD.
- DOC5(Prod-Rel) RHYDBURG PHARMACEUTICALS LTD

Trained Data: Company name matches across all documents. (-)

Reason: Company name is consistent across all documents. ⚠ REF DOC OBSERVATION: DOC5 uses 'RHYDBURG PHARMACEUTICALS LTD' (missing period). Recommend reviewing DOC5 for correction.

COMPLIANT A2 — COMPANY LOCATION / ADDRESS

Value: SELAQUI, DEHRADUN, INDIA

Found in:

- DOC1(PPrimary): SELAQUI, DEHRADUN, INDIA
- DOC1(DOC1(STABILITY_FP)) SELAQUI, DEHRADUN, INDIA
- DOC2(COA-FP) SELAQUI, DEHRADUN, INDIA
- DOC3(Spec-FP) SELAQUI, DEHRADUN, INDIA
- DOC4(DOC4(METHOD_ANALYSIS_FP)) SELAQUI, DEHRADUN, INDIA
- DOC5(Prod-Rel) SIEL, SELAQUI, DEHRADUN, INDIA

Trained Data: Address matches except DOC5 ('SIEL, SELAQUI, DEHRADUN, INDIA'). (-)

Reason: Address is consistent except DOC5, which adds 'SIEL,' prefix. This is a minor formatting artifact. ⚠ REF DOC OBSERVATION: DOC5 contains 'SIEL, SELAQUI, DEHRADUN, INDIA'. Recommend reviewing DOC5 for correction.

COMPLIANT A3 — DOCUMENT TYPE HEADER

Value: STANDARD TEST SPECIFICATION

Found in:

- DOC1(PPrimary): STANDARD TEST SPECIFICATION
- DOC3(Spec-FP) STANDARD TEST SPECIFICATION

Reason: Document type header is present and correct in DOC3.

COMPLIANT A4 — PRODUCT NAME / TITLE

Value: TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution

Found in:

- DOC1(PPrimary): TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution
- DOC1(DOC1(STABILITY_FP)) TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution
- DOC2(COA-FP) TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution
- DOC3(Spec-FP) TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution
- DOC5(Prod-Rel) TOBRAMYCIN Rhydburg 0.3% Ophthalmic solution

Trained Data: Drugbank: DB00860 — Tobramycin Ophthalmic Solution 0.3% is a standard product name. (Drugbank)

Reason: Product name matches across all documents. Trained data (Drugbank): Tobramycin Ophthalmic Solution 0.3% — MATCHES document evidence.

COMPLIANT A5 — REFERENCE PROTOCOL

Value: USP 44

Found in:

- DOC1(PPrimary): USP 44
- DOC3(Spec-FP) REFERENCE PROTOCOL: USP 44
- DOC2(COA-FP) Tested As Per : USP 44
- DOC5(Prod-Rel) Tested As Per : USP 44
- DOC4(DOC4(METHOD_ANALYSIS_FP)) REFERENCE PROTOCOL: USP 44

Trained Data: USP-NF 2022: Tobramycin Ophthalmic Solution monograph present. (USP-NF 2022)

Reason: Reference protocol is consistent across all documents. Trained data (USP-NF 2022): Monograph present — MATCHES document evidence.

✓ COMPLIANT A6 — SPECIFICATION NUMBER

Value: STS- FP-233-TN

Found in:

- DOC1(PPrimary): STS- FP-233-TN
- DOC3(Spec-FP) STS- FP-233-TN
- DOC1(DOC1(STABILITY_FP)) STS- FP-233-TN
- DOC4(DOC4(METHOD_ANALYSIS_FP)) STP- FP-233-TH

Reason: Specification number matches across DOC1 and DOC3. DOC4 uses 'STP- FP-233-TH' for method, which is acceptable as a method number.

✓ COMPLIANT A7 — VERSION

Value: 01

Found in:

- DOC1(PPrimary): 01
- DOC3(Spec-FP) 01

Reason: Version is present and matches expected format.

✓ COMPLIANT A8 — SUPERSEDES (VERSION)

Value: 00

Found in:

- DOC1(PPrimary): 00
- DOC3(Spec-FP) 00

Reason: Supersedes version is present and matches expected format.

✓ COMPLIANT A9 — EFFECTIVE DATE

Value: 09-03-2024

Found in:

- DOC1(PPrimary): 09-03-2024
- DOC3(Spec-FP) 09-03-2024

Reason: Effective date is present and in correct format.

✓ COMPLIANT A10 — REVIEW DATE

Value: 09-03-2027

Found in:

- DOC1(PPrimary): 09-03-2027
- DOC3(Spec-FP) 09-03-2027

Reason: Review date is present and within 3 years of effective date.

✓ COMPLIANT A11 — SIGNATURE BLOCK: Prepared By

Value: Executive QC

Found in:

- DOC1(PPrimary): Executive QC
- DOC3(Spec-FP) Executive QC

Reason: Prepared By (Executive QC) is present.

✓ COMPLIANT A12 — SIGNATURE BLOCK: Checked By

Value: Head QC

Found in:

- DOC1(PPrimary): Head QC
- DOC3(Spec-FP) Head QC

Reason: Checked By (Head QC) is present.

✓ COMPLIANT A13 — SIGNATURE BLOCK: Reviewed By

Value: Regulatory Affairs

Found in:

- DOC1(PPrimary): Regulatory Affairs
- DOC3(Spec-FP) Regulatory Affairs

Reason: Reviewed By (Regulatory Affairs) is present.

✓ COMPLIANT A14 — SIGNATURE BLOCK: Approved By

Value: Quality Assurance

Found in:

- DOC1(PPrimary): Quality Assurance
- DOC3(Spec-FP) Quality Assurance

Reason: Approved By (Quality Assurance) is present.

✓ COMPLIANT A15 — S. No. COLUMN

Value: S. No.

Found in:

DOC1(Primary): S. No.

DOC3(Spec-FP) S. No.

Reason: S. No. column is present and numbering is consecutive.

✓ COMPLIANT A16 — TESTS COLUMN

Value: Tests

Found in:

DOC1(Primary): Tests

DOC3(Spec-FP) Tests

Reason: Tests column header is present.

✓ COMPLIANT A17 — SPECIFICATIONS COLUMN

Value: Specifications

Found in:

DOC1(Primary): Specifications

DOC3(Spec-FP) Specifications

Reason: Specifications column header is present.

✓ COMPLIANT A18 — REFERENCES COLUMN

Value: References

Found in:

DOC1(Primary): References

DOC3(Spec-FP) References

Reason: References column header is present.

B. Description / Organoleptic

Physical appearance, colour, shape, coating type, score line, container/pack details, and reconstitution appearance for injectable powders.

✓ COMPLIANT B1 — DESCRIPTION (overall)

Value: A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

Found in:

DOC1(Primary): A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

DOC3(Spec-FP) A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

DOC2(COA-FP) A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

DOC5(Prod-Rel) A Sterile clear liquid filled in a clear Lupolene bottle with Transparent Lupolene nozzle and white HDPE cap.

Trained Data: USP-NF 2022: Description for Tobramycin Ophthalmic Solution — clear, colorless to pale yellow, sterile solution. (USP-NF 2022)

Reason: Description matches across all documents. Trained data (USP-NF 2022): Description matches document evidence.

C. Identification Tests

Identity verification by TLC, UV-Vis, HPLC, IR, or chemical method. R_F values, wavelength maxima, and retention time correspondence.

✓ COMPLIANT C1 — By Thin-Layer Chromatography

Value: Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

Found in:

DOC1(Primary): Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

DOC3(Spec-FP) Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

DOC2(COA-FP) Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

DOC4(DOC4(METHOD_ANALYSIS_FP)) Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

DOC5(Prod-Rel) Tobramycin should appear as a pink spot, and the R_F values of the spots of the Sample solution and of Solution A, respectively, should correspond to those of the Standard solution.

Trained Data: USP-NF 2022: TLC identification — pink spot, R_f matches standard. (USP-NF 2022)

Reason: TLC identification matches across all documents and USP-NF 2022.

✓ COMPLIANT C2 — By HPLC

Value: The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

Found in:

📄 **DOC1(Primary):** The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

📄 **DOC3(Spec-FP)** The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

📄 **DOC2(COA-FP)** The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

📄 **DOC4(DOC4(METHOD_ANALYSIS_FP))** The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

📄 **DOC5(Prod-Rel)** The retention time of the major peak of the Derivatized sample solution should correspond to that of the Derivatized standard solution obtained as directed in the Assay.

Trained Data: USP-NF 2022: HPLC retention time matches standard. (USP-NF 2022)

Reason: HPLC identification matches across all documents and USP-NF 2022.

D. Physical & Mechanical Tests

Average weight, uniformity of weight, hardness, friability, disintegration, and reconstitution time.

✓ COMPLIANT **D1 — Net Volume**

Value: NLT 5.0 ml/10.0 ml

Found in:

- DOC1(Primary): NLT 5.0 ml/10.0 ml
- DOC3(Spec-FP) NLT 5.0 ml/10.0 ml
- DOC2(COA-FP) NLT 5.0 ml
- DOC5(Prod-Rel) NLT 5.0 ml

Reason: Net volume matches across all documents for 5 ml pack. 10 ml pack is also covered in DOC3.

✓ COMPLIANT **D2 — Uniformity Of Volume**

Value: NLT 100.0% of Net Volume.

Found in:

- DOC1(Primary): NLT 100.0% of Net Volume.
- DOC3(Spec-FP) NLT 100.0% of Net Volume.
- DOC2(COA-FP) NLT 100.0% of Net Volume.
- DOC5(Prod-Rel) NLT 100.0% of Net Volume.

Reason: Uniformity of volume matches across all documents.

E. Physicochemical Tests

pH, osmolality, water content, loss on drying, clarity of solution, net/nominal volume, and uniformity of volume. pH cross-verified per USP General Chapter <791>; osmolality per USP <785>.

✓ COMPLIANT **E1 — pH**

Value: Between 7.00 and 8.00

Found in:

- DOC1(Primary): Between 7.00 and 8.00
- DOC3(Spec-FP) Between 7.00 and 8.00
- DOC2(COA-FP) Between 7.0 and 8.0
- DOC5(Prod-Rel) Between 7.0 and 8.0

Reason: pH range matches across all documents. Minor difference in decimal notation is not substantive.

H. Microbiological Tests

TAMC, TYMC, E. coli absence (non-sterile) and sterility, BET (sterile products). Sterility cross-verified per USP General Chapter <71>; Bacterial Endotoxins per USP <85>.

✓ COMPLIANT H1 — Sterility Tests

Value: Should be sterile

Found in:

- DOC1(Primary): Should be sterile
- DOC3(Spec-FP) Should be sterile
- DOC2(COA-FP) Should be sterile
- DOC5(Prod-Rel) Should be sterile

Reason: Sterility test matches across all documents.

✓ COMPLIANT H2 — Bacterial Endotoxins Test

Value: NMT 2.00 Endotoxin Units/mg of Tobramycin

Found in:

- DOC1(Primary): NMT 2.00 Endotoxin Units/mg of Tobramycin
- DOC3(Spec-FP) NMT 2.00 Endotoxin Units/mg of Tobramycin
- DOC2(COA-FP) NMT 2.00 Endotoxin Units/mg of Tobramycin.
- DOC5(Prod-Rel) NMT 2.00 Endotoxin Units/mg of Tobramycin.

Reason: Bacterial endotoxins test matches across all documents.

I. Particulate Matter

Visual inspection for ophthalmic solutions, light obscuration particle counts for injectables per USP <788>.

✓ COMPLIANT I1 — Particulate Matter

Value: The solution should visible and free from foreign particles.

Found in:

- DOC1(Primary): The solution should visible and free from foreign particles.
- DOC3(Spec-FP) The solution should visible and free from foreign particles.
- DOC2(COA-FP) The solution should visible and free from foreign particles.
- DOC5(Prod-Rel) The solution should visible and free from foreign particles.

Reason: Particulate matter specification matches across all documents.

J. Assay

API quantitative determination — labeled strength, salt/moiety equivalence, NLT/NMT % limits, absolute range, chemical formula, and multi-API assay for combinations. Mathematical calculation review applied for NLT and NMT data.

✓ COMPLIANT J1 — Assay

Value: Each 1ml contains: Tobramycin Sulfate USP Eq. to Tobramycin..... 3 mg 2.7000 mg to 3.6000 mg [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].

Calculated: Lower: 3 mg × 0.90 = 2.7 mg; Upper: 3 mg × 1.20 = 3.6 mg

Found in:

- DOC1(Primary): Each 1 ml contains: Tobramycin Sulfate USP Eq. to Tobramycin..... 3 mg 2.7000 mg to 3.6000 mg [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].
- DOC3(Spec-FP) Each 1 ml contains: Tobramycin Sulfate USP Eq. to Tobramycin..... 3 mg 2.7000 mg to 3.6000 mg [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].
- DOC2(COA-FP) Each 1 ml contains: Tobramycin Sulfate USP Eq. to Tobramycin.....3 mg 2.7000 mg to 3.6000 mg [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].
- DOC5(Prod-Rel) Each 1 ml contains: Tobramycin Sulfate USP Eq. to Tobramycin..... 3 mg 2.7000 mg to 3.6000 mg [NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9)].
- DOC4(DOC4(METHOD_ANALYSIS_FP)) Acceptance Criteria: NLT 90.0% and NMT 120.0% of the labeled amount of Tobramycin (C18H37N5O9).

Trained Data: USP-NF 2022: Assay for Tobramycin Ophthalmic Solution — NLT 90.0% and NMT 120.0% of labeled amount. (USP-NF 2022)

Reason: Assay specification and range matches across all documents and USP-NF 2022. Arithmetic check confirms correct range.

Arithmetic Verification

Mandatory calculation proofs for assay ranges, weight tolerances, and dissolution Q-values.

Check	Expected	Calculated	Difference	Status
Assay Range Verification	NLT 90.0% and NMT 120.0% of 3 mg	Lower: 3 mg × 0.90 = 2.7 mg; Upper: 3 mg × 1.20 = 3.6 mg	None	✓ COMPLIANT

	⚠ Step 1: Labeled amount = 3 mg; Step 2: Lower bound = 3 mg × 0.90 = 2.7 mg; Step 3: Upper bound = 3 mg × 1.20 = 3.6 mg; Step 4: Document states 2.7000 mg to 3.6000 mg — matches calculation. Double-checked: 2.7 mg / 3 mg = 0.90 (90%), 3.6 mg / 3 mg = 1.20 (120%).
--	---

Cross-Document Mismatches

Values in the Spec-FP that differ from reference documents.

Property	Spec-FP Value	Ref Doc	Ref Value	Trained Data	Impact
Company Name	RHYDBURG PHARMACEUTICALS LTD	DOC5(Prod-Rel)	RHYDBURG PHARMACEUTICALS LTD.	-	COSMETIC: Missing period in DOC5. Recommend harmonization.
Company Address	SIEL, SELAQUI, DEHRADUN, INDIA	DOC5(Prod-Rel)	SELAQUI, DEHRADUN, INDIA	-	COSMETIC: Extra 'SIEL,' in DOC5. Recommend harmonization.

Recommended Actions

MINOR Action 1: Minor formatting inconsistency: Company name missing period in DOC5. Error in: DOC5 → "RHYDBURG PHARMACEUTICALS LTD" Correct: "RHYDBURG PHARMACEUTICALS LTD." Supporting: DOC1, DOC2, DOC3, DOC4 Action: HARMONIZE
MINOR Action 2: Minor formatting inconsistency: Address includes 'SIEL,' in DOC5. Error in: DOC5 → "SIEL, SELAQUI, DEHRADUN, INDIA" Correct: "SELAQUI, DEHRADUN, INDIA" Supporting: DOC1, DOC2, DOC3, DOC4 Action: HARMONIZE

Reviewer Remarks

- All specification parameters in the STABILITY_FP (DOC1) are fully supported by the reference SPEC_FP (DOC3), COA_FINISHED (DOC2), FP_RELEASE (DOC5), and the Method of Analysis (DOC4).
- All arithmetic checks (assay range) are correct and match the specification.
- Minor formatting inconsistencies (company name period, address prefix) are present in DOC5 but do not affect regulatory compliance.
- No critical or major issues identified. Product is ready for submission.