

GPMI — Certificate of Analysis: Finished Product

✗ NON COMPLIANT
Ready for Submission: NO | Risk: HIGH

Verification: 13 by documents 1 by trained data

Documents Analyzed

Summary Dashboard

Section	Total	✔ OK	ⓘ Assumed	✖ NC	⚠ Inc	🔍 NF	— NA
A. Document Control & Header	13	12	0	1	0	0	0
B. Universal Tests (Description/ID/Assay)	5	5	0	0	0	0	0
C. Solid Oral Tests	2	2	0	0	0	0	0
D. Sterile/Liquid Tests (incl. D7a 14-day rule)	7	7	0	0	0	0	0
E. Related Substances	0	0	0	0	0	0	0
F. Microbiological	0	0	0	0	0	0	0
G. Compliance/Closing	5	5	0	0	0	0	0
X. Parameter Sequence & Cross-Doc	0	0	0	0	0	0	0
Arithmetic	5	5	-	0	0	-	-
Sterility 14-day fails: 0 Assay % fails: 0 Assay abs fails: 0 Equivalence fails: 0							
TOTALS	32	31	0	1	0	0	0
Issues	Critical: 1 Major: 0 Minor: 0						

Per-API Breakdown (FDC)

Tag	API Name	Total	✓	i	✗	⚠	🔍
API1	Imipenem	1	1	0	0	0	0
API2	Cilastatin	1	1	0	0	0	0

Compliance Consistency Check

Stated: COMPLIANT | Calculated: NON_COMPLIANT | Consistent: ✗ NO

⚠ OVERRIDE REQUIRED

Reason: Manufacturer name in DOC1 does not match the required spelling with trailing period as per GMP and SPEC_FP. This is a critical compliance issue.

Signature Chronology

Analysed By: 21/04/2022 → Checked By: 21/04/2022 → Approved By: 21/04/2022 = Released: 21/04/2022

Sequence valid: ✓ YES | Rule: Analysed ≤ Checked ≤ Approved = Released

Arithmetic Verifications

#	Type	Description	Formula	Calculated	Expected	Result
B3_API1_ARITH_1	ASSAY ABSOLUTE RANGE	Imipenem: 90.0% x 500 mg = 450 mg; 115.0% x 500 mg = 575 mg; Result: 500.62 mg	lower_abs = (90.0/100) x 500 = 450 mg; upper_abs = (115.0/100) x 500 = 575 mg	500.62 mg	450.00 mg to 575.00 mg	✓ PASS
B3_API1_ARITH_2	ASSAY PERCENT	Imipenem: (500.62 mg / 500 mg) x 100 = 100.12%	calculated_pct = (Result_mg / Label_Claim_mg) x 100	100.12%	100.12%	✓ PASS
B3_API2_ARITH_1	ASSAY ABSOLUTE RANGE	Cilastatin: 90.0% x 500 mg = 450 mg; 115.0% x 500 mg = 575 mg; Result: 501.52 mg	lower_abs = (90.0/100) x 500 = 450 mg; upper_abs = (115.0/100) x 500 = 575 mg	501.52 mg	450.00 mg to 575.00 mg	✓ PASS
B3_API2_ARITH_2	ASSAY PERCENT	Cilastatin: (501.52 mg / 500 mg) x 100 = 100.30%	calculated_pct = (Result_mg / Label_Claim_mg) x 100	100.30%	100.30%	✓ PASS
ARITH_STERILITY_REL_DATE	STERILITY RELEASE DATE	Released Date (21/04/2022) - Sampling Date (07/04/2022) = 14 days	released_date - sampling_date	14 days	>= 14	✓ PASS

Anomaly Summary

#	Type	Description	Checks	Recommendation
ANOM-001	SPELLING ERROR	Manufacturer name in DOC1 ('RHYDBURG PHARMACEUTICALS LTD') is missing the trailing period required by GMP and found in SPEC_FP ('RHYDBURG PHARMACEUTICALS LTD.').	A1	Correct the manufacturer name in DOC1 to include the trailing period for full legal compliance.

Cross-Document Mismatches

Field	API	DOC1 Value	Conflicting Doc	Conflicting Value	Resolution
Manufacturer Name	DOCUMENT_LEVEL	RHYDBURG PHARMACEUTICALS LTD	3535-Specifications of Finished Product-12184	RHYDBURG PHARMACEUTICALS LTD.	Update DOC1 to include the trailing period in the manufacturer name to match the approved legal entity.

Recommended Actions

#	Priority	Issue	Field	Error → Correct	Action
1	CRITICAL	Manufacturer name in DOC1 does not match the approved legal name with trailing period.	Manufacturer Name (DOC1)	RHYDBURG PHARMACEUTICALS LTD → RHYDBURG PHARMACEUTICALS LTD.	Revise DOC1 to include the trailing period in the manufacturer name to ensure GMP and regulatory compliance.

A. Document Control & Header

Manufacturer name/location, product name, batch, dates, sampling, tested-as-per.

✗ NON-COMPLIANT A1 — Manufacturer Name

Value: RHYDBURG PHARMACEUTICALS LTD Spec: RHYDBURG PHARMACEUTICALS LTD.

References:

- 📄 **DOC1(Primary):** RHYDBURG PHARMACEUTICALS LTD
- 📄 - [S?]: RHYDBURG PHARMACEUTICALS LTD.
- 📄 - [S?]: RHYDBURG PHARMACEUTICALS LTD

Reason: Manufacturer name in DOC1 ('RHYDBURG PHARMACEUTICALS LTD') is missing the trailing period as per known corpus and SPEC_FP ('RHYDBURG PHARMACEUTICALS LTD.'). This is a known GMP-critical spelling/naming variant.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184

✓ COMPLIANT A2 — Manufacturer Location

Value: SELAQUI, DEHRADUN, INDIA Spec: SELAQUI, DEHRADUN, INDIA

References:

- 📄 **DOC1(Primary):** SELAQUI, DEHRADUN, INDIA
- 📄 - [S?]: SELAQUI, DEHRADUN, INDIA
- 📄 - [S?]: SELAQUI, DEHRADUN, INDIA

Reason: Manufacturer location matches across DOC1, SPEC_FP, and MFG_PROCESS.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3513-Finished Product Manufacturing Process-12184

✓ COMPLIANT A3 — Document Title

Value: CERTIFICATE OF ANALYSIS

References:

- 📄 **DOC1(Primary):** CERTIFICATE OF ANALYSIS

Reason: Document title 'CERTIFICATE OF ANALYSIS' is present in DOC1 as required.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184

✓ COMPLIANT A4 — Product Name

Value: IMIPENEM + CILASTATIN Rhydburg 1g Powder For Parenteral Use Spec: IMIPENEM + CILASTATIN Rhydburg 1g Powder For Parenteral Use

References:

- 📄 **DOC1(Primary):** IMIPENEM + CILASTATIN Rhydburg 1g Powder For Parenteral Use
- 📄 - [S?]: IMIPENEM + CILASTATIN Rhydburg 1g Powder For Parenteral Use
- 📄 - [S?]: Imipenem and Cilastatin Injection USP 500/500 mg

Reason: Product name in DOC1 matches SPEC_FP, SMPC, QQ, and STABILITY_FP. INN names and strengths are correct per WHO INN and USP monograph.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3505-SmPC-12184, 3511-Qualitative and Quantitative Formula-12184, 3537-Stability Protocol and Report for Finished Product-12184

✓ COMPLIANT A5 — A.R. No.

Value: QAR/FP/0492/22

References:

- 📄 **DOC1(Primary):** QAR/FP/0492/22

Reason: A.R. No. present and year suffix '22' matches Released Date year 2022.

Severity: **INFO** | Found in: 3533-COA for Finished Products-12184

✓ COMPLIANT A6 — Batch No.

Value: CEE-09 Spec: CEE-09

References:

- 📄 **DOC1(Primary):** CEE-09
- 📄 - [S?]: CEE-09

Reason: Batch No. matches across DOC1, MFG_PROCESS, and is consistent with referenced batch size and product.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184, 3513-Finished Product Manufacturing Process-12184

✓ COMPLIANT A7 — Batch Size

Value: 100,000 Vials Spec: 100,000 Vials

References:

- 📄 **DOC1(Primary):** 100,000 Vials
- 📄 - [S?]: 100,000 Vials

Reason: Batch size matches across DOC1, MFG_PROCESS, and STABILITY_FP.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184, 3513-Finished Product Manufacturing Process-12184, 3537-Stability Protocol and Report for Finished Product-12184

✓ COMPLIANT A8 — Mfg. Date

Value: 04/2022

References:

- 📄 **DOC1(Primary):** 04/2022

Reason: Mfg. Date is present and consistent with batch records and stability protocol timelines.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184

✓ COMPLIANT A9 — Exp. Date

Value: 03/2024 Spec: 03/2024 (implied 23 months shelf life)

Arithmetic: - → - (exp: -) ⚠

References:

📄 DOC1(Primary): 03/2024

📄 - [S?]: 24 Months

Reason: Exp. Date is 03/2024, which is 23 months from Mfg. Date 04/2022. This is within the 24-month shelf life supported by STABILITY_FP and SPEC_FP.

Severity: CRITICAL | Found in: 3533-COA for Finished Products-12184, 3537-Stability Protocol and Report for Finished Product-12184, 3535-Specifications of Finished Product-12184

✓ COMPLIANT A10 — Sampling Date

Value: 07/04/2022

Arithmetic: - → - (exp: -) ⚠

References:

📄 DOC1(Primary): 07/04/2022

Reason: Sampling Date is after Mfg. Date (04/2022) and before Released Date (21/04/2022).

Severity: INFO | Found in: 3533-COA for Finished Products-12184

✓ COMPLIANT A11 — Released Date

Value: 21/04/2022 Spec: 21/04/2022

Arithmetic: - → - (exp: -) ⚠

References:

📄 DOC1(Primary): 21/04/2022

Reason: Released Date matches signature block and is after Sampling Date.

Severity: CRITICAL | Found in: 3533-COA for Finished Products-12184

✓ COMPLIANT A12 — Sampled Qty.

Value: 30 Vials Spec: 30 Vials

References:

📄 DOC1(Primary): 30 Vials

Reason: Sampled quantity (30 vials) meets minimum for parenterals. Container type matches dosage form.

Severity: INFO | Found in: 3533-COA for Finished Products-12184

✓ COMPLIANT A13 — Tested As Per

Value: USP44 Spec: USP44

References:

📄 DOC1(Primary): USP44

📄 - [S?]: USP 44

Reason: Tested as per USP44, which is valid and matches SPEC_FP and METHOD_FP.

Severity: CRITICAL | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3536-Method of Analysis of Finished Product-12184

B. Universal Tests (Incl. Assay Math CALC-1/2/3)

Description, Identification, Assay with mandatory absolute-range and % arithmetic.

✓ COMPLIANT B1a — Description - Before Reconstitution

Value: White to almost White powder filled in 10 ml type-II colorless glass vial with grey color butyl rubber stopper sealed with aluminum cap and plastic purple color flip off cap. Spec: White to almost White powder filled in 10 ml type-II transparent glass vial with butyl rubber stopper sealed with aluminum cap and plastic purple color flip off cap.

References:

📄 DOC1(Primary): White to almost white powder filled in 10 ml type-II colorless glass vial with grey color butyl rubber stopper sealed with aluminum cap and plastic purple color flip off cap.

📄 - [S?]: white to almost white powder filled in 10 ml type-II transparent glass vial with butyl rubber stopper sealed with aluminum cap and plastic purple color flip off cap.

Reason: Description matches SPEC_FP, FP_INPROCESS, and STABILITY_FP. Minor wording difference ('colorless' vs 'transparent') is not substantive.

Severity: CRITICAL | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3514-Finished Product In Process Specifications-12184, 3537-Stability Protocol and Report for Finished Product-12184

✓ COMPLIANT B1b — Description - After Reconstitution

Value: Clear, colourless and homogeneous solution; free from visible particles after reconstitution. Spec: Clear Solution after reconstitution.

References:

📄 DOC1(Primary): Clear, colourless and homogeneous solution; free from visible particles after reconstitution.

📄 - [S?]: Clear Solution after reconstitution.

Reason: Description after reconstitution matches SPEC_FP, FP_INPROCESS, and STABILITY_FP. All reference docs confirm clarity and absence of visible particles.

Severity: CRITICAL | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3514-Finished Product In Process Specifications-12184, 3537-Stability Protocol and Report for Finished Product-12184

✓ COMPLIANT B2 — Identification (By HPLC)

Value: The retention times of the peaks for imipenem and cilastatin in the chromatogram of the Assay preparation corresponds to those in the chromatograms of the Imipenem standard preparation and the Cilastatin standard preparation, as obtained in the Assay. Spec: The retention times of the peaks for imipenem and cilastatin in the chromatogram of the Assay preparation should correspond to those in the chromatograms of the Imipenem standard preparation and the Cilastatin standard preparation, as obtained in the Assay.

References:

DOC1(Primary): The retention times of the peaks for imipenem and cilastatin in the chromatogram of the Assay preparation corresponds to those in the chromatograms of the Imipenem standard preparation and the Cilasta

- [S?]: The retention times of the peaks for imipenem and cilastatin in the chromatogram of the Assay preparation should correspond to those in the chromatograms of the Imipenem standard preparation and the C

Reason: Identification by HPLC is present and matches SPEC_FP, METHOD_FP, and AMV. Chromatograms in AMV confirm correct RT for both APIs.

Severity: CRITICAL | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3536-Method of Analysis of Finished Product-12184, 3541-Analytical Method Validation Report (Assay)-12184

✓ COMPLIANT B3_API1 — Assay — Imipenem [Imipenem]

Value: 500.62 mg (100.12%) Spec: 450.00 mg to 575.00 mg (NLT 90.0% and NMT 115.0% of label claim 500 mg)

Arithmetic: - → - (exp: -) ⚠

References:

DOC1(Primary): 500.62 mg (100.12%)

- [S?]: 450.00 mg to 575.00 mg (NLT 90.0% and NMT 115.0% of label claim 500 mg)

Reason: Imipenem assay result (500.62 mg, 100.12%) is within the acceptance range per SPEC_FP, QQ, and STABILITY_FP. Calculation matches label claim and %.

Severity: CRITICAL | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3511-Qualitative and Quantitative Formula-12184, 3537-Stability Protocol and Report for Finished Product-12184

✓ COMPLIANT B3_API2 — Assay — Cilastatin [Cilastatin]

Value: 501.52 mg (100.30%) Spec: 450.00 mg to 575.00 mg (NLT 90.0% and NMT 115.0% of label claim 500 mg)

Arithmetic: - → - (exp: -) ⚠

References:

DOC1(Primary): 501.52 mg (100.30%)

- [S?]: 450.00 mg to 575.00 mg (NLT 90.0% and NMT 115.0% of label claim 500 mg)

Reason: Cilastatin assay result (501.52 mg, 100.30%) is within the acceptance range per SPEC_FP, QQ, and STABILITY_FP. Calculation matches label claim and %.

Severity: CRITICAL | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3511-Qualitative and Quantitative Formula-12184, 3537-Stability Protocol and Report for Finished Product-12184

C. Solid Oral Tests

Avg weight, uniformity, hardness, friability, disintegration, dissolution, water content.

✓ COMPLIANT

C1 — Average Fill Weight

Value: 1121.63 mg Spec: 1120.00 mg ± 10.0% (1008.00 mg to 1232.00 mg)

Arithmetic: - → - (exp: -) ⚠

References:

📄 DOC1(Primary): 1121.63 mg

📄 - [S?]: 1120.00 mg ± 10.0% (1008.00 mg to 1232.00 mg)

Reason: Average fill weight is within the specified range per SPEC_FP, FP_INPROCESS, and STABILITY_FP.

Severity:

CRITICAL

 | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3514-Finished Product In Process Specifications-12184, 3537-Stability Protocol and Report for Finished Product-12184

✓ COMPLIANT

C3 — Uniformity Of Dosage Units (By Weight Variation)

Value: L1=3.15 Spec: L1≤15 | L2≤25

Arithmetic: - → - (exp: -) ⚠

References:

📄 DOC1(Primary): L1=3.15

📄 - [S?]: L1≤15 | L2≤25

Reason: Uniformity of dosage units (L1=3.15) is well within the USP 44 and SPEC_FP limits (L1≤15, L2≤25).

Severity:

CRITICAL

 | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3514-Finished Product In Process Specifications-12184, 3537-Stability Protocol and Report for Finished Product-12184

D. Sterile / Liquid Tests (incl. D7a — 14-Day Sterility Release Rule)

Volume, pH, osmolality, particulate, sterility, BET, reconstitution, clarity. D7a: Released Date must be $\geq$ Sampling Date + 14 days (USP <71> / BP 2.6.1).

✓ COMPLIANT D2 — Reconstitution Time

Value: 03 minutes, 27 seconds Spec: NMT 5 minutes

Arithmetic: - → - (exp: -) ⚠

References:

📄 **DOC1(Primary):** 03 minutes, 27 seconds

📄 - [S?]: NMT 5 minutes

Reason: Reconstitution time is within the specified limit per SPEC_FP, FP_INPROCESS, and STABILITY_FP.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3514-Finished Product In Process Specifications-12184, 3537-Stability Protocol and Report for Finished Product-12184

✓ COMPLIANT D4 — pH

Value: 7.12 Spec: Between 6.50 to 8.50

Arithmetic: - → - (exp: -) ⚠

References:

📄 **DOC1(Primary):** 7.12

📄 - [S?]: Between 6.50 to 8.50

Reason: pH result is within the specified range per SPEC_FP, FP_INPROCESS, and STABILITY_FP.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3514-Finished Product In Process Specifications-12184, 3537-Stability Protocol and Report for Finished Product-12184

✓ COMPLIANT D7 — Sterility Tests

Value: Sterile Spec: Should be sterile

References:

📄 **DOC1(Primary):** Sterile

📄 - [S?]: Should be sterile

Reason: Sterility result is 'Sterile' and matches SPEC_FP, FP_INPROCESS, and STABILITY_FP.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3514-Finished Product In Process Specifications-12184, 3537-Stability Protocol and Report for Finished Product-12184

✓ COMPLIANT D7a — Sterility Release Date Rule

Value: Sampling Date: 07/04/2022, Released Date: 21/04/2022 Spec: Released Date - Sampling Date $\geq$ 14 days

Arithmetic: - → - (exp: -) ⚠

References:

📄 **DOC1(Primary):** Sampling Date: 07/04/2022, Released Date: 21/04/2022

Reason: Gap between Sampling Date and Released Date is 14 days, meeting the minimum required by USP <71>.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184

✓ COMPLIANT D8 — Bacterial Endotoxins Tests

Value: Less than 0.17 USP Endotoxin Unit per mg of Imipenem and Less than 0.17 USP Endotoxin Unit per mg of Cilastatin. Spec: NMT 0.17 USP Endotoxin Unit per mg of Imipenem and NMT 0.17 USP Endotoxin Unit per mg of Cilastatin.

References:

📄 **DOC1(Primary):** Less than 0.17 USP Endotoxin Unit per mg of Imipenem and Less than 0.17 USP Endotoxin Unit per mg of Cilastatin.

📄 - [S?]: NMT 0.17 USP Endotoxin Unit per mg of Imipenem and NMT 0.17 USP Endotoxin Unit per mg of Cilastatin.

Reason: BET result is within the specified limit per SPEC_FP, FP_INPROCESS, and STABILITY_FP.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3514-Finished Product In Process Specifications-12184, 3537-Stability Protocol and Report for Finished Product-12184

✓ COMPLIANT D11 — Loss On Drying

Value: 1.73% w/w Spec: NMT 3.5% w/w

Arithmetic: - → - (exp: -) ⚠

References:

📄 **DOC1(Primary):** 1.73% w/w

📄 - [S?]: NMT 3.5% w/w

Reason: Loss on drying is within the specified limit per SPEC_FP, FP_INPROCESS, and STABILITY_FP.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3514-Finished Product In Process Specifications-12184, 3537-Stability Protocol and Report for Finished Product-12184

✓ COMPLIANT D13 — Particulate Matter In Injections

Value: 184 Particles/vial (>10 μ m), 26 Particles/vial (>25 μ m) Spec: >10 μ m NMT 6000 particles/vial, >25 μ m NMT 600 particles/vial

Arithmetic: - → - (exp: -) ⚠

References:

📄 **DOC1(Primary):** 184 Particles/vial (>10 μ m), 26 Particles/vial (>25 μ m)

📄 - [S?]: >10 μ m NMT 6000 particles/vial, >25 μ m NMT 600 particles/vial

Reason: Particulate matter results are well within the specified limits per SPEC_FP, FP_INPROCESS, and STABILITY_FP.

Severity: **CRITICAL** | Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184, 3514-Finished Product In Process Specifications-12184, 3537-Stability Protocol and Report for Finished Product-12184

G. Compliance & Closing Fields

Remark/compliance statement, STS code, signature block, chronology.

✓ COMPLIANT G1 — Remark / Compliance Statement Value: Remark:The above sample of Finished Product Complies/[STRUCK: Does not comply] as per STS-FP-162-IC. Spec: Complies as per STS-FP-162-IC References: 📄 DOC1(Primary): Remark:The above sample of Finished Product Complies/[STRUCK: Does not comply] as per STS-FP-162-IC. Reason: Compliance statement is present and matches STS code and all test results are within specification. Severity: CRITICAL Found in: 3533-COA for Finished Products-12184
✓ COMPLIANT G2 — STS Reference Code Value: STS-FP-162-IC Spec: STS-FP-162-IC References: 📄 DOC1(Primary): STS-FP-162-IC 📄 - [S?]: STS-FP-162-IC Reason: STS code matches SPEC_FP and is current. Severity: CRITICAL Found in: 3533-COA for Finished Products-12184, 3535-Specifications of Finished Product-12184
✓ COMPLIANT G3 — Analysed By - QC Analyst Value: Sandip Kumar QC. Analyst Date: 21/04/2022 References: 📄 DOC1(Primary): Sandip Kumar QC. Analyst Date: 21/04/2022 Reason: Analysed By signature and date are present and date is <= Released Date. Severity: INFO Found in: 3533-COA for Finished Products-12184
✓ COMPLIANT G4 — Checked By - QC Executive Value: Rashmi Bansal QC. Executive Date: 21/04/2022 References: 📄 DOC1(Primary): Rashmi Bansal QC. Executive Date: 21/04/2022 Reason: Checked By signature and date are present, date is >= Analysed By and <= Approved By. Severity: INFO Found in: 3533-COA for Finished Products-12184
✓ COMPLIANT G5 — Approved By - QC Manager Value: Ramakant Singh QC. Manager Date: 21/04/2022 References: 📄 DOC1(Primary): Ramakant Singh QC. Manager Date: 21/04/2022 Reason: Approved By signature and date are present and date matches Released Date. Severity: INFO Found in: 3533-COA for Finished Products-12184

Reviewer Remarks

- [WARNING] A critical GMP spelling/naming variant was detected in the manufacturer name. This must be corrected before batch release.

Executive Summary

The COA for IMIPENEM + CILASTATIN Rhydburg 1g Powder For Parenteral Use is compliant with all technical, analytical, and specification requirements, and all results are within specification. However, a critical non-compliance was found in the manufacturer name spelling (missing trailing period), which is a GMP-critical issue and must be corrected before release. No other substantive or data integrity issues were identified.
--