
Target page: Accessible Map

Assessment report

This report shows the overall accessibility of the website or web app through a combination of automated and manual tests that cover all the WCAG 2.1 AA and 2.2 AA success criteria.

Summary



Failed tests (21)

Focus (X1)

Closing content: Closing revealed content must return input focus to the component that revealed it - WCAG 2.4.3

Comment

The Leaflet Layers Control opens a menu for selecting background layers but it cannot be closed with the keyboard and tabbing away moves to the next element in the tab order.

Incomplete tests •••

Passed tests 2153

area-alt: Active <area> elements must have alternate text - WCAG 2.4.4, WCAG 4.1.2 No matching instances aria-allowed-attr: Elements must only use supported ARIA attributes - WCAG 4.1.2 231 No failing instances No failing instances aria-command-name: ARIA commands must have an accessible name - WCAG 4.1.2 No matching instances aria-conditional-attr: ARIA attributes must be used as specified for the element's role - WCAG 4.1.2 231 No failing instances aria-deprecated-role: Deprecated ARIA roles must not be used - WCAG 4.1.2 <a>32) No failing instances aria-hidden-body: aria-hidden="true" must not be present on the document body - WCAG 1.3.1, WCAG 4.1.2 No failing instances aria-hidden-focus: ARIA hidden element must not be focusable or contain focusable elements - WCAG 4.1.2 No failing instances aria-input-field-name: ARIA input fields must have an accessible name - WCAG 4.1.2 No matching instances aria-meter-name: ARIA meter nodes must have an accessible name - WCAG 1.1.1 No matching instances aria-progressbar-name: ARIA progressbar nodes must have an accessible name - WCAG 1.1.1 No matching instances aria-prohibited-attr: Elements must only use permitted ARIA attributes - WCAG 4.1.2 224 No failing instances aria-required-attr: Required ARIA attributes must be provided - WCAG 4.1.2 32 No failing instances

```
aria-required-children: Certain ARIA roles must contain particular children - WCAG 1.3.1
 No matching instances
aria-required-parent: Certain ARIA roles must be contained by particular parents - WCAG 1.3.1
 No matching instances
aria-roles: ARIA roles used must conform to valid values - WCAG 4.1.2 <a>32</a>)
 No failing instances
aria-toggle-field-name: ARIA toggle fields must have an accessible name - WCAG 4.1.2
 No matching instances
aria-tooltip-name: ARIA tooltip nodes must have an accessible name - WCAG 4.1.2
 No matching instances
aria-valid-attr-value: ARIA attributes must conform to valid values - WCAG 4.1.2
 No failing instances
aria-valid-attr: ARIA attributes must conform to valid names - WCAG 4.1.2 31
 No failing instances
audio-caption: <audio> elements must have a captions track - WCAG 1.2.1
 No matching instances
autocomplete-valid: autocomplete attribute must be used correctly - WCAG 1.3.5 New for WCAG 2.1
 No failing instances
avoid-inline-spacing: Inline text spacing must be adjustable with custom stylesheets - WCAG 1.4.12
New for WCAG 2.1
 No failing instances
blink: <bli>blink> elements are deprecated and must not be used - WCAG 2.2.2
 No matching instances
button-name: Buttons must have discernible text - WCAG 4.1.2 10
 No failing instances
bypass: Page must have means to bypass repeated blocks - WCAG 2.4.1 21
 No failing instances
color-contrast: Elements must meet minimum color contrast ratio thresholds - WCAG 1.4.3
```

No matching instances

```
definition-list: <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>,
<template> or <div> elements - WCAG 1.3.1
    No matching instances
dlitem: <dt> and <dd> elements must be contained by a <dl> - WCAG 1.3.1
    No matching instances
document-title: Documents must have <title> element to aid in navigation - WCAG 2.4.2 🚺
    No failing instances
duplicate-id-aria: IDs used in ARIA and labels must be unique - WCAG 4.1.2
    No failing instances
frame-focusable-content: Frames with focusable content must not have tabindex=-1 - WCAG 2.1.1
    No matching instances
frame-title: Frames must have an accessible name - WCAG 4.1.2
    No matching instances
html-has-lang: <html> element must have a lang attribute - WCAG 3.1.1
    No failing instances
html-lang-valid: <a href="html">html-lang-valid: <a href="html">httml</a> <a href="html"
    No failing instances
html-xml-lang-mismatch: HTML elements with lang and xml:lang must have the same base language -
  WCAG 3.1.1
    No matching instances
image-alt: Images must have alternate text - WCAG 1.1.1 2114
    No failing instances
input-button-name: Input buttons must have discernible text - WCAG 4.1.2
    No matching instances
input-image-alt: Image buttons must have alternate text - WCAG 1.1.1, WCAG 4.1.2
    No matching instances
label: Form elements must have labels - WCAG 4.1.2
    No failing instances
```

```
No matching instances
link-name: Links must have discernible text - WCAG 2.4.4, WCAG 4.1.2
 No failing instances
list:  and  must only directly contain , <script> or <template> elements - WCAG 1.3.1 🛂
 No failing instances
listitem: elements must be contained in a  or  - WCAG 1.3.1 <a>3</a>
 No failing instances
marquee: <marquee> elements are deprecated and must not be used - WCAG 2.2.2
 No matching instances
meta-refresh: Delayed refresh under 20 hours must not be used - WCAG 2.2.1
 No matching instances
meta-viewport: Zooming and scaling must not be disabled - WCAG 1.4.4
 No failing instances
nested-interactive: Interactive controls must not be nested - WCAG 4.1.2
 No failing instances
object-alt: <object> elements must have alternate text - WCAG 1.1.1
 No matching instances
presentation-role-conflict: Ensure elements marked as presentational are consistently ignored - WCAG
1.3.1 90 Best Practice
 No failing instances
role-img-alt: [role="img"] elements must have an alternative text - WCAG 1.1.1
 No matching instances
scrollable-region-focusable: Scrollable region must have keyboard access - WCAG 2.1.1
 No matching instances
select-name: Select element must have an accessible name - WCAG 4.1.2
 No matching instances
server-side-image-map: Server-side image maps must not be used - WCAG 2.1.1
 No matching instances
```

link-in-text-block: Links must be distinguishable without relying on color - WCAG 1.4.1

svg-img-alt: <svg> elements with an img role must have an alternative text - WCAG 1.1.1 No matching instances td-headers-attr: Table cells that use the headers attribute must only refer to cells in the same table - WCAG 1.3.1 No matching instances th-has-data-cells: Table headers in a data table must refer to data cells - WCAG 1.3.1 No matching instances valid-lang: lang attribute must have a valid value - WCAG 3.1.2 No matching instances video-caption: <video> elements must have captions - WCAG 1.2.2 No matching instances Keyboard 26 Keyboard navigation: Users must be able to navigate to all interactive interface components using a keyboard - WCAG 2.1.1 No matching instances No keyboard traps: Users must be able to navigate away from all components using a keyboard - WCAG 2.1.2 No matching instances On focus: Navigating to a component must not trigger any unexpected change of context - WCAG 3.2.1 **2**0 No matching instances On input: Changing a component's settings must not trigger any unexpected change of context - WCAG 3.2.2 No matching instances No keystroke timings: Components must not require specific timings for individual keystrokes - WCAG 2.1.1 No matching instances Character key shortcuts: Users must be able to turn off or remap character key shortcuts - WCAG 2.1.4 New for WCAG 2.1 No matching instances

Focus (25)

Visible focus: Components must provide a visible indication when they have the input focus - WCAG 2.4.7

No matching instances

Revealing content: Activating a component that reveals hidden content must move input focus into the revealed content - WCAG 2.4.3 **20**

No matching instances

Modal dialogs: Users must not be able to Tab away from a modal dialog without explicitly dismissing it -WCAG 2.4.3 **20**

No matching instances

Focus order: Components must receive focus in an order that preserves meaning and operability - WCAG 2.4.3

No matching instances

Focus not obscured: For elements receiving keyboard focus, its focus indicator must be at least partially visible and not obscured by author-created content which overlays it, unless the focused element can be revealed without requiring the user to advance focus in the UI - WCAG 2.4.11 New for WCAG 2.2

No matching instances

Landmarks (2)

Landmark roles: A landmark region must have the role that best describes its content - WCAG 1.3.1

Path header Snippet <header> Role banner

Path nav Snippet <nav>

Home Map About </11/>

</nav>

Role navigation

Path main Snippet <main> Role main

Path

Snippet <aside id="sidebar" aria-label="Map description and configuration panel" tabindex="0">

Role complementary: map description and configuration panel

Primary content: The main landmark must contain all of the page's primary content - WCAG 1.3.1, WCAG 2.4.1

No repeating content: The main landmark must not contain any blocks of content that repeat across pages - WCAG 1.3.1, WCAG 2.4.1

Headings (2)3)

Heading function: An element coded as a heading must function as a heading - WCAG 1.3.1, WCAG 2.4.6 **₹**3

Path h1

Snippet <h1>Accessible Map</h1>

Heading text Accessible Map

#sidebar > div:nth-child(1) > h2 <h2>Castles in Austria</h2>

Heading text Castles in Austria Path #map-config > h2

Snippet <h2>Map Configuration</h2>

Heading text Map Configuration

Heading level: A heading's programmatic level must match the level that's presented visually - WCAG 1.3.1 \bigcirc 3

Path h

Snippet <h1>Accessible Map</h1>

Heading text Accessible Map

Heading text Castles in Austria

Path #map-config > h2

Snippet <h2>Map Configuration</h2>

Heading text Map Configuration

Repetitive content (2)

Bypass blocks: A page must provide a keyboard-accessible method to bypass repetitive content - WCAG 2.4.1 \bigcirc 0

No matching instances

Consistent navigation: Navigational mechanisms that appear on multiple pages must be presented in the same relative order - WCAG 3.2.3

No matching instances

Consistent identification: Functional components that appear on multiple pages must be identified consistently - WCAG 3.2.4

No matching instances

Consistent help: Ensure help – or mechanism(s) to request help – are consistently located in the same relative location across a set of web pages/screens - WCAG 3.2.6 New for WCAG 2.2

No matching instances

Links 🕢 3

Link function: If an anchor element functions as a custom widget, it must have the appropriate ARIA widget role - WCAG 4.1.2 \bigcirc 2

Path a[target="_blank"]:nth-child(3)

Snippet <a href="https://www.jawg.io?utm_medium=map&utm_source=attribution" aria-label="Jawg att

ribution. Opens in a new tab" target="_blank">© Jawg

Accessible name Jawg attribution. Opens in a new tab

URL https://www.jawg.io?utm_medium=map&utm_source=attribution

Role (no value)
Tab Index (no value)

Aria attributes:

aria-label Jawg attribution. Opens in a new tab

Path a[target="_blank"]:nth-child(4)

Snippet <a href="https://www.openstreetmap.org?utm_medium=map-attribution&utm_source=jawg" ari

 $a-label="OpenStreetMap" attribution. Opens in a new tab" target="_blank">@ OpenStreetMap$

Accessible name OpenStreetMap attribution. Opens in a new tab

URL https://www.openstreetmap.org?utm_medium=map-attribution&utm_source=jawg

Role (no value)
Tab Index (no value)

Aria attributes:

aria-label OpenStreetMap attribution. Opens in a new tab

Link purpose: The purpose of a link must be described by its link text alone, or by the link text together with preceding page context - WCAG 2.4.4

Path .skip-link

Snippet Skip to Map

Accessible name Skip to Map
Accessible description (no value)
URL #map

Path a[href="index.html"]

Snippet Home

Accessible name Home
Accessible description (no value)
URL index.html

Path li:nth-child(2) > a[href\$="#map"]

Snippet Map

Accessible description (no value)
URL #map

Path a[href\$="about.html"]

Snippet About

Accessible description (no value)
URL about.html

Path a[href\$="leafletjs.com"]

Snippet

Accessible description (no value)

URL https://leafletjs.com

Path a[target="_blank"]:nth-child(3)

Snippet <a href="https://www.jawg.io?utm_medium=map&utm_source=attribution" aria-label="Jawg attribution" aria-label="Jawg

on. Opens in a new tab" target="_blank">© Jawg

Accessible name Jawg attribution. Opens in a new tab

Accessible description (no value)

URL https://www.jawg.io?utm_medium=map&utm_source=attribution

Path a[target="_blank"]:nth-child(4)

 $\textbf{Snippet} \hspace{1cm} <\hspace{-1mm} \texttt{a href="https://www.openstreetmap.org?utm_medium=map-attribution\&utm_source=jawg" aria-labution\&utm_source=jawg" aria-labution\&utm_source=jawg;utm_source=jawg;utm_source=jawg;utm_source=jawg;utm_source=jawg;utm_source=$

el="OpenStreetMap attribution. Opens in a new tab" target="_blank">© OpenStreetMap

Accessible name OpenStreetMap attribution. Opens in a new tab

Accessible description (no value)

URL https://www.openstreetmap.org?utm_medium=map-attribution&utm_source=jawg

Label in name: A link's accessible name must contain its visible text label - WCAG 2.5.3 New for WCAG 2.1

Path a[target="_blank"]:nth-child(3)

Snippet <a href="https://www.jawg.io?utm_medium=map&utm_source=attribution" aria-label="Jawg attributi

on. Opens in a new tab" target="_blank">© Jawg

Accessible name Jawg attribution. Opens in a new tab

Visible text © Jawg

URL https://www.jawg.io?utm_medium=map&utm_source=attribution

Path a[target="_blank"]:nth-child(4)

Snippet <a href="https://www.openstreetmap.org?utm_medium=map-attribution&utm_source=jawg" aria-lab

el="OpenStreetMap attribution. Opens in a new tab" target="_blank"> \otimes OpenStreetMap

Accessible name OpenStreetMap attribution. Opens in a new tab

Visible text © OpenStreetMap

URL https://www.openstreetmap.org?utm_medium=map-attribution&utm_source=jawg

Native widgets (25)

Widget function: If a native widget *functions* as a custom widget, it must have the appropriate ARIA widget role - WCAG 4.1.2 13

Path #search-input

Snippet </

h-input" autocomplete="off" style="width: 250px; height: 35px;">

Element input type="text"

Accessible name Search castle

Role (no value)

ARIA attributes (no value)

Tab index (no value)

Path #shortcuts-button

Snippet Keyboard Shortcuts/button>

Element button

Accessible name Keyboard Shortcuts

Role (no value)
ARIA attributes (no value)
Tab index (no value)

Path #sidebar-button

Snippet <</sp

an></button>

Element button

Accessible name Hide complementary content

Role (no value)
ARIA attributes (no value)
Tab index (no value)

Path #increase-font-size

Element button

Accessible name Increase font size

Role (no value)

ARIA attributes (no value)

Tab index (no value)

Path #decrease-font-size

Snippet A-</button>

Element button

Accessible name Decrease font size

Role (no value)
ARIA attributes (no value)
Tab index (no value)

Path #contrast-checkbox

Snippet <input type="checkbox" aria-label="High Contrast Mode" id="contrast-checkbox">

Element input type="checkbox"

Accessible name High Contrast Mode

Role (no value)
ARIA attributes (no value)
Tab index (no value)

Path #labels-checkbox

Snippet <input type="checkbox" aria-label="Show castle names on map" id="labels-checkbox">

Element input type="checkbox"

Accessible name Show castle names on map

Role (no value)
ARIA attributes (no value)
Tab index (no value)

Path button[aria-label="OpenStreetMap"]

Snippet <img src="./images/osm.png" alt

=""></button>

Element button

Accessible name OpenStreetMap
Role (no value)
ARIA attributes (no value)
Tab index (no value)

Path button[aria-label="OpenStreetMap.HOT"]

Snippet Snippet Sutton class="basemap-selector-button" aria-label="OpenStreetMap.HOT"><i ng src="./images/hot.png"

alt=""></button>

Element button

Accessible name OpenStreetMap.HOT

Role (no value)
ARIA attributes (no value)
Tab index (no value)

Path button[aria-label="MapTiler Dataviz"]

viz.png" alt=""></button>

Element button

Accessible name MapTiler Dataviz

Role (no value)

ARIA attributes (no value)

Tab index (no value)

Path button[aria-label="MapTiler Toner"]

 $\textbf{Snippet} \hspace{1.5cm} \textit{<button class="basemap-selector-button" aria-label="MapTiler Toner"><img src="./images/maptilertoner."} \\$

png" alt=""></button>

Element button

Accessible name MapTiler Toner

Role (no value)

ARIA attributes (no value)

Tab index (no value)

Path .selected

Snippet

png" alt=""></button>

ElementbuttonAccessible nameJawg LightRole(no value)ARIA attributes(no value)Tab index(no value)

Path button[aria-label="Jawg Dark"]

=""></button>

ElementbuttonAccessible nameJawg DarkRole(no value)ARIA attributes(no value)Tab index(no value)

Instructions: If a native widget has a visible label or instructions, they must be programmatically determinable - WCAG 1.3.1, WCAG 2.5.3 New for WCAG 2.1

Snippet <input class="search-input" type="text" placeholder="Search castle" aria-label="Search castle" id="search

h-input" autocomplete="off" style="width: 250px; height: 35px;">

 Element
 input type="text"

 Accessible name
 Search castle

 Accessible description
 (no value)

Path #shortcuts-button

Element button

Accessible name Keyboard Shortcuts

Accessible description (no value)

Path #sidebar-button

an></button>

Element button

Accessible name Hide complementary content

Accessible description (no value)

Path #increase-font-size

Snippet

<br/

Element button

Accessible name Increase font size
Accessible description (no value)

Path #decrease-font-size

Element button

Accessible name Decrease font size

Accessible description (no value)

Path #contrast-checkbox

Snippet <input type="checkbox" aria-label="High Contrast Mode" id="contrast-checkbox">

Element input type="checkbox"

Accessible name High Contrast Mode

Accessible description (no value)

Path #labels-checkbox

Snippet <input type="checkbox" aria-label="Show castle names on map" id="labels-checkbox">

Element input type="checkbox"

Accessible name Show castle names on map

Accessible description (no value)

Path button[aria-label="OpenStreetMap"]

 $\textbf{Snippet} \hspace{1.5cm} \texttt{<button class="basemap-selector-button" aria-label="OpenStreetMap">< img src="./images/osm.png" alt to the class="basemap-selector-button" aria-label="openstreetMap">< img src="./images/osm.png">< img src="./images/osm.png">< img src="./images/osm.png">< img src="./images/osm.png">< img src="./images/osm.png">< img src="./images/osm.png"$

=''''></button>

Element button

Accessible name OpenStreetMap

Accessible description (no value)

Path button[aria-label="OpenStreetMap.HOT"]

alt=""></button>

Element button

Accessible name OpenStreetMap.HOT

Accessible description (no value)

Path button[aria-label="MapTiler Dataviz"]

Snippet

viz.png" alt=""></button>

Element button

Accessible name MapTiler Dataviz

Accessible description (no value)

Path button[aria-label="MapTiler Toner"]

png" alt=""></button>

Element button

Accessible name MapTiler Toner
Accessible description (no value)

Path .selected

Snippet Snippet Sutton class="basemap-selector-button selected" aria-label="Jawg Light"><i ng src="./images/jawglight.">snippet

png" alt=""></button>

 Element
 button

 Accessible name
 Jawg Light

 Accessible description
 (no value)

Path button[aria-label="Jawg Dark"]

Snippet Snippet Sutton class="basemap-selector-button" aria-label="Jawg Dark">Snippet <a href=

=""></button>

 Element
 button

 Accessible name
 Jawg Dark

 Accessible description
 (no value)

Path #search-input

Snippet <input class="search-input" type="text" placeholder="Search castle" aria-label="Search castle" id="search

h-input" autocomplete="off" style="width: 250px; height: 35px;">

Element input type="text"

Accessible name Search castle

Accessible description (no value)

Path #shortcuts-button

Snippet Keyboard Shortcuts/button>

Element button

Accessible name Keyboard Shortcuts

Accessible description (no value)

Path #sidebar-button

Snippet <</sp

an></button>

Element button

Accessible name Hide complementary content

Accessible description (no value)

Path #increase-font-size

Element button

Accessible name Increase font size

Accessible description (no value)

Path #decrease-font-size

Snippet A-</button>

Element button

Accessible name Decrease font size

Accessible description (no value)

Path #contrast-checkbox

Snippet <input type="checkbox" aria-label="High Contrast Mode" id="contrast-checkbox">

Element input type="checkbox"

Accessible name High Contrast Mode

Accessible description (no value)

Path #labels-checkbox

Snippet <input type="checkbox" aria-label="Show castle names on map" id="labels-checkbox">

Element input type="checkbox"

Accessible name Show castle names on map

Accessible description (no value)

Path button[aria-label="OpenStreetMap"]

=""></button>

Element buttor

Accessible name OpenStreetMap

Accessible description (no value)

Path button[aria-label="OpenStreetMap.HOT"]

Snippet Snippet Sutton class="basemap-selector-button" aria-label="OpenStreetMap.HOT"><i ng src="./images/hot.png"

alt=""></button>

Element button

Accessible name OpenStreetMap.HOT

Accessible description (no value)

Path button[aria-label="MapTiler Dataviz"]

viz.png" alt=""></button>

Element button

Accessible name MapTiler Dataviz

Accessible description (no value)

Path button[aria-label="MapTiler Toner"]

Snippet

png" alt=""></button>

 Element
 button

 Accessible name
 MapTiler Toner

 Accessible description
 (no value)

Path .selected

Snippet Snippet shippet

png" alt=""></button>

 Element
 button

 Accessible name
 Jawg Light

 Accessible description
 (no value)

Path button[aria-label="Jawg Dark"]

=""></button>

 Element
 button

 Accessible name
 Jawg Dark

 Accessible description
 (no value)

Cues: If a native widget adopts certain interactive states, it must provide appropriate cues - WCAG 1.3.1, WCAG 4.1.2 \bigcirc 13)

Path #search-input

Snippet <input class="search-input" type="text" placeholder="Search castle" aria-label="Search castle" id="search</pre>

h-input" autocomplete="off" style="width: 250px; height: 35px;">

Element input type="text"

Accessible name Search castle

HTML cues (no value)

ARIA cues (no value)

Path #shortcuts-button

Snippet Keyboard Shortcuts/button>

Element button

Accessible name Keyboard Shortcuts

HTML cues (no value)

ARIA cues (no value)

Path #sidebar-button

Snippet <</sp

an></button>

Element button

Accessible name Hide complementary content

HTML cues (no value)
ARIA cues (no value)

Path #increase-font-size

Snippet

snippet

button id="increase-font-size" aria-label="Increase font size" title="Increase font size">A+</button>

Element button

Accessible name Increase font size
HTML cues (no value)
ARIA cues (no value)

Path #decrease-font-size

Snippet A-</button>

Element button

ARIA cues

Accessible name Decrease font size
HTML cues (no value)

(no value)

Path #contrast-checkbox

Snippet <input type="checkbox" aria-label="High Contrast Mode" id="contrast-checkbox">

Element input type="checkbox"

Accessible name High Contrast Mode

HTML cues (no value)
ARIA cues (no value)

Path #labels-checkbox

Snippet <input type="checkbox" aria-label="Show castle names on map" id="labels-checkbox">

Element input type="checkbox"

Accessible name Show castle names on map

HTML cues (no value)
ARIA cues (no value)

Path button[aria-label="OpenStreetMap"]

=""></button>

Element button

Accessible name OpenStreetMap
HTML cues (no value)
ARIA cues (no value)

Path button[aria-label="OpenStreetMap.HOT"]

alt=""></button>

Element button

Accessible name OpenStreetMap.HOT

HTML cues (no value)
ARIA cues (no value)

Path button[aria-label="MapTiler Dataviz"]

viz.png" alt=""></button>

Element button

Accessible name MapTiler Dataviz
HTML cues (no value)
ARIA cues (no value)

Path button[aria-label="MapTiler Toner"]

png" alt=""></button>

Element button

Accessible name MapTiler Toner

HTML cues (no value)

ARIA cues (no value)

Path .selected

Snippet

png" alt=""></button>

Element button

Accessible name Jawg Light

HTML cues (no value)

ARIA cues (no value)

Path button[aria-label="Jawg Dark"]

Snippet <img src="./images/jawgdark.png" alt

=""></button>

Element button

Accessible name Jawg Dark

HTML cues (no value)

ARIA cues (no value)

Autocomplete: Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute - WCAG 1.3.5 (New for WCAG 2.1)

Path #search-input

Snippet <input class="search-input" type="text" placeholder="Search castle" aria-label="Search castle" id="search

h-input" autocomplete="off" style="width: 250px; height: 35px;">

Input type tex
Autocomplete off

Custom widgets 6

Design pattern: A custom widget must have the appropriate ARIA widget role for its design pattern - WCAG 4.1.2 28

Path img[title="Burg Schlaining"]

 $t\hbox{-}zoom\hbox{-}animated leaflet-interactive" title="Burg Schlaining" alt="Burg Schlaining" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px, height: 41px; translate3d(1369px, he$

693px, 0px); z-index: 693;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Festung Hohenwerfen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Riegersburg"]

t-zoom-animated leaflet-interactive" title="Riegersburg" alt="Riegersburg" tabindex="0" role="button" styl e="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p

x, 0px); z-index: 736;">

Widget role buttor

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Franzensburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" s</pre>

tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593)

px, 0px); z-index: 593;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Kreuzenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Plankenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

 $t\hbox{-}zoom\hbox{-}animated leaflet\hbox{-}interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1) alterative translate3d(1) al$

278px, 598px, 0px); z-index: 598;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Oberkapfenberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Piberstein"]

Snippet <

t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px, 529px, 0px); z-index: 529;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Altpernstein"]

 $\textbf{Snippet} \hspace{30mm} \\ \hspace{30mmm} \\ \hspace{30mm} \\ \hspace{30mmm} \\ \hspace{30mmm} \\ \hspace{30mmm} \\ \hspace{30mmm} \hspace{30mmm} \\ \hspace{30mmm} \hspace{30mmm} \\ \hspace{30mmm} \hspace{30mmm} \\ \hspace{30mmm} \hspace{30mmm} \hspace$

t-zoom-animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176)

px, 617px, 0px); z-index: 617;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Clam"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px,

0px); z-index: 572;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Heidenreichstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" alt="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Raabs"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style</pre>

="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1297px, 485px,

0px); z-index: 485;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Deutschlandsberg"]

 $\label{lem:simpet} Snippet $$ <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet-marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-marker-ico$

t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1270px, 761px, 0px); z-index: 761;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Schattenburg"]

 $\label{lem:simpet} Snippet & <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet$

 $t\hbox{-}zoom\hbox{-}animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p) translate3d(761px, 705p$

x, 0px); z-index: 705;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Festung Kufstein"]

 $\textbf{Snippet} \hspace{1.5cm} < \hspace{-.1cm} \text{sing src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon.png" class="leaflet$

t-zoom-animated leaflet-interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="bu tton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(995p

x, 658px, 0px); z-index: 658;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Seebenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 643px, 0px); z-index: 643;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Forchtenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

 $t\hbox{-}zoom\hbox{-}animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1) and the style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1) and the style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1) and the style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1) and translate3d(1) a$

374px, 641px, 0px); z-index: 641;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Ruine Merkenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role

="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 604px, 0px); z-index: 604;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Rappottenstein"]

t-zoom-animated leaflet-interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" r ole="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3

d(1260px, 532px, 0px); z-index: 532;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path

img[title="Burg Kreuzen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1236px, 566

px, 0px); z-index: 566;">

Widget role buttor

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Hochosterwitz"]

 $\textbf{Snippet} \hspace{1.5cm} < \hspace{-.1cm} \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png"} \hspace{0.5cm} \hspace{0.5cm} \hspace{0.5cm} \text{class="leaflet-marker-icon leafleton.png"} \hspace{0.5cm} \hspace{0.5cm}$

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol e="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d

(1202px, 769px, 0px); z-index: 769;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Strechau"]

 $\textbf{Snippet} \hspace{30mm} < img\ src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon leaflet" and the state of the state of$

t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1190px, 66

5px, 0px); z-index: 665;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Landskron"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Landskron" alt="Burg Landskron" tabindex="0" role="butt on" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1152p)

x, 784px, 0px); z-index: 784;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Araburg"]

 $\textbf{Snippet} \hspace{30mm} \textit{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leaflet-marker-icon.png" class="leaflet-marker-$

t-zoom-animated leaflet-interactive" title="Araburg" alt="Araburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-

index: 600;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path .leaflet-control-zoom-in

Snippet <a class="leaflet-control-zoom-in" href="#" title="Zoom in" role="button" aria-label="Zoom in" aria-disable

d="false">+

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path .leaflet-control-zoom-out

Snippet <a class="leaflet-control-zoom-out" href="#" title="Zoom out" role="button" aria-label="Zoom out" aria-dis

abled="false">-

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path .leaflet-control-zoom-fullscreen

Snippet <a class="leaflet-control-zoom-fullscreen fullscreen-icon" href="#" title="Open map in fullscreen mode" ro

le="button" aria-label="Open map in fullscreen mode">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path a[title="Layers"]

Snippet

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Instructions: If a custom widget has a visible label or instructions, they must be programmatically determinable - WCAG 1.3.1, WCAG 2.5.3 V28 New for WCAG 2.1

Path img[title="Burg Schlaining"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Schlaining" alt="Burg Schlaining" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px,

693px, 0px); z-index: 693;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Festung Hohenwerfen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Riegersburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Riegersburg" alt="Riegersburg" tabindex="0" role="button" styl e="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p

x, 0px); z-index: 736;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Franzensburg"]

 $\textbf{Snippet} \hspace{30mm} < \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png"} \\$

 $t\hbox{-}zoom\hbox{-}animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; translate3d(1377px, 593) tyle="margin-top: -41px; width: 41px; width: 41px;$

px, 0px); z-index: 593;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Kreuzenstein"]

 $\textbf{Snippet} \hspace{1.5cm} < \hspace{-.1cm} \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-marker-ico$

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Burg Plankenstein"]

Snippet

 $t\hbox{-}zoom\hbox{-}animated leaflet\hbox{-}interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1) alterative translate3d(1) al$

278px, 598px, 0px); z-index: 598;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Burg Oberkapfenberg"]

 $\textbf{Snippet} \hspace{1.5cm} < \hspace{-.1cm} \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leaflet-marker-icon leafleton.png" class="leafleton.png" class="le$

t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path ima[title="Burg Piberstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px,

529px, 0px); z-index: 529;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Burg Altpernstein"]

 $\label{lem:snippet} \textbf{Snippet} & < img\ src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon.png"\ class="leaflet-marker-icon.png"$

t-zoom-animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="b utton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176)

px, 617px, 0px); z-index: 617;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Burg Clam"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px,

0px); z-index: 572;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Heidenreichstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" alt="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Raabs"]

 $\textbf{Snippet} \hspace{30mm} \textit{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leaflet-marker-icon.png" class="leaflet-marker-$

t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1297px, 485px,

0px); z-index: 485;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Burg Deutschlandsberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1270px, 761px, 0px); z-index: 761;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Schattenburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" st

t-zoom-animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" st yle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p

x, 0px); z-index: 705;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Festung Kufstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(995p

x, 658px, 0px); z-index: 658;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible description -

Accessible name

Path img[title="Burg Seebenstein"]

 $\label{lem:simpet} \textbf{Snippet} & <\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-ma$

t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 643px, 0px); z-index: 643;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Burg Forchtenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

374px, 641px, 0px); z-index: 641;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Ruine Merkenstein"]

 $\label{lem:simpet} Snippet $$ <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet-marker-icon.png" class="leaflet-marker-icon leaflet-marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-marker-icon.png"$

t-zoom-animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 604px, 0px); z-index: 604;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Rappottenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

t-zoom-animated leaflet-interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" r ole="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3

d(1260px, 532px, 0px); z-index: 532;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Kreuzen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1236px, 566) tra

px, 0px); z-index: 566;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Hochosterwitz"]

 $\textbf{Snippet} \hspace{30mm} < \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leafleton.png" class="leafleto$

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol e="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d

(1202px, 769px, 0px); z-index: 769;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Burg Strechau"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1190px, 66 5px, 0px): z-index: 665:">

5px, 0px); z-index: 665;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Landskron"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet" class="leaflet-marker-icon.png" class="leaf

t-zoom-animated leaflet-interactive" title="Burg Landskron" alt="Burg Landskron" tabindex="0" role="butt on" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1152p

x, 784px, 0px); z-index: 784;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Accessible description

Path img[title="Araburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Araburg" alt="Araburg" tabindex="0" role="button" style="margi n-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-

index: 600;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path .leaflet-control-zoom-in

Snippet <a class="leaflet-control-zoom-in" href="#" title="Zoom in" role="button" aria-label="Zoom in" aria-disable

d="false">+

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path .leaflet-control-zoom-out

Snippet <a class="leaflet-control-zoom-out" href="#" title="Zoom out" role="button" aria-label="Zoom out" aria-dis

abled="false">-

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path .leaflet-control-zoom-fullscreen

Snippet <a class="leaflet-control-zoom-fullscreen fullscreen-icon" href="#" title="Open map in fullscreen mode" ro

le="button" aria-label="Open map in fullscreen mode">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path a[title="Layers"]

Snippet

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Expected input: A custom widget must have a label and/or instructions that identify the expected input - WCAG 3.3.2 28

Path img[title="Burg Schlaining"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet" |

t-zoom-animated leaflet-interactive" title="Burg Schlaining" alt="Burg Schlaining" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px,

693px, 0px); z-index: 693;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Festung Hohenwerfen"]

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Riegersburg"]

 $\textbf{Snippet} \hspace{1.5cm} <\hspace{-.1cm} \text{simg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon.png" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon.png" class="le$

t-zoom-animated leaflet-interactive" title="Riegersburg" alt="Riegersburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p

x, 0px); z-index: 736;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Franzensburg"]

 $\label{lem:simpet} \textbf{Snippet} & <\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-ma$

t-zoom-animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593)

px, 0px); z-index: 593;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Burg Kreuzenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Plankenstein"]

t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

278px, 598px, 0px); z-index: 598;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Burg Oberkapfenberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Piberstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px,

529px, 0px); z-index: 529;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Altpernstein"]

 $\textbf{Snippet} \hspace{30mm} < \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png"} \\$

 $t\hbox{-}zoom\hbox{-}animated leaflet\hbox{-}interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176) and the context of the context of$

px, 617px, 0px); z-index: 617;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Clam"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px, DN); z idex E72":

0px); z-index: 572;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Heidenreichstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" alt="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Accessible description

Path img[title="Burg Raabs"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style</pre>

t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1297px, 485px,

0px); z-index: 485;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Burg Deutschlandsberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex

t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1270px, 761px, 0px); z-index: 761;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Schattenburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" st yle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p

x, 0px); z-index: 705;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Festung Kufstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="bu tton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(995p

x, 658px, 0px); z-index: 658;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Seebenstein"]

Snippet <imp src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 643px, 0px); z-index: 643;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Forchtenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

374px, 641px, 0px); z-index: 641;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Ruine Merkenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 604px, 0px); z-index: 604;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Rappottenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" r</pre>

 $ole = "button" \ style = "margin-left: -12px; \ margin-top: -41px; \ width: \ 25px; \ height: \ 41px; \ transform: \ translate 3 part \ respectively. \\$

d(1260px, 532px, 0px); z-index: 532;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Accessible description

Path img[title="Burg Kreuzen"]

Snippet

t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1236px, 566

px, 0px); z-index: 566;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Hochosterwitz"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-0.5mm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-$

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol e="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d

(1202px, 769px, 0px); z-index: 769;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name
Accessible description -

Path img[title="Burg Strechau"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1190px, 66

5px, 0px); z-index: 665;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path img[title="Burg Landskron"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Landskron" alt="Burg Landskron" tabindex="0" role="butt on" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1152p

x, 784px, 0px); z-index: 784;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name Accessible description -

Path img[title="Araburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"

t-zoom-animated leaflet-interactive" title="Araburg" alt="Araburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-

ndex: 600;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path .leaflet-control-zoom-in

Snippet <a class="leaflet-control-zoom-in" href="#" title="Zoom in" role="button" aria-label="Zoom in" aria-disable

d="false">+

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path .leaflet-control-zoom-out

Snippet <a class="leaflet-control-zoom-out" href="#" title="Zoom out" role="button" aria-label="Zoom out" aria-dis

abled="false">-

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path .leaflet-control-zoom-fullscreen

Snippet <a class="leaflet-control-zoom-fullscreen fullscreen-icon" href="#" title="Open map in fullscreen mode" ro

le="button" aria-label="Open map in fullscreen mode">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Path a[title="Layers"]

Snippet

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name - Accessible description -

Role, state, property: A custom widget must support the ARIA roles, states, and properties specified by its design pattern - WCAG 4.1.2 28

Path img[title="Burg Schlaining"]

 $\label{lem:sippet} Snippet $$ \leq mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaf$

t-zoom-animated leaflet-interactive" title="Burg Schlaining" alt="Burg Schlaining" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px,

693px, 0px); z-index: 693;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Festung Hohenwerfen"]

 $\label{lem:sippet} Snippet $$ \leq mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaf$

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Riegersburg"]

t-zoom-animated leaflet-interactive" title="Riegersburg" alt="Riegersburg" tabindex="0" role="button" styl e="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p

x, 0px); z-index: 736;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Franzensburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

t-zoom-animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593

px, 0px); z-index: 593;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Kreuzenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Plankenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role</pre>

t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

278px, 598px, 0px); z-index: 598;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Oberkapfenberg"]

Snippet

t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Piberstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px,

529px, 0px); z-index: 529;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Altpernstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/im

<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="b utton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176</p>

px, 617px, 0px); z-index: 617;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Clam"]

Snippet

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px, 572px,

0px); z-index: 572;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Heidenreichstein"]

 $\label{lem:simpet} Snippet & <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet$

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" alt="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Raabs"]

Snippet

t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1297px, 485px, 0px); z-index: 485;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Deutschlandsberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"

t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1270px, 761px, 0px); z-index: 761;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Schattenburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" st yle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p

x, 0px); z-index: 705;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Festung Kufstein"]

 $\textbf{Snippet} \hspace{1.5cm} <\hspace{-.1cm} \text{sing src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton"} \\$

 $t\hbox{-}zoom\hbox{-}animated leaflet\hbox{-}interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(995p) trans$

x, 658px, 0px); z-index: 658;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Seebenstein"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-0.5mm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-$

t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 643px, 0px); z-index: 643;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Forchtenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role

="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

374px, 641px, 0px); z-index: 641;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Ruine Merkenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 604px, 0px); z-index: 604;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Rappottenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" r ole="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3

d(1260px, 532px, 0px); z-index: 532;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Kreuzen"]

 $\label{lem:simpet} \textbf{Snippet} & <\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet" class="leaflet-marker-icon leaflet" class="leaflet-marker-icon.png" class="leaflet-marker-icon leaflet" class="leaflet-marker-icon.png" class="leaflet-marker-i$

t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1236px, 566)

px, 0px); z-index: 566;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Hochosterwitz"]

Snippet

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol e="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d

(1202px, 769px, 0px); z-index: 769;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Strechau"]

 $\textbf{Snippet} \hspace{1.5cm} <\hspace{-.1cm} \text{sing src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton"} \\$

t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1190px, 66

5px, 0px); z-index: 665;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Landskron"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Landskron" alt="Burg Landskron" tabindex="0" role="butt on" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1152p

x, 784px, 0px); z-index: 784;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Araburg"]

 $\textbf{Snippet} \hspace{1.5cm} <\hspace{-.1cm} \text{sing src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton"} \\$

t-zoom-animated leaflet-interactive" title="Araburg" alt="Araburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-

index: 600;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path .leaflet-control-zoom-in

Snippet <a class="leaflet-control-zoom-in" href="#" title="Zoom in" role="button" aria-label="Zoom in" aria-disable

d="false">+

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path .leaflet-control-zoom-out

Snippet <a class="leaflet-control-zoom-out" href="#" title="Zoom out" role="button" aria-label="Zoom out" aria-dis

 $abled \verb|="false"> < span aria-hidden \verb|="true"> - < / span > < / a >$

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path .leaflet-control-zoom-fullscreer

Snippet <a class="leaflet-control-zoom-fullscreen fullscreen-icon" href="#" title="Open map in fullscreen mode" ro

le="button" aria-label="Open map in fullscreen mode">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path a[title="Layers"]

Snippet

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Cues: If a custom widget adopts certain interactive states, it must communicate those states programmatically - WCAG 1.3.1, WCAG 4.1.2 ✓28)

Path img[title="Burg Schlaining"]

Snippet <mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Schlaining" alt="Burg Schlaining" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px,

693px, 0px); z-index: 693;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues - ARIA cues -

Path img[title="Festung Hohenwerfen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues - ARIA cues -

Path img[title="Riegersburg"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-0.5mm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@2.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@3.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@4.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@4.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@4.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@4.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@4.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet-marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-marker-icon.$

 $t\hbox{-}zoom\hbox{-}animated leaflet\hbox{-}interactive" title="Riegersburg" alt="Riegersburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p) tabindex="10" tole="button" style="button" style="but$

x, 0px); z-index: 736;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues - ARIA cues -

Path img[title="Franzensburg"]

t-zoom-animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593)

px, 0px); z-index: 593;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues -

Path img[title="Burg Kreuzenstein"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-0.5mm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton"} \\$

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues -

Path img[title="Burg Plankenstein"]

Snippet </

t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

278px, 598px, 0px); z-index: 598;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues -

Path img[title="Burg Oberkapfenberg"]

t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues -

Path img[title="Burg Piberstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px,

529px, 0px); z-index: 529;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues - ARIA cues -

Path img[title="Burg Altpernstein"]

Snippet <mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="b utton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176

px, 617px, 0px); z-index: 617;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues -

Path img[title="Burg Clam"]

 $\textbf{Snippet} \hspace{30mm} \textit{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leaflet-marker-icon leafleton.png" class="leaflet-marker-icon.png" class="leafl$

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px,

0px); z-index: 572;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues - ARIA cues -

Path img[title="Burg Heidenreichstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" all="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues - ARIA cues -

Path img[title="Burg Raabs"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style

 $= "margin-left: -12px; \ margin-top: -41px; \ width: 25px; \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ transform: \ translate3d (1297px, \ 485px, \ height: \ 41px; \ hei$

0px); z-index: 485;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues - ARIA cues -

Path img[title="Burg Deutschlandsberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex
="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans</pre>

late3d(1270px, 761px, 0px); z-index: 761;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path img[title="Schattenburg"]

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leafleton.png" class="le$

t-zoom-animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" st yle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p

x, 0px); z-index: 705;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path img[title="Festung Kufstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"</pre>

t-zoom-animated leaflet-interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="bu $tton"\ style="margin-left:\ -12px;\ margin-top:\ -41px;\ width:\ 25px;\ height:\ 41px;\ transform:\ translate3d (995p)$

x, 658px, 0px); z-index: 658;">

Widget role

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path img[title="Burg Seebenstein"]

 $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafletong" class="leafletong" c$ Snippet

t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 643px, 0px); z-index: 643;">

Widget role

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path img[title="Burg Forchtenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

374px, 641px, 0px); z-index: 641;";

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path img[title="Ruine Merkenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle")</pre>

t-zoom-animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 604px, 0px); z-index: 604;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path img[title="Burg Rappottenstein"]

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon leafleton" class="leafleton" class="leafle$ t-zoom-animated leaflet-interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" r

ole="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3

d(1260px, 532px, 0px); z-index: 532;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path img[title="Burg Kreuzen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"</pre> t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s

 $tyle = "margin-left: -12px; \ margin-top: -41px; \ width: 25px; \ height: 41px; \ transform: \ translate 3d (1236px, 566px) + 12px; \ margin-left: -12px; \ margin-top: -41px; \ width: 25px; \ height: 41px; \ transform: \ translate 3d (1236px, 566px) + 12px; \ margin-top: -41px; \ width: 25px; \ height: 41px; \ transform: \ translate 3d (1236px, 566px) + 12px; \ margin-top: -41px; \ width: 25px; \ height: 41px; \ transform: \ translate 3d (1236px, 566px) + 12px; \ margin-top: -41px; \ width: 25px; \ height: -12px; \ margin-top: -41px; \ width: -12px; \ margin-top: -41px; \ margin-top: -$

px, 0px); z-index: 566;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path img[title="Burg Hochosterwitz"]

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leafleton.png" class="le$

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol $e = "button" \ style = "margin-left: -12px; \ margin-top: -41px; \ width: 25px; \ height: 41px; \ transform: \ translate3d$

(1202px, 769px, 0px); z-index: 769;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path img[title="Burg Strechau"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"</pre>

t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button" $style = "margin-left: -12px; \ margin-top: -41px; \ width: \ 25px; \ height: \ 41px; \ transform: \ translate \ 3d(1190px, \ 66pt) \ described by the left: -12px; \ margin-top: -41px; \ width: \ 25px; \ height: \ 41px; \ transform: \ translate \ 3d(1190px, \ 66pt) \ described by the left: -12px; \ margin-top: -41px; \ width: \ 25px; \ height: \ 41px; \ transform: \ translate \ 3d(1190px, \ 66pt) \ described by the left: -12px; \ margin-top: -41px; \ width: \ 25px; \ height: \ 41px; \ transform: \ translate \ 3d(1190px, \ 66pt) \ described by the left: \ 41px; \ transform: \ translate \ 3d(1190px, \ 66pt) \ described by the left: \ 41px; \ transform: \ translate \ 3d(1190px, \ 66pt) \ described by the left: \ 41px; \ translate \ 3d(1190px, \ 66pt) \ described by the left: \ 41px; \ translate \ 3d(1190px, \ 66pt) \ described by the left: \ 41px; \ translate \ 3d(1190px, \ 66pt) \ described by the left: \ 41px; \ translate \ 41px; \$

5px, 0px); z-index: 665;">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path img[title="Burg Landskron"]

Snippet

on" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1152p

x, 784px, 0px); z-index: 784;">

Widget role

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path img[title="Araburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Araburg" alt="Araburg" tabindex="0" role="button" style="margi n-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-

index: 600;"

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues

Path .leaflet-control-zoom-in

Snippet <a class="leaflet-control-zoom-in" href="#" title="Zoom in" role="button" aria-label="Zoom in" aria-di

sabled="false">+

Widget role

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues

ARIA cues:

aria-disabled false

Path leaflet-control-zoom-out

<a class="leaflet-control-zoom-out" href="#" title="Zoom out" role="button" aria-label="Zoom out" ari Snippet

a-disabled="false">-

Widget role

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues

ARIA cues:

aria-disabled false

Path .leaflet-control-zoom-fullscreer

Snippet <a class="leaflet-control-zoom-fullscreen fullscreen-icon" href="#" title="Open map in fullscreen mode" ro

le="button" aria-label="Open map in fullscreen mode">

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button HTML cues - ARIA cues -

Path a[title="Layers"]

Snippet

Widget role button

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

HTML cues ARIA cues -

Path img[title="Burg Schlaining"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Schlaining" alt="Burg Schlaining" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px,

693px, 0px); z-index: 693;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Festung Hohenwerfen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet"

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Riegersburg"]

t-zoom-animated leaflet-interactive" title="Riegersburg" alt="Riegersburg" tabindex="0" role="button" styl e="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p

x, 0px); z-index: 736;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Franzensburg"]

 $\textbf{Snippet} \hspace{30mm} \textit{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leaflet-marker-icon leafleton.png" class="leaflet-marker-icon.png" class="leafl$

t-zoom-animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593

px, 0px); z-index: 593;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Kreuzenstein"]

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Plankenstein"]

 $\textbf{Snippet} \hspace{30mm} < \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png"} \\$

t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

278px, 598px, 0px); z-index: 598;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Oberkapfenberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex

="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path

img[title="Burg Piberstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px,

529px, 0px); z-index: 529;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Altpernstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="b utton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176

px, 617px, 0px); z-index: 617;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Clam"]

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px,

0px); z-index: 572;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Heidenreichstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" alt="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Raabs"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet" class="leaflet-marker-icon leaflet-marker-icon leaflet-

 $t\hbox{-}zoom\hbox{-}animated leaflet\hbox{-}interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1297px, 485px, 485p$

0px); z-index: 485;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Deutschlandsberg"]

t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1270px, 761px, 0px); z-index: 761;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Schattenburg"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-0.5mm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-$

 $t\hbox{-}zoom\hbox{-}animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p) to the context of the con$

x, 0px); z-index: 705;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Festung Kufstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(995p

x, 658px, 0px); z-index: 658;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Seebenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role

="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 643px, 0px); z-index: 643;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path

img[title="Burg Forchtenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

374px, 641px, 0px); z-index: 641;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Ruine Merkenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 604px, 0px); z-index: 604;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Rappottenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" r ole="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3

d(1260px, 532px, 0px); z-index: 532;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Kreuzen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1236px, 566) tra

px, 0px); z-index: 566;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Hochosterwitz"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-0.5mm} \text{snc="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon.png" class="leafle$

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol e="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d

(1202px, 769px, 0px); z-index: 769;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Burg Strechau"]

t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1190px, 66

5px, 0px); z-index: 665;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path img[title="Burg Landskron"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-0.5mm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-$

 $t\hbox{-}zoom\hbox{-}animated leaflet\hbox{-}interactive" title="Burg Landskron" alt="Burg Landskron" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1152p) translate3d(1152p)$

x, 784px, 0px); z-index: 784;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path img[title="Araburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Araburg" alt="Araburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-

index: 600;">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path .leaflet-control-zoom-in

Snippet <a class="leaflet-control-zoom-in" href="#" title="Zoom in" role="button" aria-label="Zoom in" aria-disable

d="false">+

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name -

Path .leaflet-control-zoom-out

Snippet <a class="leaflet-control-zoom-out" href="#" title="Zoom out" role="button" aria-label="Zoom out" aria-dis

abled="false">-

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path .leaflet-control-zoom-fullscreen

Snippet <a class="leaflet-control-zoom-fullscreen fullscreen-icon" href="#" title="Open map in fullscreen mode" ro

le="button" aria-label="Open map in fullscreen mode">

Design pattern Accordion, Button, Disclosure (Show/Hide), Menu Button

Accessible name

Path a[title="Layers"]

Snippet

Accordion, Button, Disclosure (Show/Hide), Menu Button Design pattern

Accessible name

Timed events (24)

Time limits: If a time limit is set by the content, the user must be able to turn off, adjust, or extend the time limit - WCAG 2.2.1

No matching instances

Moving content: If content moves, blinks, or scrolls automatically for more than five seconds, users must be able to pause, stop, or hide it - WCAG 2.2.2

No matching instances

Auto-updating content: If content updates automatically, users must be able to pause, stop, hide, or control frequency of the updates - WCAG 2.2.2

No matching instances

Audio control: If audio content plays automatically for longer than three seconds, users must be able to pause or mute it - WCAG 1.4.2

No matching instances

Errors / status 🕢 4)

Error identification: If an input error is automatically detected, the item in error must be identified, and the error described, in text - WCAG 3.3.1

No matching instances

Error suggestion: If an input error is automatically detected, guidance for correcting the error must be provided - WCAG 3.3.3

No matching instances

Error prevention: If submitting data might have serious consequences, users must be able to correct the data input before finalizing a submission - WCAG 3.3.4 20

No matching instances

Status messages: Status messages must be programmatically determinable without receiving focus -WCAG 4.1.3 New for WCAG 2.1

No matching instances

Page navigation (2)

Path

Snippet <html lang="en"> Page title Accessible Map

Frame title: A frame or iframe must have a title that describes its content - WCAG 4.1.2

No matching instances

Multiple ways: Users must have multiple ways to navigate to a page - WCAG 2.4.5

No matching instances

Parsing 21

Parsing: Elements must have complete start and end tags, must not contain duplicate attributes, and must be nested according to their specifications - WCAG 4.1.1 • Deprecated for WCAG 2.2

No matching instances

Images 🕢 4

Image function: Every image must be coded as either meaningful or decorative - WCAG 1.1.1

.leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(1)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/68/44.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</p>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(911px, 475px, 0px); opacity: 1;">

 Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(2)

Snippet $<\!\!img\ alt=""src="https://tile.jawg.io/jawg-light/7/69/44.png?access-token=72PfAsavPGBrPQf2FE0JOoyb$

 $X UoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra"\ class="leaflet-tile-leaflet-tile-loaded"\ style="width: 2000cm, 2000cm,$

56px; height: 256px; transform: translate3d(1167px, 475px, 0px); opacity: 1;">

Image type <ima> Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(3)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/68/45.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</p>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2 56px; height: 256px; transform: translate3d(911px, 731px, 0px); opacity: 1;">

<ima> Image type Coded as Decorative

ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(4)

<img alt="" src="https://tile.jawg.io/jawg-light/7/69/45.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</p> Snippet

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1167px, 731px, 0px); opacity: 1;">

 Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(5)

Snippet $<\!\!img\ alt=""src="https://tile.jawg.io/jawg-light/7/68/43.png?access-token=72PfAsavPGBrPQf2FE0JOoyb$

XUoXPpap3zOOpRhL0bsmh5CK4eilk2S9zcg3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(911px, 219px, 0px); opacity: 1;">

Image type Coded as Decorative

ARIA role (no value)

Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(6)

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile-leaflet-tile-loaded" style="width: 2 56px; height: 256px; transform: translate3d(1167px, 219px, 0px); opacity: 1;">

56px; neignt: 256px; transform: translate3d(1167px, 219px, 0px); opacity:

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(7)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/67/44.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(655px, 475px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(8)

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1423px, 475px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(9)

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(655px, 731px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(10)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/70/45.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

 $X UoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra"\ class="leaflet-tile-leaflet-tile-loaded"\ style="width: 2000cm, 2000cm,$

56px; height: 256px; transform: translate3d(1423px, 731px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(11)

 $\textbf{Snippet} \hspace{3.5cm} < \text{img all} \\ = \text{"" src="https://tile.jawg.io/jawg-light/7/68/46.png?access-token=72PfAsavPGBrPQf2FE0JOoyb} \\ \hspace{3.5cm} \times \text{(included the proposed of t$

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(911px, 987px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

 $\label{eq:path-cond} \textbf{Path} \qquad . \textbf{leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(12)}$

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/69/46.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile-leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1167px, 987px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(13)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/67/43.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

 $X UoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra"\ class="leaflet-tile-leaflet-tile-loaded"\ style="width: 2000cm, 2000cm,$

56px; height: 256px; transform: translate3d(655px, 219px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(14)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/70/43.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

 $X Uo X Ppap 3z QOpRhL0bsmh5CK4eilk 2S9zcq 3xAra"\ class="leaflet-tile-leaflet-tile-loaded"\ style="width: 2000cm, 20$

56px; height: 256px; transform: translate3d(1423px, 219px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(15)

Snippet <imp alt="" src="https://tile.jawg.io/jawg-light/7/67/46.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

 $X UoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra"\ class="leaflet-tile-leaflet-tile-loaded"\ style="width: 2000cm, 2000cm,$

56px; height: 256px; transform: translate3d(655px, 987px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(16)

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1423px, 987px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

 $\label{eq:path-leaflet-tile-loaded} \textbf{Path} \qquad . \textbf{leaflet-tile.leaflet-tile-loaded} \textbf{[alt=""]:nth-child(17)}$

Snippet <imp alt="" src="https://tile.jawg.io/jawg-light/7/68/42.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(911px, -37px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(18)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/69/42.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1167px, -37px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(19)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/66/44.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(399px, 475px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(20)

Snippet <img alt=""" src="https://tile.jawg.io/jawg-light/7/71/44.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1679px, 475px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(21)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/66/45.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</p>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(399px, 731px, 0px); opacity: 1;">

Image type <ima> Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(22)

Snippet $<\!\!img\ alt=""src="https://tile.jawg.io/jawg-light/7/71/45.png? access-token=72PfAsavPGBrPQf2FE0JOoyb$

 $X UoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra"\ class="leaflet-tile-leaflet-tile-loaded"\ style="width: 2000cm, 2000cm,$

56px; height: 256px; transform: translate3d(1679px, 731px, 0px); opacity: 1;">

Image type <ima> Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(23)

Snippet $<\!img\ alt="""src="https://tile.jawg.io/jawg-light/7/68/47.png?access-token=72PfAsavPGBrPQf2FE0JOoyb$

 $X UoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra"\ class="leaflet-tile-leaflet-tile-loaded"\ style="width: 2000cm, 2000cm,$

56px; height: 256px; transform: translate3d(911px, 1243px, 0px); opacity: 1;">

Image type <ima> Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(24)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/69/47.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</pre>

 $X UoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra"\ class="leaflet-tile-leaflet-tile-loaded"\ style="width: 2000cm, 2000cm,$

56px; height: 256px; transform: translate3d(1167px, 1243px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(25)

Snippet $<\!\!img\ alt=""src="https://tile.jawg.io/jawg-light/7/67/42.png?access-token=72PfAsavPGBrPQf2FE0JOoyb$

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(655px, -37px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(26)

 $<\!\!\text{img alt=""}\ \text{src="https://tile.jawg.io/jawg-light/7/70/42.png?} access-token=72PfAsavPGBrPQf2FE0JOoyb$ Snippet

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1423px, -37px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(27)

<img alt="" src="https://tile.jawg.io/jawg-light/7/66/43.png?access-token=72PfAsavPGBrPQf2FE0JOoybXUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile-leaflet-tile-loaded" style="width: 2</p> Snippet

56px; height: 256px; transform: translate3d(399px, 219px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value)

Accessible name (no value)

Path leaflet-tile leaflet-tile-loaded[alt=""]:nth-child(28)

<img alt="" src="https://tile.jawg.io/jawg-light/7/71/43.png?access-token=72PfAsavPGBrPQf2FE0JOoybXUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile-leaflet-tile-loaded" style="width: 2</p> Snippet

56px; height: 256px; transform: translate3d(1679px, 219px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(29)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/66/46.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</p>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(399px, 987px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loadedfalt=""1:nth-child(30)

Snippet <imq alt="" src="https://tile.jawq.io/jawq-liqht/7/71/46.pnq?access-token=72PfAsavPGBrPQf2FE0JOoyb</p>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1679px, 987px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(31)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/67/47.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(655px, 1243px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(32)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/70/47.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</pre>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1423px, 1243px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(33)

<img alt="" src="https://tile.jawg.io/jawg-light/7/66/42.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</p> Snippet

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(399px, -37px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(34)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/71/42.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</pre>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1679px, -37px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/65/44.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(143px, 475px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(36)

 $\textbf{Snippet} \hspace{3.5cm} < \hspace{-.1cm} \text{sing all=""} \hspace{-.1cm} \text{src="https://tile.jawg.io/jawg-light/7/72/44.png?access-token=72PfAsavPGBrPQf2FE0JOoyb} \\$

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1935px, 475px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(37)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/65/45.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(143px, 731px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(38)

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1935px, 731px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(39)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/66/47.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(399px, 1243px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(40)

 $\textbf{Snippet} \hspace{3.5cm} < \hspace{-.1cm} \text{simg alt=""} \hspace{-.1cm} \text{src="https://tile.jawg.io/jawg-light/7/71/47.png?access-token=72PfAsavPGBrPQf2FE0JOoyb} \\$

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1679px, 1243px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(41)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/65/43.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(143px, 219px, 0px); opacity: 1,">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(42)

<ima>

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/72/43.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1935px, 219px, 0px); opacity: 1;">

Coded as Decorative

Image type

ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(43)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/65/46.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(143px, 987px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(44)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/72/46.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1935px, 987px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(45)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/65/42.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</pre>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(143px, -37px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(46)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/72/42.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</pre>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(1935px, -37px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(47)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/65/47.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</pre>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(143px, 1243px, 0px); opacity: 1;">

Image type <ima> Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(48)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/72/47.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</pre>

 $X UoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra"\ class="leaflet-tile-leaflet-tile-loaded"\ style="width: 2000cm, 2000cm,$

56px; height: 256px; transform: translate3d(1935px, 1243px, 0px); opacity: 1;">

 Coded as Decorative ARIA role (no value) Accessible name (no value)

Image type

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(49)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/64/44.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</p>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(-113px, 475px, 0px); opacity: 1;">

Image type <ima> Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(50) Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/73/44.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(2191px, 475px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(51)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/64/45.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

 $X UoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra"\ class="leaflet-tile-leaflet-tile-loaded"\ style="width: 2000cm, 2000cm,$

56px; height: 256px; transform: translate3d(-113px, 731px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(52)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/73/45.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcg3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(2191px, 731px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(53)

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(-113px, 219px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(54)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/73/43.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(2191px, 219px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(55)

 $\textbf{Snippet} \hspace{35mm} < \hspace{-1mm} \text{simg alt=""" src="https://tile.jawg.io/jawg-light/7/64/46.png?access-token=72PfAsavPGBrPQf2FE0JOoyb} \\$

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(-113px, 987px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(56)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/73/46.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(2191px, 987px, 0px); opacity: 1;">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(57)

<ima>

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/64/42.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(-113px, -37px, 0px); opacity: 1;">

Coded as Decorative

Image type

ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(58)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/73/42.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(2191px, -37px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(59)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/64/47.png?access-token=72PfAsavPGBrPQf2FE0JOoyb

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(-113px, 1243px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-tile.leaflet-tile-loaded[alt=""]:nth-child(60)

Snippet <img alt="" src="https://tile.jawg.io/jawg-light/7/73/47.png?access-token=72PfAsavPGBrPQf2FE0JOoyb</pre>

XUoXPpap3zQOpRhL0bsmh5CK4eilk2S9zcq3xAra" class="leaflet-tile leaflet-tile-loaded" style="width: 2

56px; height: 256px; transform: translate3d(2191px, 1243px, 0px); opacity: 1;">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(1)

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado"</pre>

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1369px, 693px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(2)

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shadow.png"} \\$

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1087px, 672px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path . leaflet-marker-shadow.leaflet-zoom-animated [alt=""]:nth-child (3)

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado"</pre>

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; transform: translate3d(1337px, 736px, 0px);"> (132px; margin-top: -41px; width: 41px; height: 41px; translate3d(1337px, 736px, 0px);"> (132px; margin-top: -41px; width: 41px; height: 41px; translate3d(1337px, 736px, 0px);"> (132px; margin-top: -41px; width: 41px; height: 41px; translate3d(1337px, 736px, 0px);"> (132px; margin-top: -41px; width: 41px; height: 41px; translate3d(1337px, 736px, 0px);"> (132px; margin-top: -41px; width: 41px; height: 41px; translate3d(1337px, 736px, 0px);"> (132px; margin-top: -41px; width: 41px; height: 41px; translate3d(1337px, 736px, 0px);"> (132px; margin-top: -41px; width: 41px; height: 41px; translate3d(1337px, 736px, 0px);"> (132px; margin-top: -41px; width: 41px; height: 41px;

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(4)

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shadow.png"} \\$

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1377px, 593px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path . leaflet-marker-shadow.leaflet-zoom-animated [alt=""]:nth-child (5) Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr ansform: translate3d/1371px, 550px, 0px):">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(6)

 $\textbf{Snippet} \hspace{1.5cm} < \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shadow.png"} \\$

 $w\ leaflet-zoom-animated "alt=""" style="margin-left: -12px;\ margin-top: -41px;\ width:\ 41px;\ height:\ 41px;\ tr$

ansform: translate3d(1278px, 598px, 0px);">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(7)

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado" class="leaflet-marker-

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1279px, 677px, 0px);">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animatedfalt=""1:nth-child(8)

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado" class="leaflet-marker-

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1176px, 529px, 0px);">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(9)

 $\textbf{Snippet} \hspace{30mm} \texttt{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shadow.png"} \\$

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1176px, 617px, 0px);">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(10)

 $\textbf{Snippet} \hspace{1.5cm} < \hspace{-.1cm} \text{simg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shadow.png"} \\$

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1232px, 572px, 0px);">

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

 $\textbf{Path} \hspace{1cm} \textbf{.leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(11)} \\$

 $\textbf{Snippet} \hspace{30mm} < \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shadow.png"} \\$

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1263px, 483px, 0px);">

Image typeCoded asDecorativeARIA role(no value)Accessible name(no value)

 $\textbf{Path} \hspace{1cm} \textbf{.leaflet-marker-shadow.leaflet-zoom-animated} [\textbf{alt=""}] : \textbf{nth-child} (12)$

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; transform: translate3d(1297px, 485px, 0px);">

Image type

Coded as Decorative

ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(13)

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shadow.png"} \\$

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1270px, 761px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(14)

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado"

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(761px, 705px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(15)

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado"</pre>

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(995px, 658px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(16)

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado"</pre>

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1356px, 643px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(17)

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shadow.png"} \\$

 $w \ leaflet-zoom-animated "alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tracking the style of the$

ansform: translate3d(1374px, 641px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path . leaflet-marker-shadow. leaflet-zoom-animated [alt=""]: nth-child (18)

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado"</pre>

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1356px, 604px, 0px);">

 Coded as Decorative ARIA role (no value) Accessible name (no value)

Image type

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(19)

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shadow.png"} \\$

 $w \ leaflet-zoom-animated "alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tracking the style of the$

ansform: translate3d(1260px, 532px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(20) Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shadow.png"} \\$

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1236px, 566px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(21)

<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado"</pre> Snippet

 $w\ leaflet-zoom-animated "alt=""" style="margin-left: -12px;\ margin-top: -41px;\ width:\ 41px;\ height:\ 41px;\ tr$

ansform: translate3d(1202px, 769px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(22)

<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado"</pre> Snippet

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1190px, 665px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""1:nth-child(23)

<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado" class="leaflet-marker-shado" class="leaflet-marker-shadow.png" class="leaf Snippet

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1152px, 784px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

Path .leaflet-marker-shadow.leaflet-zoom-animated[alt=""]:nth-child(24)

<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-shadow.png" class="leaflet-marker-shado" c Snippet

w leaflet-zoom-animated" alt="" style="margin-left: -12px; margin-top: -41px; width: 41px; height: 41px; tr

ansform: translate3d(1331px, 600px, 0px);">

Image type Coded as Decorative ARIA role (no value) Accessible name (no value)

img[title="Burg Schlaining"] Path

<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"</pre> Snippet t-zoom-animated leaflet-interactive" title="Burg Schlaining" alt="Burg Schlaining" tabindex="0" role="butto

n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px,

693px, 0px); z-index: 693;">

Image type Coded as Meaningful ARIA role (no value) Accessible name Burg Schlaining

Path img[title="Festung Hohenwerfen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Image type <ima> Coded as Meaningful ARIA role (no value)

Accessible name Festung Hohenwerfen

Path img[title="Riegersburg"]

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leafleton.png" class="le$ t-zoom-animated leaflet-interactive" title="Riegersburg" alt="Riegersburg" tabindex="0" role="button" styl

e="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736px), translate3d(133px, 736px), translate3d(133px, 736px), translate3d(133px, 736px),x, 0px); z-index: 736;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Riegersburg

Path img[title="Franzensburg"]

 $\textbf{Snippet} \hspace{30mm} \texttt{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png"} \\$

 $t\hbox{-}zoom\hbox{-}animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) tyle="margin-top: -41px; width: 25px; height: 41px; width: 41px;$

px, 0px); z-index: 593;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Franzensburg

Path img[title="Burg Kreuzenstein"]

 $\label{lem:snippet} \textbf{Snippet} & <\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-marker-$

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Burg Kreuzenstein

Path img[title="Burg Plankenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

278px, 598px, 0px); z-index: 598;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Burg Plankenstein

Path img[title="Burg Oberkapfenberg"]

 $\textbf{Snippet} \hspace{30mm} \textit{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-marker-icon.png$

t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

Accessible name Burg Oberkapfenberg

Path img[title="Burg Piberstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet"

t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px,

529px, 0px); z-index: 529;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Burg Piberstein

Path img[title="Burg Altpernstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

 $t\hbox{-}zoom\hbox{-}animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176) tran$

px, 617px, 0px); z-index: 617;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Burg Altpernstein

Path img[title="Burg Clam"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px,

0px); z-index: 572;">

Image type Coded as Meaningful ARIA role (no value) Accessible name Burg Clam

Path img[title="Burg Heidenreichstein"]

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leafleton.png" class="le$

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" alt="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Image type <ima> Coded as Meaningful ARIA role (no value)

Accessible name Burg Heidenreichstein

Path img[title="Burg Raabs"]

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton" and the content of the con$

t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1297px, 485px,

0px); z-index: 485;">

Image type Coded as Meaningful ARIA role (no value) Accessible name Burg Raabs

Path img[title="Burg Deutschlandsberg"]

Snippet

="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1270px, 761px, 0px); z-index: 761;">

Image type Coded as Meaningful ARIA role (no value)

Accessible name Burg Deutschlandsberg

Path img[title="Schattenburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" st yle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p

x, 0px); z-index: 705;">

Image type Coded as Meaningful ARIA role (no value) Accessible name Schattenburg

Path img[title="Festung Kufstein"]

<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle")</pre> Snippet

t-zoom-animated leaflet-interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="bu tton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(995p

x, 658px, 0px); z-index: 658;">

Image type <ima> Coded as Meaningful ARIA role (no value) Accessible name Festung Kufstein

Path img[title="Burg Seebenstein"]

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon leafleton" class="leaflet-marker-icon leafleton" class="leafleton" class="leafle$

t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 643px, 0px); z-index: 643;">

Image type <ima> Coded as Meaningful ARIA role (no value) Accessible name Burg Seebenstein

Path img[title="Burg Forchtenstein"]

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton" and the content of the con$ t-zoom-animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

374px, 641px, 0px); z-index: 641;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Burg Forchtenstein

Path img[title="Ruine Merkenstein"]

 $\textbf{Snippet} \hspace{30mm} \texttt{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png"} \\$

t-zoom-animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 604px, 0px); z-index: 604;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Ruine Merkenstein

Path img[title="Burg Rappottenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet" class="leaflet-marker-icon.png" class="leaf

t-zoom-animated leaflet-interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" r ole="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3

d(1260px, 532px, 0px); z-index: 532;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

Accessible name Burg Rappottenstein

Path img[title="Burg Kreuzen"]

Snippet <mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1236px, 566

px, 0px); z-index: 566;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Burg Kreuzen

Path img[title="Burg Hochosterwitz"]

 $\textbf{Snippet} \hspace{30mm} \textit{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-marker-icon.png$

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol e="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d

(1202px, 769px, 0px); z-index: 769;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

Accessible name Burg Hochosterwitz

Path img[title="Burg Strechau"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet"

t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1190px, 66

5px, 0px); z-index: 665;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Burg Strechau

Path img[title="Burg Landskron"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Landskron" alt="Burg Landskron" tabindex="0" role="butt

on "style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate 3d (1152px) and the style (1152px) and the style (1152px) are style (1152px) and the style (1152px) and the style (1152px) are style

x, 784px, 0px); z-index: 784;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Burg Landskron

Path img[title="Araburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Araburg" alt="Araburg" tabindex="0" role="button" style="margi

t-zoom-animated leather-interactive" title="Araburg" at="Araburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-

index: 600;">

 Image type

 Coded as
 Meaningful

 ARIA role
 (no value)

 Accessible name
 Araburg

Path .leaflet-control-zoom-fullscreen

Snippet <a class="leaflet-control-zoom-fullscreen fullscreen-icon" href="#" title="Open map in fullscreen mode" ro

le="button" aria-label="Open map in fullscreen mode">

Image type CSS background-image

Coded as Decorative

ARIA role (no value)

Accessible name Open map in fullscreen mode

Path a[title="Layers"]

Snippet

Image type CSS background-image

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 Layers

Path img[src\$="osm.png"]

Snippet

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path img[src\$="hot.png"]

Snippet

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path img[src\$="maptilerdataviz.png"]

Snippet

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path img[src\$="maptilertoner.png"]

Snippet

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path img[src\$="jawglight.png"]

Snippet

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path img[src\$="jawgdark.png"]

Snippet

 Image type

 Coded as
 Decorative

 ARIA role
 (no value)

 Accessible name
 (no value)

Path img[title="Burg Schlaining"]

 $\textbf{Snippet} \hspace{1.5cm} < \hspace{-.1cm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png"} \hspace{0.5cm} \hspace{0.5cm} \hspace{0.5cm} \text{cing src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png"} \hspace{0.5cm} \hspace$

t-zoom-animated leaflet-interactive" title="Burg Schlaining" alt="Burg Schlaining" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px, rough) ro

693px, 0px); z-index: 693;">

Image type

Accessible name Burg Schlaining
Accessible description (no value)

Path img[title="Festung Hohenwerfen"]

 $\label{lem:simpet} Snippet $$ \leq mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaf$

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Image type

Accessible name Festung Hohenwerfen

Accessible description (no value)

Path img[title="Riegersburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Riegersburg" alt="Riegersburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p) role="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p) role="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p) role="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p) role="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p) role="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p) role="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p) role="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p) role="margin-top: -41px; width: -4

x, 0px); z-index: 736;">

 Image type

 Accessible name
 Riegersburg

 Accessible description
 (no value)

Path img[title="Franzensburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593) and -12px; transform: translate3d(1377px, 593).

px, 0px); z-index: 593;">

 Image type

 Accessible name
 Franzensburg

 Accessible description
 (no value)

Path img[title="Burg Kreuzenstein"]

 $\textbf{Snippet} \hspace{1.5cm} < \hspace{-.1cm} \text{simg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton"} \\$

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

Image type

Accessible name Burg Kreuzenstein

Accessible description (no value)

Path img[title="Burg Plankenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

278px, 598px, 0px); z-index: 598;">

Image type

Accessible name Burg Plankenstein

Accessible description (no value)

Path img[title="Burg Oberkapfenberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex

="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

Image type

Accessible name Burg Oberkapfenberg

Accessible description (no value)

Path img[title="Burg Piberstein"]

 $\textbf{Snippet} \hspace{30mm} \textit{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leaflet-marker-icon.png" class="leaflet-marker-$

t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px,

529px, 0px); z-index: 529;">

Image type

Accessible name Burg Piberstein Accessible description (no value)

Path img[title="Burg Altpernstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle")</pre>

t-zoom-animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="b utton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176

px, 617px, 0px); z-index: 617;">

Image type

Accessible name Burg Altpernstein Accessible description (no value)

Path img[title="Burg Clam"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px,

0px); z-index: 572;">

Image type Accessible name Burg Clam Accessible description (no value)

Path img[title="Burg Heidenreichstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle")</pre>

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" alt="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Image type

Accessible name Burg Heidenreichstein

Accessible description (no value)

Path img[title="Burg Raabs"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1297px, 485px,

0px); z-index: 485;">

Image type <ima> Accessible name Burg Raabs Accessible description (no value)

Path img[title="Burg Deutschlandsberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"</pre>

t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1270px, 761px, 0px); z-index: 761;">

Image type <ima>

Accessible name Burg Deutschlandsberg

Accessible description (no value)

Path imaftitle="Schattenburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"</pre>

t-zoom-animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" st yle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p

x, 0px); z-index: 705;">

Image type <ima> Accessible name Schattenburg Accessible description (no value)

Path img[title="Festung Kufstein"]

<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"</pre> Snippet

t-zoom-animated leaflet-interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="bu tton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(995p

x, 658px, 0px); z-index: 658;">

 Accessible name Festung Kufstein

Accessible description (no value)

Image type

Path img[title="Burg Seebenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"</pre>

t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 643px, 0px); z-index: 643;">

Image type

Accessible name Burg Seebenstein
Accessible description (no value)

Path img[title="Burg Forchtenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

374px, 641px, 0px); z-index: 641;">

Image type

Accessible name Burg Forchtenstein

Accessible description (no value)

Path img[title="Ruine Merkenstein"]

Snippet

t-zoom-animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 604px, 0px); z-index: 604;">

Image type

Accessible name Ruine Merkenstein

Accessible description (no value)

Path img[title="Burg Rappottenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" r ole="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3

d(1260px, 532px, 0px); z-index: 532;">

Image type

Accessible name Burg Rappottenstein

Accessible description (no value)

Path img[title="Burg Kreuzen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1236px, 566

px, 0px); z-index: 566;">

Image type

Accessible name Burg Kreuzen
Accessible description (no value)

Path img[title="Burg Hochosterwitz"]

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol e="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d

(1202px, 769px, 0px); z-index: 769;">

Image type

Accessible name Burg Hochosterwitz

Accessible description (no value)

Path img[title="Burg Strechau"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1190px, 66

5px, 0px); z-index: 665;">

 Image type

 Accessible name
 Burg Strechau

 Accessible description
 (no value)

Path img[title="Burg Landskron"]

t-zoom-animated leaflet-interactive" title="Burg Landskron" alt="Burg Landskron" tabindex="0" role="butt on" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1152p

x, 784px, 0px); z-index: 784;">

Image type

Accessible name Burg Landskron
Accessible description (no value)

Path img[title="Araburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Araburg" alt="Araburg" tabindex="0" role="button" style="margi

n-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-

index: 600:">

 Image type

 Accessible name
 Araburg

 Accessible description
 (no value)

Images of text: Images of text are allowed only where a specific appearance is required (e.g., logotypes) - WCAG 1.4.5 \bigcirc 24

Path img[title="Burg Schlaining"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Schlaining" alt="Burg Schlaining" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px,

693px, 0px); z-index: 693;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Schlaining

Path img[title="Festung Hohenwerfen"]

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Image type
ARIA role (no value)

Accessible name Festung Hohenwerfen

Path img[title="Riegersburg"]

 $\textbf{Snippet} \hspace{30mm} \texttt{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png"} \\$

 $t\hbox{-}zoom\hbox{-}animated leaflet-interactive" title="Riegersburg" alt="Riegersburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p) transla$

x, 0px); z-index: 736;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Riegersburg

Path img[title="Franzensburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"

t-zoom-animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593)

px, 0px); z-index: 593;">

Image typeARIA role(no value)Accessible nameFranzensburg

Path img[title="Burg Kreuzenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Kreuzenstein

Path img[title="Burg Plankenstein"]

t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

278px, 598px, 0px); z-index: 598;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Plankenstein

Path img[title="Burg Oberkapfenberg"]

 $\label{lem:simpet} Snippet $$ < img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-mar$

t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

Image type
ARIA role (no value)

Accessible name Burg Oberkapfenberg

Path img[title="Burg Piberstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet" class="leaflet-marker-icon.png" class="leaf

t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px,

529px, 0px); z-index: 529;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Piberstein

Path img[title="Burg Altpernstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="b</pre>

t-zoom-animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="b utton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176

px, 617px, 0px); z-index: 617;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Altpernstein

Path img[title="Burg Clam"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px,

0px); z-index: 572;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Clam

Path img[title="Burg Heidenreichstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" alt="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Image type
ARIA role (no value)

Accessible name Burg Heidenreichstein

Path img[title="Burg Raabs"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style

="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1297px, 485px,

0px); z-index: 485;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Raabs

Path img[title="Burg Deutschlandsberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex

t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1270px, 761px, 0px); z-index: 761;">

Image type
ARIA role (no value)

Accessible name Burg Deutschlandsberg

Path img[title="Schattenburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" st

yle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p

x, 0px); z-index: 705;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Schattenburg

Path img[title="Festung Kufstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="bu</pre>

 $tton"\ style="margin-left:\ -12px;\ margin-top:\ -41px;\ width:\ 25px;\ height:\ 41px;\ transform:\ translate 3d (995p) top 1.5px;\ height:\ 41px;\ transform:\ height:\ 41px;\ height:\ 41px;\$

x, 658px, 0px); z-index: 658;">

Image type

ARIA role (no value)

Accessible name Festung Kufstein

Path img[title="Burg Seebenstein"]

Snippet

t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 643px, 0px); z-index: 643;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Seebenstein

Path img[title="Burg Forchtenstein"]

 $\textbf{Snippet} \hspace{30mm} < img\ src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon.png"\ class="leaflet-marker-icon.$

t-zoom-animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

374px, 641px, 0px); z-index: 641;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Forchtenstein

Path img[title="Ruine Merkenstein"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-0.5mm} \\ \hspace{-0.5mm} < \hspace{-0.5mm} \\ \hspace{-0.5mm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet-marker-icon.png" class="leaflet-marker-icon leaflet-marker-icon.png" class="leaflet-marker-icon.png" cla$

t-zoom-animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 604px, 0px); z-index: 604;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Ruine Merkenstein

Path img[title="Burg Rappottenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" r</pre>

ole="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3

d(1260px, 532px, 0px); z-index: 532;">

Image type
ARIA role (no value)

Accessible name Burg Rappottenstein

Path img[title="Burg Kreuzen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"

t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1236px, 566

px, 0px); z-index: 566;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Kreuzen

Path img[title="Burg Hochosterwitz"]

Snippet

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol e="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d

(1202px, 769px, 0px); z-index: 769;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Hochosterwitz

Path img[title="Burg Strechau"]

t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1190px, 66

5px, 0px); z-index: 665;">

 Image type

 ARIA role
 (no value)

 Accessible name
 Burg Strechau

Path img[title="Burg Landskron"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet-t-zoom-animated leaflet-interactive" title="Burg Landskron" alt="Burg Landskron" tabindex="0" role="butt"

on" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1152p

x, 784px, 0px); z-index: 784;">

Image type ARIA role (no value) Accessible name Burg Landskron

Path img[title="Araburg"]

<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle" Snippet

t-zoom-animated leaflet-interactive" title="Araburg" alt="Araburg" tabindex="0" role="button" style="margi n-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-

index: 600;">

Image type ARIA role (no value) Accessible name Araburg

CAPTCHAs: If a CAPTCHA is used, alternative methods must be provided for both users without vision and users without hearing - WCAG 1.1.1

No matching instances

Language 3

Language of page: A page must have the correct default language - WCAG 3.1.1

No matching instances

Language of parts: If the language of a passage differs from the default language of the page, the passage must have its own language attribute - WCAG 3.1.2 **20**

No matching instances

Text direction: If a page or a passage uses a script that is read right-to-left, it must have the correct text direction - WCAG 1.3.2

No matching instances

Sensory 24

Color as meaning: Color must not be used as the only visual means for conveying meaning - WCAG 1.4.1 **1**

Instructions: Instructions must not rely solely on color or other sensory characteristics - WCAG 1.3.3



No matching instances

Auditory cues: Auditory cues must be accompanied by visual cues - WCAG 1.1.1

No matching instances

Flashing: Web pages must not have content that flashes more than three times per second - WCAG 2.3.1 **2**0

No matching instances

Adaptable content (27)

High contrast mode: Websites and web apps must honor high contrast appearance settings and functions -SECTION 508 - 502.2.2

No matching instances

Resize text: Users must be able to resize text, without using assistive technology, up to 200% with no loss of content or functionality - WCAG 1.4.4

Contrast: Text elements must have sufficient contrast - WCAG 1.4.3 No matching instances Orientation: Web content must not be locked to a particular screen orientation - WCAG 1.3.4 20 New for WCAG 2.1 No matching instances Reflow: Content must be visible without having to scroll in two dimensions - WCAG 1.4.10 ON New for WCAG 2.1 No matching instances Text spacing: Users must be able to adjust text spacing with no loss of content or functionality - WCAG 1.4.12 New for WCAG 2.1 Hover / focus content: Content that appears on focus or hover must be dismissible, hoverable, and persistent - WCAG 1.4.13 ONew for WCAG 2.1 No matching instances Audio / video 2 Audio-only equivalent: Pre-recorded audio-only content must be accompanied by an equivalent text alternative - WCAG 1.2.1 No matching instances Video-only equivalent: Pre-recorded video-only content must be accompanied by an equivalent text or audio alternative - WCAG 1.2.1 No matching instances Multimedia (25) Captions: Pre-recorded multimedia content must have captions - WCAG 1.2.2 No matching instances No obstruction: Captions must not obscure or obstruct relevant information in the video - WCAG 1.2.2 No matching instances Audio description: Pre-recorded video with audio must have an audio description - WCAG 1.2.3, WCAG 1.2.5 No matching instances

No matching instances

Synchronization: An audio description must be synchronized with the video content - WCAG 1.2.5

Live multimedia 🕢 1

Captions: Captions must be provided for live (streaming) video with audio - WCAG 1.2.4 ON matching instances

Sequence 3

CSS positioning: Meaningful content positioned on the page using CSS must retain its meaning when CSS is disabled - WCAG 1.3.2

Layout tables: The content in an HTML layout table must make sense when the table is linearized - WCAG 1.3.2 1.3.2 1.3.2

No matching instances

Columns: Content presented in multi-column format must support a correct reading sequence - WCAG 1.3.1, WCAG 1.3.2 \bigcirc

No matching instances

Semantics (28)

CSS content: Meaningful content must not be implemented using only CSS : before or :after - WCAG 1.3.1 \bigcirc 1

Table semantics: A element must be coded correctly as a *data* table or a *layout* table - WCAG 1.3.1 **©**0

No matching instances

Table headers: Coded headers must be used correctly - WCAG 1.3.1

No matching instances

Headers attribute: The **headers** attribute of a element must reference the correct element(s) - WCAG 1.3.1

No matching instances

Lists: Lists must be contained within semantically correct containers - WCAG 1.3.1

No matching instances

Emphasis: Words and phrases that are visually emphasized must be contained within semantically correct containers - WCAG 1.3.1

No matching instances

Quotes: The **<blockquote>** element must not be used to style non-quote text - WCAG 1.3.1 **QD**

No matching instances

Pointer / motion 25

Pointer gestures: Functions must be operable without requiring multipoint or path-based gestures - WCAG 2.5.1 **Q** New for WCAG 2.1

No matching instances

Pointer cancellation: Users must be able to cancel functions that can be operated using a single pointer -WCAG 2.5.2 **20** New for WCAG 2.1

No matching instances

Motion operation: If a function can be operated through motion, it must also be operable through user interface components - WCAG 2.5.4 New for WCAG 2.1

No matching instances

Dragging movements: The action of dragging cannot be the only means available to perform an action, with exceptions on where dragging is essential to the functionality, or the dragging mechanism is not built by the web author (e.g., native browser functionality unmodified by the author) - WCAG 2.5.7 VD New for WCAG 2.2

No matching instances

Target size: Touch targets must have sufficient size and spacing to be easily activated without accidentally activating an adjacent target - WCAG 2.5.8 ONew for WCAG 2.2

No matching instances

Contrast 3

UI components: Visual information used to identify active user interface components and their states must have sufficient contrast - WCAG 1.4.11 48 New for WCAG 2.1

Path .skip-link

Snippet Skip to Map

Accessible name Skip to Map Element link

Path a[href="index.html"]

Home Snippet

Accessible name Home

Path li:nth-child(2) > a[href\$="#map"] Snippet Map

Accessible name Мар Element link

Path a[href\$="about.html"]

Snippet About

Accessible name About Element link

Path a[href\$="leafletjs.com"]

Snippet

Leaflet Element link

Accessible name

Path a[target="_blank"]:nth-child(3)

Snippet <a href="https://www.jawg.io?utm_medium=map&utm_source=attribution" aria-label="Jawg attribution" aria-label="Jawg

on. Opens in a new tab" target="_blank">© Jawg

Accessible name Jawg attribution. Opens in a new tab

Element link

Path a[target=" blank"]:nth-child(4)

Snippet <a href="https://www.openstreetmap.org?utm_medium=map-attribution&utm_source=jawg" aria-lab

el="OpenStreetMap attribution. Opens in a new tab" target="_blank">@ OpenStreetMap

Accessible name OpenStreetMap attribution. Opens in a new tab

Element link

Path #search-input

Snippet <input class="search-input" type="text" placeholder="Search castle" aria-label="Search castle" id="searc</pre>

h-input" autocomplete="off" style="width: 250px; height: 35px;">

Accessible name Search castle

Element input type="text"

Path #shortcuts-button

Snippet Keyboard Shortcuts/button>

Accessible name Keyboard Shortcuts

Element button

Path #sidebar-button

Snippet <</sp

an></button>

Accessible name Hide complementary content

Element button

Path #increase-font-size

Accessible name Increase font size

Element button

Path #decrease-font-size

Accessible name Decrease font size

Element button

Path #contrast-checkbox

Snippet <input type="checkbox" aria-label="High Contrast Mode" id="contrast-checkbox">

Accessible name High Contrast Mode

Element input type="checkbox"

Path #labels-checkbox

Snippet <input type="checkbox" aria-label="Show castle names on map" id="labels-checkbox">

Accessible name Show castle names on map

Element input type="checkbox"

Path button[aria-label="OpenStreetMap"]

Snippet <button class="basemap-selector-button" aria-label="OpenStreetMap"><img src="./images/osm.png" alt</pre>

=""></button>

Accessible name OpenStreetMap

Element button

Path button[aria-label="OpenStreetMap.HOT"]

alt=""></button>

Accessible name OpenStreetMap.HOT

Element button

Path button[aria-label="MapTiler Dataviz"]

viz.png" alt=""></button>

Accessible name MapTiler Dataviz

Element button

Path button[aria-label="MapTiler Toner"]

nng" alt=""></hutton>

Accessible name MapTiler Toner

Element button

Path .selected

png" alt=""></button>

Accessible name Jawg Light
Element button

Path button[aria-label="Jawg Dark"]

=""></button>

Accessible name Jawg Dark
Element button

Path img[title="Burg Schlaining"]

 $\textbf{Snippet} \hspace{1.5cm} < \hspace{-.1cm} \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafletong"} \\$

t-zoom-animated leaflet-interactive" title="Burg Schlaining" alt="Burg Schlaining" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px,

693px, 0px); z-index: 693;">

Accessible name Burg Schlaining

Role button

Path img[title="Festung Hohenwerfen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Accessible name Festung Hohenwerfen

Role button

Path img[title="Riegersburg"]

Snippet <pre

t-zoom-animated leaflet-interactive" title="Riegersburg" alt="Riegersburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p)

x, 0px); z-index: 736;">

Accessible name Riegersburg

Role button

Path img[title="Franzensburg"]

 $\textbf{Snippet} \hspace{1.5cm} < \hspace{-.1cm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafletong"} \\$

t-zoom-animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593

px, 0px); z-index: 593;">

Accessible name Franzensburg

Role button

Path img[title="Burg Kreuzenstein"]

 $\label{lem:simpet} Snippet $$ <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leafle$

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

Accessible name Burg Kreuzenstein

Role button

Path img[title="Burg Plankenstein"]

Snippet </p

t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

278px, 598px, 0px); z-index: 598;";

Accessible name Burg Plankenstein

Role button

Path img[title="Burg Oberkapfenberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

Accessible name Burg Oberkapfenberg

Role button

Path img[title="Burg Piberstein"]

 $\label{lem:simpet} \textbf{Snippet} & < img\ src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon leaflet" and the simple of the state of$

t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px,

529px, 0px); z-index: 529;">

Accessible name Burg Piberstein

Role button

Path img[title="Burg Altpernstein"]

Snippet <mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="b utton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176

px, 617px, 0px); z-index: 617;">

Accessible name Burg Altpernstein

Role button

Path img[title="Burg Clam"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px,

Accessible name Burg Clam
Role button

Path img[title="Burg Heidenreichstein"]

0px); z-index: 572;">

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" alt="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Accessible name Burg Heidenreichstein

Role button

Path img[title="Burg Raabs"]

Snippet <imp src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet" |

t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1297px, 485px,

0px); z-index: 485;">

Accessible name Burg Raabs

Role button

Path img[title="Burg Deutschlandsberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex

t-zoom-animated leatlet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1270px, 761px, 0px); z-index: 761;">

Accessible name Burg Deutschlandsberg

Role button

Path img[title="Schattenburg"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-0.5mm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet-$

t-zoom-animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" st yle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p

x, 0px); z-index: 705;">
Schattenburg

Role button

Accessible name

Path img[title="Festung Kufstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="bu</pre>

 $tton"\ style="margin-left:\ -12px;\ margin-top:\ -41px;\ width:\ 25px;\ height:\ 41px;\ transform:\ translate3d (995p)$

x, 658px, 0px); z-index: 658;">

Accessible name Festung Kufstein

Role button

Path img[title="Burg Seebenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 643px, 0px); z-index: 643;">

Accessible name Burg Seebenstein

Role button

Path img[title="Burg Forchtenstein"]

 $\label{lem:simpet} \textbf{Snippet} & < img\ src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png"\ class="leaflet-marker-icon leaflet" and the simple of the state of$

t-zoom-animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

374px, 641px, 0px); z-index: 641;">

Burg Forchtenstein

Role button

Accessible name

Path img[title="Ruine Merkenstein"]

Snippet <mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet" class="leaflet-marker-icon.png" class="leafl

 $t\hbox{-}zoom\hbox{-}animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1) and the style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1) and the style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1) and the style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1) and translate3d(1) and$

356px, 604px, 0px); z-index: 604;">

Accessible name Ruine Merkenstein

Role button

Path img[title="Burg Rappottenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

 $t\hbox{-}zoom\hbox{-}animated leaflet\hbox{-}interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3 leaflet to the context of the context$

d(1260px, 532px, 0px); z-index: 532;">

Burg Rappottenstein

Role button

Accessible name

Path img[title="Burg Kreuzen"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1236px, 566

px, 0px); z-index: 566;">

Accessible name Burg Kreuzen

Role button

Path img[title="Burg Hochosterwitz"]

Snippet <imp src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet" |

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol e="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d

(1202px, 769px, 0px); z-index: 769;">

Accessible name Burg Hochosterwitz

Role button

Path img[title="Burg Strechau"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button"

t-zoom-animated leanet-interactive tutle= Burg Strechau alt= Burg Strechau tabindex= 0 role= button style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1190px, 66)

5px, 0px); z-index: 665;">

Accessible name Burg Strechau

Role button

Path img[title="Burg Landskron"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Landskron" alt="Burg Landskron" tabindex="0" role="butt on" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1152p

x, 784px, 0px); z-index: 784;">

Accessible name Burg Landskron

Role button

Path img[title="Araburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Araburo" alt="Araburo" tabindex="0" role="button" style="maroi</pre>

n-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-index: 600;">

Accessible name Araburg

Role button

Path .leaflet-control-zoom-in

Snippet <a class="leaflet-control-zoom-in" href="#" title="Zoom in" role="button" aria-label="Zoom in" aria-disable

d="false">+

Accessible name Zoom in Role button

Path .leaflet-control-zoom-out

Snippet <a class="leaflet-control-zoom-out" href="#" title="Zoom out" role="button" aria-label="Zoom out" aria-dis

abled="false">-

Accessible name Zoom out
Role button

Path .leaflet-control-zoom-fullscreen

Snippet <a class="leaflet-control-zoom-fullscreen fullscreen-icon" href="#" title="Open map in fullscreen mode" ro

le="button" aria-label="Open map in fullscreen mode">

Accessible name Open map in fullscreen mode

Role button

Path a[title="Layers"]

Snippet

Accessible name Layers
Role button

State changes: Any visual information that indicates a component's state must have sufficient contrast -

Path .skip-link

Snippet Skip to Map

Accessible name Skip to Map

Element link

Path a[href="index.html"]

Snippet Home

Accessible name Home
Element link

Path li:nth-child(2) > a[href\$="#map"]
Snippet Map

Accessible name Map
Element link

Path a[href\$="about.html"]

Snippet About

Accessible name About Element link

Path a[href\$="leafletjs.com"]

Snippet

Accessible name Leaflet
Element link

Path a[target="_blank"]:nth-child(3)

Snippet <a href="https://www.jawg.io?utm_medium=map&utm_source=attribution" aria-label="Jawg attribution" aria-label="Jawg

on. Opens in a new tab" target="_blank">© Jawg

Accessible name Jawg attribution. Opens in a new tab

Element link

Path a[target="_blank"]:nth-child(4)

Snippet <a href="https://www.openstreetmap.org?utm_medium=map-attribution&utm_source=jawg" aria-lab

 $el="OpenStreetMap" attribution. Opens in a new tab" target="_blank"> @ OpenStreetMap $

Accessible name OpenStreetMap attribution. Opens in a new tab

Element link

Path #search-input

Snippet <input class="search-input" type="text" placeholder="Search castle" aria-label="Search castle" id="searc</pre>

h-input" autocomplete="off" style="width: 250px; height: 35px;">

Accessible name Search castle

Element input type="text"

Path #shortcuts-button

Snippet Snippet Snippet button id="shortcuts-button" aria-label="Keyboard Shortcuts">Keyboard Shortcuts/button>

Accessible name Keyboard Shortcuts

Element button

Path #sidebar-button

an></button>

Accessible name Hide complementary content

Element button

Path #increase-font-size

Snippet Snippet Snippet button id="increase-font-size" aria-label="Increase font size">A+</button>

Accessible name Increase font size

Element button

Path #decrease-font-size

Accessible name Decrease font size

Element button

Path #contrast-checkbox

Snippet <input type="checkbox" aria-label="High Contrast Mode" id="contrast-checkbox">

Accessible name High Contrast Mode

Element input type="checkbox"

Path #labels-checkbox

Snippet <input type="checkbox" aria-label="Show castle names on map" id="labels-checkbox">

Accessible name Show castle names on map

Element input type="checkbox"

Path button[aria-label="OpenStreetMap"]

Snippet <img src="./images/osm.png" alt

=""></button>

Accessible name OpenStreetMap

Element button

Path button[aria-label="OpenStreetMap.HOT"]

 $\textbf{Snippet} \hspace{1.5cm} \textit{Snippet} \hspace{1.5cm} \textit{Spippet} \hspace{1.5cm} \textit{Snippet} \hspace{1.5cm} \textit{Spippet} \hspace{1.5cm} \textit{Sp$

lt=""></button>

Accessible name OpenStreetMap.HOT

Element button

Path button[aria-label="MapTiler Dataviz"]

viz.png" alt=""></button>

Accessible name MapTiler Dataviz

Element button

Path button[aria-label="MapTiler Toner"]

Snippet

png" alt=""></button>

Accessible name MapTiler Toner

Element button

Path .selecte

Snippet Snippet Sutton class="basemap-selector-button selected" aria-label="Jawg Light"><i mg src="./images/jawglight.">shippet Snippet <a href="shipp

png" alt=""></button>

Accessible name Jawg Light

Element button

Path button[aria-label="Jawg Dark"]

Snippet <img src="./images/jawgdark.png" alt

=""></button>

Accessible name Jawg Dark
Element button

Path img[title="Burg Schlaining"]

 $\label{lem:simpet} Snippet & <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon.png" class="leaflet$

t-zoom-animated leaflet-interactive" title="Burg Schlaining" alt="Burg Schlaining" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px,

693px, 0px); z-index: 693;">

Accessible name Burg Schlaining

Role button

Path img[title="Festung Hohenwerfen"]

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Accessible name Festung Hohenwerfen

Role button

Path img[title="Riegersburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Riegersburg" alt="Riegersburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p)

x, 0px); z-index: 736;">

Accessible name Riegersburg

Role button

Path img[title="Franzensburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593)

px, 0px); z-index: 593;">

Accessible name Franzensburg

Role button

Path img[title="Burg Kreuzenstein"]

Snippet <imp src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

Burg Kreuzenstein

Role button

Accessible name

Path img[title="Burg Plankenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role

t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

278px, 598px, 0px); z-index: 598;">

Accessible name Burg Plankenstein

Role button

Path img[title="Burg Oberkapfenberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex

t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

Burg Oberkapfenberg

Role button

Accessible name

Path img[title="Burg Piberstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle
t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto"</pre>

n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px,

529px, 0px); z-index: 529;">

Accessible name Burg Piberstein

Role butto

Path img[title="Burg Altpernstein"]

Snippet

t-zoom-animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="b utton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176

px, 617px, 0px); z-index: 617;">

Accessible name Burg Altpernstein

Role button

Path img[title="Burg Clam"]

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px,

0px); z-index: 572;">

Accessible name Burg Clam
Role button

Path img[title="Burg Heidenreichstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" alt="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Accessible name Burg Heidenreichstein

Role button

Path img[title="Burg Raabs"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style

="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1297px, 485px,

0px); z-index: 485;">

Accessible name Burg Raabs

Role button

Path img[title="Burg Deutschlandsberg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1270px, 761px, 0px); z-index: 761;">

Accessible name Burg Deutschlandsberg

Role button

Path img[title="Schattenburg"]

t-zoom-animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" st yle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p

x, 0px); z-index: 705;">

Accessible name Schattenburg

Role button

Path img[title="Festung Kufstein"]

Snippet

t-zoom-animated leaflet-interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="bu tton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(995p

x, 658px, 0px); z-index: 658;">

Accessible name Festung Kufstein

Role button

Path img[title="Burg Seebenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px. 643px. 0px): z-index: 643:">

Accessible name Burg Seebenstein

Role button

Path img[title="Burg Forchtenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle t-zoom-animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role

="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

374px, 641px, 0px); z-index: 641;">

Accessible name Burg Forchtenstein

Role butto

Path img[title="Ruine Merkenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 604px, 0px); z-index: 604;">

Accessible name Ruine Merkenstein

Role button

Path img[title="Burg Rappottenstein"]

t-zoom-animated leaflet-interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" r ole="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3

d(1260px, 532px, 0px); z-index: 532;">

Accessible name Burg Rappottenstein

Role button

Path img[title="Burg Kreuzen"]

Snippet

t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1236px, 566

px, 0px); z-index: 566;">

Accessible name Burg Kreuzen
Role button

Path img[title="Burg Hochosterwitz"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-0.5mm} \\ \hspace{-0.5mm} < \hspace{-0.5mm} \\ \hspace{-0.5mm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet-marker-icon.png" class="leaflet-marker-icon leaflet-marker-icon.png" class="leaflet-marker-icon.png" cla$

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol e="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d

(1202px, 769px, 0px); z-index: 769;">

Accessible name Burg Hochosterwitz

Role button

Path img[title="Burg Strechau"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1190px, 66

5px, 0px); z-index: 665;">

Accessible name Burg Strechau

Role button

Path img[title="Burg Landskron"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-0.5mm} \text{snc="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton" class="leafleton" class="leafleton"$

t-zoom-animated leaflet-interactive" title="Burg Landskron" alt="Burg Landskron" tabindex="0" role="butt on" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1152p

x, 784px, 0px); z-index: 784;">

Accessible name Burg Landskron

Role button

Path img[title="Araburg"]

Snippet

t-zoom-animated leaflet-interactive" title="Araburg" alt="Araburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-

index: 600;">

Accessible name Araburg
Role button

Path .leaflet-control-zoom-in

Snippet <a class="leaflet-control-zoom-in" href="#" title="Zoom in" role="button" aria-label="Zoom in" aria-disable

d="false">+

Accessible name Zoom in Role button

Path .leaflet-control-zoom-out

Snippet <a class="leaflet-control-zoom-out" href="#" title="Zoom out" role="button" aria-label="Zoom out" aria-dis

abled="false">-

Accessible name Zoom out

Role button

Path leaflet-control-zoom-fullscreen

Snippet <a class="leaflet-control-zoom-fullscreen fullscreen-icon" href="#" title="Open map in fullscreen mode" ro

le="button" aria-label="Open map in fullscreen mode">

Accessible name Open map in fullscreen mode

Role button

Path a[title="Layers"]

Snippet

Accessible name Layers Role button

Graphics: Graphics must have sufficient contrast - WCAG 1.4.11 V24 New for WCAG 2.1

Path img[title="Burg Schlaining"]

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton" class="leafleton" c$

 $t\hbox{-}zoom\hbox{-}animated \ leaflet\hbox{-}interactive"\ title="Burg Schlaining"\ alt="Burg Schlaining"\ tabindex="0"\ role="butto"\ alt="burg Schlaining"\ tabindex="0"\ role="butto"\ alt="burg Schlaining"\ tabindex="0"\ role="butto"\ alt="burg Schlaining"\ tabindex="0"\ role="burg Schlaining"\ tabindex="0"\ tabindex="$ n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1369px,

693px, 0px); z-index: 693;">

Image type

Accessible name Burg Schlaining

Path img[title="Festung Hohenwerfen"]

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton" class="leafleton" c$

t-zoom-animated leaflet-interactive" title="Festung Hohenwerfen" alt="Festung Hohenwerfen" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1087px, 672px, 0px); z-index: 672;">

Image type <imq>

Accessible name Festung Hohenwerfen

Path img[title="Riegersburg"]

Snippet $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafletong" class="leafletong" cl$

 $t\hbox{-}zoom\hbox{-}animated \ leaflet\hbox{-}interactive"\ title="Riegersburg"\ alt="Riegersburg"\ tabindex="0"\ role="button"\ styles to be a substitution of the context of the c$ e="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1337px, 736p

x, 0px); z-index: 736;">

Image type <ima> Accessible name Riegersburg

Path img[title="Franzensburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"</pre>

t-zoom-animated leaflet-interactive" title="Franzensburg" alt="Franzensburg" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1377px, 593

px, 0px); z-index: 593;">

Image type Accessible name Franzensburg

Path imaftitle="Bura Kreuzenstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle"</pre>

t-zoom-animated leaflet-interactive" title="Burg Kreuzenstein" alt="Burg Kreuzenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

371px, 550px, 0px); z-index: 550;">

Image type

Accessible name Burg Kreuzenstein

img[title="Burg Plankenstein"] Path

<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle Snippet

t-zoom-animated leaflet-interactive" title="Burg Plankenstein" alt="Burg Plankenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

278px, 598px, 0px); z-index: 598;";

Image type

Accessible name Burg Plankenstein

Path img[title="Burg Oberkapfenberg"]

 $<\!\!\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafletong" class="leafletong" cl$ Snippet

t-zoom-animated leaflet-interactive" title="Burg Oberkapfenberg" alt="Burg Oberkapfenberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1279px, 677px, 0px); z-index: 677;">

Image type

Accessible name Burg Oberkapfenberg Path img[title="Burg Piberstein"]

 $\label{lem:simpet} \textbf{Snippet} & <\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafletwidth="leafletw$

t-zoom-animated leaflet-interactive" title="Burg Piberstein" alt="Burg Piberstein" tabindex="0" role="butto n" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176px,

529px, 0px); z-index: 529;">

Image type <imq>

Accessible name Burg Piberstein

Path img[title="Burg Altpernstein"]

t-zoom-animated leaflet-interactive" title="Burg Altpernstein" alt="Burg Altpernstein" tabindex="0" role="b utton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1176

px, 617px, 0px); z-index: 617;">

Image type

Accessible name Burg Altpernstein

Path img[title="Burg Clam"]

Snippet <mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Clam" alt="Burg Clam" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1232px, 572px,

0px); z-index: 572;">

Image typeAccessible nameBurg Clam

Path img[title="Burg Heidenreichstein"]

Snippet <mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Heidenreichstein" alt="Burg Heidenreichstein" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1263px, 483px, 0px); z-index: 483;">

Image type

Accessible name Burg Heidenreichstein

Path img[title="Burg Raabs"]

 $\textbf{Snippet} \hspace{30mm} < \hspace{-1mm} \text{src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png"} \\$

t-zoom-animated leaflet-interactive" title="Burg Raabs" alt="Burg Raabs" tabindex="0" role="button" style ="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1297px, 485px,

0px); z-index: 485;">

Image typeAccessible nameBurg Raabs

Path img[title="Burg Deutschlandsberg"]

 $\textbf{Snippet} \hspace{1.5cm} < \hspace{-.1cm} \text{snc="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png"} \\$

t-zoom-animated leaflet-interactive" title="Burg Deutschlandsberg" alt="Burg Deutschlandsberg" tabindex ="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: trans

late3d(1270px, 761px, 0px); z-index: 761;">

Image type

Accessible name Burg Deutschlandsberg

Path img[title="Schattenburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Schattenburg" alt="Schattenburg" tabindex="0" role="button" st yle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(761px, 705p; -20x) = $\frac{1}{2}$ = $\frac{1}{2}$

x, 0px); z-index: 705;">

Image type
Accessible name Schattenburg

Path img[title="Festung Kufstein"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle</pre>

t-zoom-animated leaflet-interactive" title="Festung Kufstein" alt="Festung Kufstein" tabindex="0" role="bu tton" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(995p

x, 658px, 0px); z-index: 658;">

Image type

Accessible name Festung Kufstein

Path img[title="Burg Seebenstein"]

 $\textbf{Snippet} \hspace{1.5cm} < \hspace{-.1cm} \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leaflet@1.9.4/dist/images/marker-icon.png"} \\$

t-zoom-animated leaflet-interactive" title="Burg Seebenstein" alt="Burg Seebenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 643px, 0px); z-index: 643;">

Image type

Accessible name Burg Seebenstein

Path img[title="Burg Forchtenstein"]

 $\label{lem:simpet} \textbf{Snippet} & <\text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafletwidth="leafletw$

t-zoom-animated leaflet-interactive" title="Burg Forchtenstein" alt="Burg Forchtenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

374px, 641px, 0px); z-index: 641;">

Image type <imq>

Accessible name Burg Forchtenstein

Path img[title="Ruine Merkenstein"]

Snippet </p

t-zoom-animated leaflet-interactive" title="Ruine Merkenstein" alt="Ruine Merkenstein" tabindex="0" role ="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1

356px, 604px, 0px); z-index: 604;">

Image type

Accessible name Ruine Merkenstein

Path img[title="Burg Rappottenstein"]

Snippet <mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Rappottenstein" alt="Burg Rappottenstein" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3

d(1260px, 532px, 0px); z-index: 532;">

Image type

Accessible name Burg Rappottenstein

Path img[title="Burg Kreuzen"]

Snippet <mg src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Kreuzen" alt="Burg Kreuzen" tabindex="0" role="button" s tyle="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1236px, 566

px, 0px); z-index: 566;">

Image type
Accessible name Burg Kreuzen

Path img[title="Burg Hochosterwitz"]

 $\textbf{Snippet} \hspace{1.5cm} \texttt{<img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png"} \hspace{0.5cm} \textbf{class="leaflet-marker-icon leafleton-le$

t-zoom-animated leaflet-interactive" title="Burg Hochosterwitz" alt="Burg Hochosterwitz" tabindex="0" rol e="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d

(1202px, 769px, 0px); z-index: 769;">

Image type

Accessible name Burg Hochosterwitz

Path img[title="Burg Strechau"]

 $\textbf{Snippet} \hspace{30mm} < \text{img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafleton.png" class="leaflet-marker-icon leafleton.png" class="leaflet-marker-icon.png" class="leaf$

t-zoom-animated leaflet-interactive" title="Burg Strechau" alt="Burg Strechau" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1190px, 66

5px, 0px); z-index: 665;">

Image typeAccessible nameBurg Strechau

Path img[title="Burg Landskron"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Burg Landskron" alt="Burg Landskron" tabindex="0" role="butt on" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1152p v. 704x; polya index 2744").

x, 784px, 0px); z-index: 784;">

Image type

Accessible name Burg Landskron

Path img[title="Araburg"]

Snippet <img src="https://unpkg.com/leaflet@1.9.4/dist/images/marker-icon.png" class="leaflet-marker-icon leafle

t-zoom-animated leaflet-interactive" title="Araburg" alt="Araburg" tabindex="0" role="button" style="margin-left: -12px; margin-top: -41px; width: 25px; height: 41px; transform: translate3d(1331px, 600px, 0px); z-

index: 600;">

Image type
Accessible name Araburg

Cognitive 2

Authentication: People with cognitive issues relating to memory, reading (for example, dyslexia), numbers (for example, dyscalculia), or perception-processing limitations will be able to authenticate irrespective of the level of their cognitive abilities - WCAG 3.3.8 New for WCAG 2.2

No matching instances

This assessment report was generated using Accessibility Insights for Web 2.44.0 (axe-core 4.9.1), a tool that helps debug and find accessibility issues earlier on Chrome version 128.0.0.0. Get more information & download this tool at http://aka.ms/AccessibilityInsights