

InterMine is a powerful open source data warehouse system, created specifically for integrating and analyzing complex biological data. Benefiting from over a decade of data warehousing experience and input from a wide range of research collaborators, InterMine is still in active development. InterMine features include:

- Sophisticated data integration facilities
- Fast, flexible querying
- User-friendly web interface and analysis tools
- Extensive set of APIs and web tools
- Highly developed and extensible system

# LegFed InterMines



JCVI and NCGR have been developing mines for LegFed:

**MedicMine** *Medicago truncatula* (developed along with ThaleMine)

**BeanMine** Phaseolus vulgaris, from LIS chado

**SoyMine** *Glycine max*, from SoyBase+

**PeanutMine** Arachis duranensis + Arachis ipaensis, from PeanutBase+


**LegumeMine** combines above

CowpeaMine soon: with genetics from UC-Riverside

These mines are all cross-linked via the "friendly mine" interface.

### MedicMine enhancements 1






### MedicMine enhancements 2



identifiers



IPR023214 (HAD-like domain), IPR023298 (P-type ATPase, transmembrane

domain) GO:0000166 (nucleotide binding), GO:0006200 (ATP ...

### NCGR mine enhancements



- Chado data importers (for LIS data)
- Genetic data extensions (markers, QTLs, genetic maps, etc.)
- Genetic data visualization (linkage group diagrams, genotyping)
- Shared motif search (e.g. upstream gene flanking regions)
- Expression heat maps

Note: core InterMine does not contain genetic data.


# Heat maps have K-means clustering



Date Created: 2016-10-24 13:37 PvGEA: Phaseolus vulgaris Gene Expression Atlas View article on PubMed Heatmap visualization powered by canvasXpress, Grab the edges with your mouse to resize the map. Zoom in/out on an area with your scroll wheel. Click to see/hide the expression map Expression K-means: 2 V Tissue K-means: 2 V mRNA RNA-seq expression (RPKM): 8 transcripts 10 100 1000 200 Phvul.009G065500.1 Phvul.009G065500.2 Phyul.003G101400.1 Phvul.004G171200.1 Phvul.004G176600.1 Phvul.008G275700.1 Phvul.009G024400.1 Phvul.010G125300.1 More information


# LG diagrams show markers and QTLs






# Mapping experiment → genotyping matrix





# Shared motif search = realtime analysis





Show 10 v entries	Motifs can be filtered: Search: CATAAATGGAAA				
Motif	Length ♦	Num	Score 🔻	Regions	
TTACATAAATGGAAA*	15	5	3970	Phvul.004G171200 5.0kb upstream:1266-1280 Phvul.004G176600 5.0kb upstream:783-797 Phvul.009G024400 5.0kb upstream:1692-1706 Phvul.009G065500 5.0kb upstream:2044-2058 Phvul.010G125300 5.0kb upstream:3957-3971	List
TACATAAATGGAAAA*	15	4	3176	Phvul.004G176600 5.0kb upstream:784-798 Phvul.008G275700 5.0kb upstream:3610-3624 Phvul.009G065500 5.0kb upstream:2045-2059 Phvul.010G125300 5.0kb upstream:3958-3972	List
TTACATAAATGGAAAA*	16	3	2520	Phvul.004G176600 5.0kb upstream:783-798 Phvul.009G065500 5.0kb upstream:2044-2059 Phvul.010G125300 5.0kb upstream:3957-3972	List
TACATAAATGGAAA*	14	3	2247	Phvul.004G171200 5.0kb upstream:1267-1280 Phvul.008G275700 5.0kb upstream:3610-3623 Phvul.009G024400 5.0kb upstream:1693-1706	List
CATAAATGGAAAA	13	3	2109	Phvul.004G171200 5.0kb upstream:1315-1327 Phvul.008G275700 5.0kb upstream:3612-3624 Phvul.009G065500 5.0kb upstream:2047-2059	List
ATTTACATAAATGGAAAA*	18	2	1862	Phvul.009G065500 5.0kb upstream:2042-2059 Phvul.010G125300 5.0kb upstream:3955-3972	List
ATTACATAAATGGAAAT*	17	2	1770	Phvul.004G171200 5.0kb upstream:1265-1281 Phvul.009G024400 5.0kb upstream:1691-1707	List
Showing 1 to 7 of 7 entries (filtered from 101 total entries)				Previous 1	Next
More information					

## Example: intersect lists from queries



Question: which Pv genes express highly in root tips (RT) but poorly in shoot tips (ST) in the 2nd trifoliate stage?

```
Gene
    DB identifier 8
                                                                                         DB identifier 3
   Transcripts mRNA collection 80
                                                                                        Transcripts mRNA collection Se
      Constrained to be in subclass mRNA
                                                                                            Constrained to be in subclass mRNA 8
       Expression Values Expression Value collection 
                                                                                            Expression Values Expression Value collection 80
           Value 😵
                                                                                                Value 😵
             > 100 😂 🙆 (A)
                                                                                                  < 10 🝪 🥝 (A)
          Expression Sample Expression Sample Se
                                                                                               Expression Sample Expression Sample 80
             Name 🚨
                                                                                                  Name 🔀
                 = RT 🝪 🐼 (B)
                                                                                                      = ST 😵 🐼 (B)
Constraint logic: A and B
                                                                                     Constraint logic: A and B
  A and B
                                                                                       A and B
```


RT > 100 RPKM query

ST < 10 RPKM query

### Intersect resulting lists




#### Intersection of query lists results in 39 genes



# View resulting list $\rightarrow$ "list analysis page"



PvGEA: Phaseolus vulgaris Gene Expression Atlas



List analysis page includes a heat map, plus standard IM analyses like GO term enrichment, chromosome histogram