

To make your integration tests work when implementing Google OAuth, you need to make changes to the following files.

```
config/environments/test.rb
spec/integration/creating_blog_posts_spec.rb
spec/rails_helper.rb
```

In your RSpec for integration test (e.g., `creating_blog_posts_spec.rb`), do the following:

```
require 'rails_helper'

RSpec.describe "CreatingBlogPosts", type: :system do
  before do
    driven_by(:rack_test)

    # Configure OmniAuth for testing
    OmniAuth.config.test_mode = true

    # Mock the Google OAuth response
    OmniAuth.config.mock_auth[:google_oauth2] = OmniAuth::AuthHash.new({
      provider: 'google_oauth2',
      uid: '123456',
      info: {
        email: 'admin@example.com',
        name: 'Admin User',
        image: 'https://example.com/avatar.jpg'
      },
      credentials: {
        token: 'mock_token',
        expires_at: Time.now + 1.week
      }
    })

    # Create an admin in the database
```

```

    @admin = Admin.create!(
      email: 'admin@example.com',
      full_name: 'Admin User',
      uid: '123456',
      avatar_url: 'https://example.com/avatar.jpg'
    )
  end

  it 'saves & displays the resulting blog post' do
    # Simulate OAuth login
    visit '/admins/auth/google_oauth2/callback'

    # Expect to be redirected to the root path after successful login
    expect(page).to have_current_path(root_path)

    expect(page).to have_link("New Post", wait: 10)
    click_on "New Post"

    fill_in 'Title', with: 'Hello, World!'
    fill_in 'Body', with: 'Hello, I say!'

    click_on 'Create Post'

    expect(page).to have_content('Hello, World!')
    expect(page).to have_content('Hello, I say!')

    post = Post.order("id").last
    expect(post.title).to eq('Hello, World!')
    expect(post.body).to eq('Hello, I say!')
  end
end
end

```

To make this work, ensure you have the following setup:

1. In your config/environments/test.rb:

```
Rails.application.configure do
  # Configure OmniAuth for test mode (near the top)
  OmniAuth.config.test_mode = true

  # Other test configurations...
end
```

2. Add the necessary configurations to your rails_helper.rb or spec_helper.rb (whichever you use):

```
require 'omniauth'

OmniAuth.config.test_mode = true

# Add additional requires below this line. Rails is not loaded until this
point!
```