

Week 4 Individual Submission Form

Integrity(Individual)

Grading

Will be graded using the following tabs in the Sprint Rubric:

- **Quality - Integrity**

Linked to the following sections in Project Notebook:

- **Integrity [Section 5.4]**


1. Integrity: Authentication


[Provide the screenshot of your implementation of Google OAuth (see sample below)

1 per student and upload into MS Teams.]

You can use `test_app/book_collection` for implementation.

Put a screenshot of





Successfully authenticated from Google account.

You're logged in! Welcome !

[Sign Out](#)

Posts


Have 5 posts!

Post ID	Title	Body	
1	I'm in!	Thanks for reading my post	Show Edit Destroy
9	try again	try again	Show Edit Destroy
10	title-hello there	body-hello there	Show Edit Destroy
11	Yahoo again	Yahoo again	Show Edit Destroy
13	Go!	Go	Show Edit Destroy

[New Post](#)

[New Comment](#)

[New User](#)



You need to sign in or sign up before continuing.

You're Logged out! Log in to the Admin Dashboard

[Sign in with Google](#)

2. Integrity: Test Coverage

Explain at least 1 sunny day and 1 rainy day test case.

NOTE: You don't have to write the test case, Just explain the scenarios. Ex: What's a sunny day scenario for Authentication?

Base these scenarios on the acceptance criteria and integrity focus you worked on in this week's 4.2/4.4 workshops.

You may choose to write Rspec test cases as well.

1. Sunny day scenario
2. Rainy day scenario

3. Integrity: Security Testing

Put a screenshot of security testing using a tool such as Brakeman (see sample below).
If Brakeman reports medium/low issues, mention how you will track them in your Risk Plan.

Brakeman Report

Application Path	Rails Version	Braikeman Version	Report Time	Checks Performed
/mnt/c/Users/paulinwade/Documents/biologist2	6.0.3.4	5.9.0	2021-02-10 12:40:35 +0000	BasicAuth, BasicAuthTimingAttack, CSRFTokenForgeryCVE, ContentType, CookieSerialization, CreateWith, CrossSiteScripting, DefaultRoutes, Deerialize, DetailedExceptions, DigestDoS, Dynamiliformer, EscapeFunction, Evaluation, EscapeHtml, EscapeJson, EscapeXml, FileDisclosure, FilterRaising, ForgerySplitting, HeadersDoS, IDORing, JQueryXHR, JQueryXHRData, JQueryXHRDataResponse, JQueryXHRDataResponseMalicious, MimeTypeDoS, ModelAttributeAccessible, ModelAttributes, ModelAttribute, NestedAttributes, NestedAttributesTypes, NameSpaceInjection, PageCacheingCVE, PermitAttributes, QuoteBackslash, Redirect, RegexpDoS, Render, RenderBody, RenderLine, ResponseSplitting, RoutesDoS, SQLiCVE, Security, SafeFormImplementation, SelectTag, SelectValueInjection, Send, SingleUser, SessionManipulation, SessionSettings, SimpleFormat, SingleCookie, SkipBeforeFilter, SpockSafePathTraversal, Striptags, SymbolDoS, TemplateInjection, TranslateRegex, UnsafeReflection, UnsafeReflectionMethods, ValidationErrors, VerifConnection, WithNoProtection, XMLEDoS, YAMLParsing

Summary

Scanned/Reported	Total
Controllers	4
Errors	0
Ignored Warnings	0
Models	4
Security Warnings	0 (0)
Templates	18

4. Integrity: Logging

Use Heroku's web interface to set up Papertrail logging and explore the logs generated by a basic Heroku app.

Which Integrity sub-characteristic does this logging support (e.g., Non-repudiation, Accountability), and how would you reference it in Section 5.4 of your Notebook?

Submit a screenshot showing logs in both Heroku's built-in log view and the Papertrail dashboard and a summary of the advantages of Papertrail for log management.