NSE FORTINET VOUCHERS 100% LỆ PHÍ THI Liên hệ

Cisco Microsoft Linux Amazon VMware info@itexamviet.com 0964464377

ITexamViet

0

KIẾN THỨC EXAM PREP VOUCHERS KHÓA HỌC TÀI NGUYÊN

FREE DUMPS, FREE MICROSOFT DUMP

Free AZ-104 Dump

Question #40*Topic 1*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You have a CSV file that contains the names and email addresses of 500 external users.

You need to create a guest user account in contoso.com for each of the 500 external users.

Solution: You create a PowerShell script that runs the New-AzureADMSInvitation cmdlet for each external user.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: *A*

Use the New-AzureADMSInvitation cmdlet which is used to invite a new external user to your directory.

Reference:

https://docs.microsoft.com/en-us/powershell/module/azuread/new-azureadmsinvitation

Community vote distribution

A (89%)

11%

Topic 2 – Question Set 2

Question #1*Topic 2*

HOTSPOT –

You have an Azure subscription named Subscription1 that contains a resource group named RG1.

In RG1, you create an internal load balancer named LB1 and a public load balancer named LB2.

You need to ensure that an administrator named Admin1 can manage LB1 and LB2. The solution must follow the principle of least privilege.

Which role should you assign to Admin1 for each task? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To add a backend pool to LB1:

- Contributor on LB1
- Network Contributor on LB1
- Network Contributor on RG1
- Owner on LB1

To add a health probe to LB2:

- Contributor on LB2
- Network Contributor on LB2
- Network Contributor on RG1
- Owner on LB2

Correct Answer:

Answer Area

To add a backend pool to LB1:

- Contributor on LB1
- Network Contributor on LB1
- Network Contributor on RG1
- Owner on LB1

To add a health probe to LB2:

- Contributor on LB2
- Network Contributor on LB2
- Network Contributor on RG1
- Owner on LB2

The Network Contributor role lets you manage networks, but not access them.

Reference:

https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles

Question #2*Topic 2*

You have an Azure subscription that contains an Azure Active Directory (Azure AD) tenant named contoso.com and an Azure Kubernetes Service (AKS) cluster named AKS1.

An administrator reports that she is unable to grant access to AKS1 to the users in contoso.com.

You need to ensure that access to AKS1 can be granted to the contoso.com users.

What should you do first?

- A. From contoso.com, modify the Organization relationships settings.
- B. From contoso.com, create an OAuth 2.0 authorization endpoint.
- C. Recreate AKS1.
- D. From AKS1, create a namespace.

Correct Answer: *B*

Reference:

https://kubernetes.io/docs/reference/access-authn-authz/authentication/

Community vote distribution

B (93%)

6%

Question #3*Topic 2*

You have a Microsoft 365 tenant and an Azure Active Directory (Azure AD) tenant named contoso.com.

You plan to grant three users named User1, User2, and User3 access to a temporary Microsoft SharePoint document library named Library1.

You need to create groups for the users. The solution must ensure that the groups are deleted automatically after 180 days.

Which two groups should you create? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. a Microsoft 365 group that uses the Assigned membership type
- B. a Security group that uses the Assigned membership type

- C. a Microsoft 365 group that uses the Dynamic User membership type
- D. a Security group that uses the Dynamic User membership type
- E. a Security group that uses the Dynamic Device membership type

Correct Answer: *AC*

You can set expiration policy only for Office 365 groups in Azure Active Directory (Azure AD).

Note: With the increase in usage of Office 365 Groups, administrators and users need a way to clean up unused groups. Expiration policies can help remove inactive groups from the system and make things cleaner.

When a group expires, all of its associated services (the mailbox, Planner, SharePoint site, etc.) are also deleted.

You can set up a rule for dynamic membership on security groups or Office 365 groups.

Incorrect Answers:

B, D, E: You can set expiration policy only for Office 365 groups in Azure Active Directory (Azure AD).

Reference:

https://docs.microsoft.com/en-us/office365/admin/create-groups/office-365-groups-expiration-policy?view=o365-worldwide

Community vote distribution

AC (92%)

8%

Question #4*Topic 2*

HOTSPOT –

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table:

Name	Type	Member of
User1	Member	Group1
User2	Guest	Group1
User3	Member	None
UserA	Member	Group2
UserB	Guest	Group2

User3 is the owner of Group1.

Group2 is a member of Group1.

You configure an access review named Review1 as shown in the following exhibit:

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
User3 can perform an access review of User1	○	○
User3 can perform an access review of UserA	○	○
User3 can perform an access review of UserB	○	○

Correct Answer:

Answer Area

Statements	Yes	No
User3 can perform an access review of User1	○	○
User3 can perform an access review of UserA	○	○
User3 can perform an access review of UserB	○	○

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review

Question #5*Topic 2*

HOTSPOT –

You have the Azure management groups shown in the following table:

Name	In management group
Tenant Root Group	*Not applicable*
ManagementGroup11	Tenant Root Group
ManagementGroup12	Tenant Root Group
ManagementGroup21	ManagementGroup11

You add Azure subscriptions to the management groups as shown in the following table:

Name	Management group
Subscription1	ManagementGroup21
Subscription2	ManagementGroup12

You create the Azure policies shown in the following table:

Name	Parameter	Scope
Not allowed resource types	virtualNetworks	Tenant Root Group
Allowed resource types	virtualNetworks	ManagementGroup12

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
You can create a virtual network in Subscription1.	○	○
You can create a virtual machine in Subscription2.	○	○
You can add Subscription1 to ManagementGroup11.	○	○

Correct Answer:

Answer Area

Statements	Yes	No
You can create a virtual network in Subscription1.	○	○
You can create a virtual machine in Subscription2.	○	○
You can add Subscription1 to ManagementGroup11.	○	○

Box 1: No –

Virtual networks are not allowed at the root and is inherited. Deny overrides allowed.

Box 2: Yes –

Virtual Machines can be created on a Management Group provided the user has the required RBAC permissions.

Box 3: Yes –

Subscriptions can be moved between Management Groups provided the user has the required RBAC permissions.

Reference:

https://docs.microsoft.com/en-us/azure/governance/management-groups/overview
https://docs.microsoft.com/en-us/azure/governance/management-groups/manage#moving-management-groups-and-subscriptions

Question #6*Topic 2*

You have an Azure policy as shown in the following exhibit:



What is the effect of the policy?

- A. You are prevented from creating Azure SQL servers anywhere in Subscription 1.
- B. You can create Azure SQL servers in ContosoRG1 only.
- C. You are prevented from creating Azure SQL Servers in ContosoRG1 only.
- D. You can create Azure SQL servers in any resource group within Subscription 1.

Correct Answer: *B*

You are prevented from creating Azure SQL servers anywhere in Subscription 1 with the exception of ContosoRG1

Community vote distribution

B (100%)

Question #7*Topic 2*

HOTSPOT –

You have an Azure subscription that contains the resources shown in the following table:

Name	Type	Resource group	Tag
RG6	Resource group	*Not applicable*	*None*
VNET1	Virtual network	RG6	Department: D1

You assign a policy to RG6 as shown in the following table:

Section	Setting	Value
Scope	Scope	Subscription1/RG6
	Exclusions	*None*
Basics	Policy definition	Apply tag and its default value
	Assignment name	Apply tag and its default value
Parameters	Tag name	Label
	Tag value	Value1

To RG6, you apply the tag: RGroup: RG6.

You deploy a virtual network named VNET2 to RG6.

Which tags apply to VNET1 and VNET2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Correct Answer:



VNET1: Department: D1, and Label:Value1 only.

Tags applied to the resource group or subscription are not inherited by the resources.

Note: Azure Policy allows you to use either built-in or custom-defined policy definitions and assign them to either a specific resource group or across a whole

Azure subscription.

VNET2: Label:Value1 only.

Incorrect Answers:

RGROUP: RG6 –

Tags applied to the resource group or subscription are not inherited by the resources.

Reference:

https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/tag-policies

Question #8*Topic 2*

You have an Azure subscription named AZPT1 that contains the resources shown in the following table:

Name	Type
storage1	Azure Storage account
VNET1	Virtual network
VM1	Azure virtual machine
VM1Managed	Managed disk for VM1
RVAULT1	Recovery Services vault for the site recovery of VM1

You create a new Azure subscription named AZPT2.

You need to identify which resources can be moved to AZPT2.

Which resources should you identify?

- A. VM1, storage1, VNET1, and VM1Managed only
- B. VM1 and VM1Managed only
- C. VM1, storage1, VNET1, VM1Managed, and RVAULT1
- D. RVAULT1 only

Correct Answer: *C*

You can move a VM and its associated resources to a different subscription by using the Azure portal.

You can now move an Azure Recovery Service (ASR) Vault to either a new resource group within the current subscription or to a new subscription.

Reference:

https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/move-resource-group-and-subscription

Community vote distribution

C (95%)

5%

Question #9*Topic 2*

You recently created a new Azure subscription that contains a user named Admin1.

Admin1 attempts to deploy an Azure Marketplace resource by using an Azure Resource Manager template. Admin1 deploys the template by using Azure

PowerShell and receives the following error message: `User failed validation to purchase resources. Error message: `Legal terms have not been accepted for this item on this subscription. To accept legal terms, please go to the Azure portal (http://go.microsoft.com/fwlink/?LinkId=534873) and configure programmatic deployment for the Marketplace item or create it there for the first time.`

You need to ensure that Admin1 can deploy the Marketplace resource successfully.

What should you do?

- A. From Azure PowerShell, run the Set-AzApiManagementSubscription cmdlet
- B. From the Azure portal, register the Microsoft.Marketplace resource provider
- C. From Azure PowerShell, run the Set-AzMarketplaceTerms cmdlet
- D. From the Azure portal, assign the Billing administrator role to Admin1

Correct Answer: *C*

Reference:

https://docs.microsoft.com/en-us/powershell/module/az.marketplaceordering/set-azmarketplaceterms?view=azps-4.1.0

Community vote distribution

C (100%)

Question #10*Topic 2*

You have an Azure Active Directory (Azure AD) tenant that contains 5,000 user accounts.

You create a new user account named AdminUser1.

You need to assign the User administrator administrative role to AdminUser1.

What should you do from the user account properties?

- A. From the Licenses blade, assign a new license
- B. From the Directory role blade, modify the directory role
- C. From the Groups blade, invite the user account to a new group

Correct Answer: *B*

Assign a role to a user –

1. Sign in to the Azure portal with an account that's a global admin or privileged role admin for the directory.

2. Select Azure Active Directory, select Users, and then select a specific user from the list.

3. For the selected user, select Directory role, select Add role, and then pick the appropriate admin roles from the Directory roles list, such as Conditional access administrator.

4. Press Select to save.

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/active-directory-users-assign-role-azure-portal

Community vote distribution

B (100%)

Question #11*Topic 2*

You have an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com that contains 100 user accounts.

You purchase 10 Azure AD Premium P2 licenses for the tenant.

You need to ensure that 10 users can use all the Azure AD Premium features.

What should you do?

- A. From the Licenses blade of Azure AD, assign a license
- B. From the Groups blade of each user, invite the users to a group
- C. From the Azure AD domain, add an enterprise application
- D. From the Directory role blade of each user, modify the directory role

Correct Answer: *A*

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/license-users-groups

Community vote distribution

A (92%)

8%

Question #12*Topic 2*

You have an Azure subscription named Subscription1 and an on-premises deployment of Microsoft System Center Service Manager.

Subscription1 contains a virtual machine named VM1.

You need to ensure that an alert is set in Service Manager when the amount of available memory on VM1 is below 10 percent.

What should you do first?

- A. Create an automation runbook
- B. Deploy a function app
- C. Deploy the IT Service Management Connector (ITSM)
- D. Create a notification

Correct Answer: *C*

The IT Service Management Connector (ITSMC) allows you to connect Azure and a supported IT Service Management (ITSM) product/service, such as the

Microsoft System Center Service Manager.

With ITSMC, you can create work items in ITSM tool, based on your Azure alerts (metric alerts, Activity Log alerts and Log Analytics alerts).

Reference:

https://docs.microsoft.com/en-us/azure/azure-monitor/platform/itsmc-overview

Community vote distribution

C (87%)

10%

Question #13*Topic 2*

You sign up for Azure Active Directory (Azure AD) Premium P2.

You need to add a user named admin1@contoso.com as an administrator on all the computers that will be joined to the Azure AD domain.

What should you configure in Azure AD?

- A. Device settings from the Devices blade
- B. Providers from the MFA Server blade
- C. User settings from the Users blade
- D. General settings from the Groups blade

Correct Answer: *A*

When you connect a Windows device with Azure AD using an Azure AD join, Azure AD adds the following security principles to the local administrators group on the device:

👉 The Azure AD global administrator role

👉 The Azure AD device administrator role

👉 The user performing the Azure AD join

In the Azure portal, you can manage the device administrator role on the Devices page. To open the Devices page:

1. Sign in to your Azure portal as a global administrator or device administrator.

2. On the left navbar, click Azure Active Directory.

3. In the Manage section, click Devices.

4. On the Devices page, click Device settings.

5. To modify the device administrator role, configure Additional local administrators on Azure AD joined devices.

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/devices/assign-local-admin

Community vote distribution

A (100%)

Question #14*Topic 2*

HOTSPOT –

You have Azure Active Directory tenant named Contoso.com that includes following users:

Name	Role
User1	Cloud device administrator
User2	User administrator

Contoso.com includes following Windows 10 devices:

Name	Join type
Device1	Azure AD registered
Device2	Azure AD joined

You create following security groups in Contoso.com:

Name	Membership Type	Owner
Group1	Assigned	User2
Group2	Dynamic Device	User2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
User1 can add Device2 to Group1	○	○
User2 can add Device1 to Group1	○	○
User2 can add Device2 to Group2	○	○

Correct Answer:

Answer Area

Statements	Yes	No
User1 can add Device2 to Group1	○	○
User2 can add Device1 to Group1	○	○
User2 can add Device2 to Group2	○	○

Box 1: Yes –

User1 is a Cloud Device Administrator.

Device2 is Azure AD joined.

Group1 has the assigned to join type. User1 is the owner of Group1.

Note: Assigned groups – Manually add users or devices into a static group.

Azure AD joined or hybrid Azure AD joined devices utilize an organizational account in Azure AD

Box 2: No –

User2 is a User Administrator.

Device1 is Azure AD registered.

Group1 has the assigned join type, and the owner is User1.

Note: Azure AD registered devices utilize an account managed by the end user, this account is either a Microsoft account or another locally managed credential.

Box 3: Yes –

User2 is a User Administrator.

Device2 is Azure AD joined.

Group2 has the Dynamic Device join type, and the owner is User2.

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/devices/overview

Question #15*Topic 2*

You have an Azure subscription that contains a resource group named RG26.

RG26 is set to the West Europe location and is used to create temporary resources for a project. RG26 contains the resources shown in the following table.

Name	Type	Location
VM1	Virtual machine	North Europe
RGV1	Recovery Services vault	North Europe
SQLD01	SQL server in Azure VM	North Europe
sa001	Storage account	West Europe

SQLDB01 is backed up to RGV1.

When the project is complete, you attempt to delete RG26 from the Azure portal. The deletion fails.

You need to delete RG26.

What should you do first?

- A. Delete VM1
- B. Stop VM1
- C. Stop the backup of SQLDB01
- D. Delete sa001

Correct Answer: *C*

Community vote distribution

C (100%)

Question #16*Topic 2*

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. VNet1 is in a resource group named RG1.

Subscription1 has a user named User1. User1 has the following roles:

➪ Reader

➪ Security Admin

➪ Security Reader

You need to ensure that User1 can assign the Reader role for VNet1 to other users.

What should you do?

- A. Remove User1 from the Security Reader and Reader roles for Subscription1.
- B. Assign User1 the User Access Administrator role for VNet1.
- C. Assign User1 the Network Contributor role for VNet1.
- D. Assign User1 the Network Contributor role for RG1.

Correct Answer: *B*

Has full access to all resources including the right to delegate access to others.

Note:

There are several versions of this question in the exam. The question has two possible correct answers:

➪ Assign User1 the User Access Administrator role for VNet1.

➪ Assign User1 the Owner role for VNet1.

Other incorrect answer options you may see on the exam include the following:

➪ Assign User1 the Contributor role for VNet1.

➪ Remove User1 from the Security Reader and Reader roles for Subscription1. Assign User1 the Contributor role for Subscription1.

➪ Remove User1 from the Security Reader role for Subscription1. Assign User1 the Contributor role for RG1.

Reference:

https://docs.microsoft.com/en-us/azure/role-based-access-control/overview

Community vote distribution

B (85%)

C (15%)

Question #17*Topic 2*

You have an Azure Active Directory (Azure AD) tenant named contosocloud.onmicrosoft.com.

Your company has a public DNS zone for contoso.com.

You add contoso.com as a custom domain name to Azure AD.

You need to ensure that Azure can verify the domain name.

Which type of DNS record should you create?

- A. MX
- B. NSEC
- C. PTR
- D. RRSIG

Correct Answer: *A*

To verify your custom domain name (example)

1. Sign in to the Azure portal using a Global administrator account for the directory.

2. Select Azure Active Directory, and then select Custom domain names.

3. On the Fabrikam – Custom domain names page, select the custom domain name, Contoso.

4. On the Contoso page, select Verify to make sure your custom domain is properly registered and is valid for Azure AD. Use either the TXT or the MX record type.

Note:

There are several versions of this question in the exam. The question can have two correct answers:

1. MX

2. TXT

The question can also have other incorrect answer options, including the following:

1. SRV

2. NSEC3

Reference:

https://docs.microsoft.com/en-us/azure/dns/dns-web-sites-custom-domain

Community vote distribution

A (100%)

Question #18*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Directory (Azure AD) tenant named Adatum and an Azure Subscription named Subscription1. Adatum contains a group named Developers.

Subscription1 contains a resource group named Dev.

You need to provide the Developers group with the ability to create Azure logic apps in the Dev resource group.

Solution: On Subscription1, you assign the DevTest Labs User role to the Developers group.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: *B*

DevTest Labs User role only lets you connect, start, restart, and shutdown virtual machines in your Azure DevTest Labs.

The Logic App Contributor role lets you manage logic app, but not access to them. It provides access to view, edit, and update a logic app.

Reference:

https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles
https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-securing-a-logic-app

Community vote distribution

B (100%)

Question #19*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Directory (Azure AD) tenant named Adatum and an Azure Subscription named Subscription1. Adatum contains a group named Developers.

Subscription1 contains a resource group named Dev.

You need to provide the Developers group with the ability to create Azure logic apps in the Dev resource group.

Solution: On Subscription1, you assign the Logic App Operator role to the Developers group.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: *B*

You would need the Logic App Contributor role.

Reference:

https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles
https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-securing-a-logic-app

Community vote distribution

B (100%)

Question #20*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Directory (Azure AD) tenant named Adatum and an Azure Subscription named Subscription1. Adatum contains a group named Developers.

Subscription1 contains a resource group named Dev.

You need to provide the Developers group with the ability to create Azure logic apps in the Dev resource group.

Solution: On Dev, you assign the Contributor role to the Developers group.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: *A*

The Contributor role can manage all resources (and add resources) in a Resource Group.

Community vote distribution

A (100%)

Question #21*Topic 2*

DRAG DROP –

You have an Azure subscription that is used by four departments in your company. The subscription contains 10 resource groups. Each department uses resources in several resource groups.

You need to send a report to the finance department. The report must detail the costs for each department.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:



Correct Answer:



Box 1: Assign a tag to each resource.

You apply tags to your Azure resources giving metadata to logically organize them into a taxonomy. After you apply tags, you can retrieve all the resources in your subscription with that tag name and value. Each resource or resource group can have a maximum of 15 tag name/value pairs. Tags applied to the resource group are not inherited by the resources in that resource group.

Box 2: From the Cost analysis blade, filter the view by tag

After you get your services running, regularly check how much they’re costing you. You can see the current spend and burn rate in Azure portal.

1. Visit the Subscriptions blade in Azure portal and select a subscription.

You should see the cost breakdown and burn rate in the popup blade.

2. Click Cost analysis in the list to the left to see the cost breakdown by resource. Wait 24 hours after you add a service for the data to populate.

3. You can filter by different properties like tags, resource group, and timespan. Click Apply to confirm the filters and Download if you want to export the view to a

Comma-Separated Values (.csv) file.

Box 3: Download the usage report

Reference:

https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-using-tags https://docs.microsoft.com/en-us/azure/billing/billing-getting-started

Question #22*Topic 2*

You have an Azure subscription named Subscription1 that contains an Azure Log Analytics workspace named Workspace1.

You need to view the error events from a table named Event.

Which query should you run in Workspace1?

- A. Get-Event Event | where {$_.EventType == “error”}
- B. search in (Event) “error”
- C. select * from Event where EventType == “error”
- D. search in (Event) * | where EventType -eq “error”

Correct Answer: *B*

To search a term in a specific table, add the table-name just after the search operator

Note:

There are several versions of this question in the exam. The question has two possible correct answers:

1. Event | search “error”

2. Event | where EventType == “error”

3. search in (Event) “error”

Other incorrect answer options you may see on the exam include the following:

1. Get-Event Event | where {$_.EventTye ƛ€”eq “error”}

2. Event | where EventType is “error”

3. search in (Event) * | where EventType ƛ€”eq “error”

4. select * from Event where EventType is “error”

Reference:

https://docs.microsoft.com/en-us/azure/azure-monitor/log-query/search-queries
https://docs.microsoft.com/en-us/azure/azure-monitor/log-query/get-started-portal
https://docs.microsoft.com/en-us/azure/data-explorer/kusto/query/searchoperator?pivots=azuredataexplorer

Community vote distribution

B (91%)

9%

Question #23*Topic 2*

HOTSPOT –

You have an Azure subscription that contains a virtual network named VNET1 in the East US 2 region. A network interface named VM1-NI is connected to

VNET1.

You successfully deploy the following Azure Resource Manager template.

{
"apiVersion": "20

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
VM1 and VM2 can connect to VNET1	○	○
If an Azure datacenter becomes unavailable, VM1 or VM2 will be available.	○	○
If the East US 2 region becomes unavailable, VM1 or VM2 will be available.	○	○

Correct Answer:

Answer Area

Statements	Yes	No
VM1 and VM2 can connect to VNET1	○	○
If an Azure datacenter becomes unavailable, VM1 or VM2 will be available.	○	○
If the East US 2 region becomes unavailable, VM1 or VM2 will be available.	○	○

Box 1: Yes –

Box 2: Yes –

VM1 is in Zone1, while VM2 is on Zone2.

Box 3: No –

Reference:

https://docs.microsoft.com/en-us/azure/architecture/resiliency/recovery-loss-azure-region

Question #24*Topic 2*

You have an Azure subscription named Subscription1. Subscription1 contains the resource groups in the following table.

Name	Azure region	Policy
RG1	West Europe	Policy1
RG2	North Europe	Policy2
RG3	France Central	Policy3

RG1 has a web app named WebApp1. WebApp1 is located in West Europe.

You move WebApp1 to RG2.

What is the effect of the move?

- A. The App Service plan for WebApp1 remains in West Europe. Policy2 applies to WebApp1.
- B. The App Service plan for WebApp1 moves to North Europe. Policy2 applies to WebApp1.
- C. The App Service plan for WebApp1 remains in West Europe. Policy1 applies to WebApp1.
- D. The App Service plan for WebApp1 moves to North Europe. Policy1 applies to WebApp1.

Correct Answer: *A*

You can move an app to another App Service plan, as long as the source plan and the target plan are in the same resource group and geographical region.

The region in which your app runs is the region of the App Service plan it's in. However, you cannot change an App Service plan's region.

Reference:

https://docs.microsoft.com/en-us/azure/app-service/app-service-plan-manage

Community vote distribution

A (98%)

2%

Question #25*Topic 2*

HOTSPOT –

You have an Azure subscription named Subscription1 that has a subscription ID of c276fc76-9cd4-44c9-99a7-4fd71546436e.

You need to create a custom RBAC role named CR1 that meets the following requirements:

👉 Can be assigned only to the resource groups in Subscription1

👉 Prevents the management of the access permissions for the resource groups

👉 Allows the viewing, creating, modifying, and deleting of resources within the resource groups

What should you specify in the assignable scopes and the permission elements of the definition of CR1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
"assignableScopes": [
    [ ▼ ]
    "/"
    "/subscriptions/c276fc76-9cd4-44c9-99a7-4fd71546436e"
    "/subscriptions/c276fc76-9cd4-44c9-99a7-4fd71546436e/resourceGroups"
],
"permissions": [
  {
        "actions": [
        "*"
        ],
        "additionalProperties": {},
        "dataActions": [],
        "notActions": [
        [ ▼ ]
        "Microsoft.Authorization/*"
        "Microsoft.Resources/*"
        "Microsoft.Security/*"
  ],
  "notDataActions": [ ]
  }
],
```

Correct Answer:

Reference:

https://docs.microsoft.com/en-us/azure/role-based-access-control/custom-roles
https://docs.microsoft.com/en-us/azure/role-based-access-control/resource-provider-operations#microsoftresources

Question #26*Topic 2*

You have an Azure subscription.

Users access the resources in the subscription from either home or from customer sites. From home, users must establish a point-to-site VPN to access the Azure resources. The users on the customer sites access the Azure resources by using site-to-site VPNs.

You have a line-of-business-app named App1 that runs on several Azure virtual machine. The virtual machines run Windows Server 2016.

You need to ensure that the connections to App1 are spread across all the virtual machines.

What are two possible Azure services that you can use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. an internal load balancer
- B. a public load balancer
- C. an Azure Content Delivery Network (CDN)
- D. Traffic Manager
- E. an Azure Application Gateway

Correct Answer: *AE*

Network traffic from the VPN gateway is routed to the cloud application through an internal load balancer. The load balancer is located in the front-end subnet of the application.

Reference:

https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/hybrid-networking/vpn https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-overview https://docs.microsoft.com/en-us/azure/application-gateway/overview

Community vote distribution

AE (100%)

Question #27*Topic 2*

You have an Azure subscription.

You have 100 Azure virtual machines.

You need to quickly identify underutilized virtual machines that can have their service tier changed to a less expensive offering.

Which blade should you use?

- A. Monitor

- B. Advisor
- C. Metrics
- D. Customer insights

Correct Answer: *B*

Advisor helps you optimize and reduce your overall Azure spend by identifying idle and underutilized resources. You can get cost recommendations from the Cost tab on the Advisor dashboard.

Reference:

https://docs.microsoft.com/en-us/azure/advisor/advisor-cost-recommendations

Community vote distribution

B (100%)

Question #28*Topic 2*

HOTSPOT –

You have an Azure Active Directory (Azure AD) tenant.

You need to create a conditional access policy that requires all users to use multi-factor authentication when they access the Azure portal.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

* Name

Policy1 ✓

Assignments

Users and groups ⓘ

0 users and groups selected >

Cloud apps ⓘ

0 cloud apps selected >

Conditions ⓘ

0 conditions selected >

Access controls

Grant ⓘ

0 controls selected >

Session ⓘ >

Correct Answer:



Reference:

https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/app-based-mfa

Question #29*Topic 2*

You have an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

The User administrator role is assigned to a user named Admin1.

An external partner has a Microsoft account that uses the user1@outlook.com sign in.

Admin1 attempts to invite the external partner to sign in to the Azure AD tenant and receives the following error message: `Unable to invite user user1@outlook.com `" Generic authorization exception.`

You need to ensure that Admin1 can invite the external partner to sign in to the Azure AD tenant.

What should you do?

- A. From the Users settings blade, modify the External collaboration settings.
- B. From the Custom domain names blade, add a custom domain.
- C. From the Organizational relationships blade, add an identity provider.
- D. From the Roles and administrators blade, assign the Security administrator role to Admin1.

Correct Answer: *A*

Reference:

https://techcommunity.microsoft.com/t5/Azure-Active-Directory/Generic-authorization-exception-inviting-Azure-AD-gests/td-p/274742

Community vote distribution

A (100%)

Question #30*Topic 2*

You have an Azure subscription linked to an Azure Active Directory tenant. The tenant includes a user account named User1.

You need to ensure that User1 can assign a policy to the tenant root management group.

What should you do?

- A. Assign the Owner role for the Azure Subscription to User1, and then modify the default conditional access policies.
- B. Assign the Owner role for the Azure subscription to User1, and then instruct User1 to configure access management for Azure resources.

- C. Assign the Global administrator role to User1, and then instruct User1 to configure access management for Azure resources.
- D. Create a new management group and delegate User1 as the owner of the new management group.

Correct Answer: *B*

The following chart shows the list of roles and the supported actions on management groups.

Azure Role Name	Create	Rename	Move**	Delete	Assign Access	Assign Policy	Read
Owner	X	X	X	X	X	X	X
Contributor	X	X	X	X			X
MG Contributor*	X	X	X	X			X
Reader							X
MG Reader*							X
Resource Policy Contributor						X	
User Access Administrator					X	X	

Note:

Each directory is given a single top-level management group called the “Root” management group. This root management group is built into the hierarchy to have all management groups and subscriptions fold up to it. This root management group allows for global policies and Azure role assignments to be applied at the directory level. The Azure AD Global Administrator needs to elevate themselves to the User Access Administrator role of this root group initially. After elevating access, the administrator can assign any Azure role to other directory users or groups to manage the hierarchy. As administrator, you can assign your own account as owner of the root management group.

Reference:

https://docs.microsoft.com/en-us/azure/governance/management-groups/overview

Community vote distribution

C (87%)

11%

Question #31*Topic 2*

HOTSPOT –

You have an Azure Active Directory (Azure AD) tenant named adatum.com. Adatum.com contains the groups in the following table.

Name	Group type	Membership type	Membership rule
Group1	Security	Dynamic user	(user.city -startsWith "m"
Group2	Microsoft 365	Dynamic user	(user.department -notIn ["human resources"])
Group3	Microsoft 365	Assigned	*Not applicable*

You create two user accounts that are configured as shown in the following table.

Name	City	Department	Office 365 license assigned
User1	Montreal	Human resources	Yes
User2	Melbourne	Marketing	No

Of which groups are User1 and User2 members? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

User1:
- Group1 only
- Group2 only
- Group3 only
- Group1 and Group2 only
- Group1 and Group3 only
- Group2 and Group3 only
- Group1, Group2, and Group3

User2:
- Group1 only
- Group2 only
- Group3 only
- Group1 and Group2 only
- Group1 and Group3 only
- Group2 and Group3 only
- Group1, Group2, and Group3

Correct Answer:

Answer Area

User1:
- Group1 only
- Group2 only
- Group3 only
- Group1 and Group2 only
- Group1 and Group3 only
- Group2 and Group3 only
- Group1, Group2, and Group3

User2:
- Group1 only
- Group2 only
- Group3 only
- Group1 and Group2 only
- Group1 and Group3 only
- Group2 and Group3 only
- Group1, Group2, and Group3

Box 1: Group 1 only –

First rule applies –

Box 2: Group1 and Group2 only –

Both membership rules apply.

Reference:

https://docs.microsoft.com/en-us/sccm/core/clients/manage/collections/create-collections

Question #32*Topic 2*

HOTSPOT –

You have a hybrid deployment of Azure Active Directory (Azure AD) that contains the users shown in the following table.

Name	Type	Source
User1	Member	Azure AD
User2	Member	Windows Server Active Directory
User3	Guest	Microsoft account

You need to modify the JobTitle and UsageLocation attributes for the users.

For which users can you modify the attributes from Azure AD? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

JobTitle:
- User1 only
- User1 and User2 only
- User1 and User3 only
- User1, User2, and User3

UsageLocation:
- User1 only
- User1 and User2 only
- User1 and User3 only
- User1, User2, and User3

Answer Area

Correct Answer:



Box 1: User1 and User3 only –

You must use Windows Server Active Directory to update the identity, contact info, or job info for users whose source of authority is Windows Server Active

Directory.

Box 2: User1, User2, and User3 –

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/active-directory-users-profile-azure-portal

Question #33*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to ensure that an Azure Active Directory (Azure AD) user named Admin1 is assigned the required role to enable Traffic Analytics for an Azure subscription.

Solution: You assign the Network Contributor role at the subscription level to Admin1.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: *A*

Your account must meet one of the following to enable traffic analytics:

Your account must have any one of the following Azure roles at the subscription scope: owner, contributor, reader, or network contributor.

Reference:

https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics-faq

Community vote distribution

A (81%)

B (19%)

Question #34*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to ensure that an Azure Active Directory (Azure AD) user named Admin1 is assigned the required role to enable Traffic Analytics for an Azure subscription.

Solution: You assign the Owner role at the subscription level to Admin1.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: *A*

Your account must meet one of the following to enable traffic analytics:

Your account must have any one of the following Azure roles at the subscription scope: owner, contributor, reader, or network contributor.

Reference:

https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics-faq

Community vote distribution

A (77%)

B (23%)

Question #35*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to ensure that an Azure Active Directory (Azure AD) user named Admin1 is assigned the required role to enable Traffic Analytics for an Azure subscription.

Solution: You assign the Reader role at the subscription level to Admin1.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: *A*

Your account must meet one of the following to enable traffic analytics:

Your account must have any one of the following Azure roles at the subscription scope: owner, contributor, reader, or network contributor.

Reference:

https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics-faq

Community vote distribution

B (70%)

A (30%)

Question #36*Topic 2*

You have an Azure subscription that contains a user named User1.

You need to ensure that User1 can deploy virtual machines and manage virtual networks. The solution must use the principle of least privilege.

Which role-based access control (RBAC) role should you assign to User1?

- A. Owner
- B. Virtual Machine Contributor
- C. Contributor
- D. Virtual Machine Administrator Login

Correct Answer: *C*

Contributor: Grants full access to manage all resources, but does not allow you to assign roles in Azure RBAC

Incorrect Answers:

A: Owner: Grants full access to manage all resources, including the ability to assign roles in Azure RBAC.

B: Virtual Machine Contributor: Lets you manage virtual machines, but not access to them, and not the virtual network or storage account they’re connected to.

D: Virtual Machine Administrator Login: View Virtual Machines in the portal and login as administrator.

Reference:

https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles

Community vote distribution

C (93%)

7%

Question #37*Topic 2*

HOTSPOT –

You have an Azure Active Directory (Azure AD) tenant that contains three global administrators named Admin1, Admin2, and Admin3.

The tenant is associated to an Azure subscription. Access control for the subscription is configured as shown in the Access control exhibit. (Click the Access

Control tab.)



You sign in to the Azure portal as Admin1 and configure the tenant as shown in the Tenant exhibit. (Click the Tenant tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
Admin1 can add Admin 2 as an owner of the subscription.	○	○
Admin3 can add Admin 2 as an owner of the subscription.	○	○
Admin2 can create a resource group in the subscription.	○	○

Correct Answer:

Answer Area

Statements	Yes	No
Admin1 can add Admin 2 as an owner of the subscription.	○	○
Admin3 can add Admin 2 as an owner of the subscription.	○	○
Admin2 can create a resource group in the subscription.	○	○

Box 1: No –

Only Admin3, the owner, can assign ownership.

Box 2: Yes –

Box 3: No –

Reference:

https://docs.microsoft.com/en-us/azure/cost-management-billing/manage/add-change-subscription-administrator

Question #38*Topic 2*

You have an Azure subscription named Subscription1 that contains an Azure virtual machine named VM1. VM1 is in a resource group named RG1.

VM1 runs services that will be used to deploy resources to RG1.

You need to ensure that a service running on VM1 can manage the resources in RG1 by using the identity of VM1.

What should you do first?

- A. From the Azure portal, modify the Managed Identity settings of VM1
- B. From the Azure portal, modify the Access control (IAM) settings of RG1
- C. From the Azure portal, modify the Access control (IAM) settings of VM1
- D. From the Azure portal, modify the Policies settings of RG1

Correct Answer: *A*

Managed identities for Azure resources provides Azure services with an automatically managed identity in Azure Active Directory. You can use this identity to authenticate to any service that supports Azure AD authentication, without having credentials in your code.

You can enable and disable the system-assigned managed identity for VM using the Azure portal.

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/qs-configure-portal-windows-vm

Community vote distribution

A (88%)

12%

Question #39*Topic 2*

You have an Azure subscription that contains a resource group named TestRG.

You use TestRG to validate an Azure deployment.

TestRG contains the following resources:

Name	Type	Description
VM1	Virtual Machine	VM1 is running and configured to back up to Vault1 daily
Vault1	Recovery Services Vault	Vault1 includes all backups of VM1
VNET1	Virtual Network	VNET1 has a resource lock of type Delete

You need to delete TestRG.

What should you do first?

- A. Modify the backup configurations of VM1 and modify the resource lock type of VNET1
- B. Remove the resource lock from VNET1 and delete all data in Vault1
- C. Turn off VM1 and remove the resource lock from VNET1
- D. Turn off VM1 and delete all data in Vault1

Correct Answer: *C*

When you delete a resource group, all of its resources are also deleted. Deleting a resource group deletes all of its template deployments and currently stored operations.

Reference:

https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/delete-resource-group?tabs=azure-powershell

Community vote distribution

B (55%)

A (33%)

11%

Question #40*Topic 2*

You have an Azure DNS zone named adatum.com.

You need to delegate a subdomain named research.adatum.com to a different DNS server in Azure.

What should you do?

- A. Create an NS record named research in the adatum.com zone.
- B. Create a PTR record named research in the adatum.com zone.
- C. Modify the SOA record of adatum.com.
- D. Create an A record named *.research in the adatum.com zone.

Correct Answer: *A*

You need to create a name server (NS) record for the zone.

Reference:

https://docs.microsoft.com/en-us/azure/dns/delegate-subdomain

Community vote distribution

A (100%)

Question #41*Topic 2*

DRAG DROP –

You have an Azure Active Directory (Azure AD) tenant that has the contoso.onmicrosoft.com domain name.

You have a domain name of contoso.com registered at a third-party registrar.

You need to ensure that you can create Azure AD users that have names containing a suffix of @contoso.com.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:



Correct Answer:



1. Add the custom domain name to your directory

2. Add a DNS entry for the domain name at the domain name registrar

3. Verify the custom domain name in Azure AD

Reference:

https://docs.microsoft.com/en-us/azure/dns/dns-web-sites-custom-domain

Question #42*Topic 2*

You have an Azure subscription named Subscription1 that contains an Azure Log Analytics workspace named Workspace1.

You need to view the error events from a table named Event.

Which query should you run in Workspace1?

- A. Get-Event Event | where {$_.EventType == “error”}
- B. Event | search “error”
- C. select * from Event where EventType == “error”
- D. search in (Event) * | where EventType λ€”eq λ€errorλ€

Correct Answer: *B*

The search operator provides a multi-table/multi-column search experience.

The syntax is:

Table_name | search “search term”

Note:

There are several versions of this question in the exam. The question has three possible correct answers:

1. search in (Event) “error”

2. Event | search “error”

3. Event | where EventType == “error”

Other incorrect answer options you may see on the exam include the following:

1. Get-Event Event | where {$_.EventTye λ€”eq “error”}

2. Event | where EventType is “error”

3. select * from Event where EventType is “error”

4. search in (Event) * | where EventType λ€”eq “error”

Reference:

https://docs.microsoft.com/en-us/azure/azure-monitor/log-query/search-queries
https://docs.microsoft.com/en-us/azure/azure-monitor/log-query/get-started-portal
https://docs.microsoft.com/en-us/azure/data-explorer/kusto/query/searchoperator?pivots=azuredataexplorer

Community vote distribution

B (94%)

6%

Question #43*Topic 2*

You have a registered DNS domain named contoso.com.

You create a public Azure DNS zone named contoso.com.

You need to ensure that records created in the contoso.com zone are resolvable from the internet.

What should you do?

- A. Create NS records in contoso.com.
- B. Modify the SOA record in the DNS domain registrar.
- C. Create the SOA record in contoso.com.
- D. Modify the NS records in the DNS domain registrar.

Correct Answer: *D*

Reference:

https://docs.microsoft.com/en-us/azure/dns/dns-delegate-domain-azure-dns

Community vote distribution

D (100%)

Question #44*Topic 2*

HOTSPOT –

You have an Azure subscription that contains a storage account named storage1. The subscription is linked to an Azure Active Directory (Azure AD) tenant named

contoso.com that syncs to an on-premises Active Directory domain.

The domain contains the security principals shown in the following table.

Name	Type
User1	User
Computer1	Computer

In Azure AD, you create a user named User2.

The storage1 account contains a file share named share1 and has the following configurations.

```
"kind": "StorageV2",
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
You can assign the Storage File Data SMB Share Contributor role to User1 for share1.	○	○
You can assign the Storage File Data SMB Share Reader role to Computer1 for share1.	○	○

Correct Answer:

Answer Area

Reference:

https://docs.microsoft.com/en-us/azure/storage/files/storage-files-identity-ad-ds-assign-permissions?tabs=azure-portal

Question #45*Topic 2*

HOTSPOT –

You have an Azure subscription named Subscription1 that contains a virtual network VNet1.

You add the users in the following table.

User	Role
User1	Owner
User2	Security Admin
User3	Network Contributor

Which user can perform each configuration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Add a subnet to VNet1:

- User1 only
- User3 only
- User1 and User3 only
- User2 and User3 only
- User1, User2, and User3

Assign a user the Reader role to VNet1:

- User1 only
- User2 only
- User3 only
- User1 and User2 only
- User2 and User3 only
- User1, User2, and User3

Correct Answer:

Answer Area

Add a subnet to VNet1:

- User1 only
- User3 only
- User1 and User3 only
- User2 and User3 only
- User1, User2, and User3

Assign a user the Reader role to VNet1:

- User1 only
- User2 only
- User3 only
- User1 and User2 only
- User2 and User3 only
- User1, User2, and User3

Box 1: User1 and User3 only.

User1: The Owner Role lets you manage everything, including access to resources.

User3: The Network Contributor role lets you manage networks, including creating subnets.

Box 2: User1 only.

The Security Admin role: In Security Center only: Can view security policies, view security states, edit security policies, view alerts and recommendations, dismiss alerts and recommendations.

Reference:

https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles
https://docs.microsoft.com/en-us/azure/role-based-access-control/resource-provider-operations#microsoftnetwork

Question #46*Topic 2*

HOTSPOT –

You have the Azure resources shown on the following exhibit.

You plan to track resource usage and prevent the deletion of resources.

To which resources can you apply locks and tags? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Locks:

- RG1 and VM1 only
- Sub1 and RG1 only
- Sub1, RG1, and VM1 only
- MG1, Sub1, RG1, and VM1 only

Correct Answer:



Box 1: Sub1, RG1, and VM1 only –

You can lock a subscription, resource group, or resource to prevent other users in your organization from accidentally deleting or modifying critical resources.

Box 2: Sub1, RG1, and VM1 only –

You apply tags to your Azure resources, resource groups, and subscriptions.

Reference:

https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/lock-resources?tabs=json https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/tag-resources?tabs=json

Question #47*Topic 2*

You have an Azure Active Directory (Azure AD) tenant.

You plan to delete multiple users by using Bulk delete in the Azure Active Directory admin center.

You need to create and upload a file for the bulk delete.

Which user attributes should you include in the file?

- A. The user principal name and usage location of each user only
- B. The user principal name of each user only
- C. The display name of each user only
- D. The display name and usage location of each user only
- E. The display name and user principal name of each user only

Correct Answer: *B*

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/users-bulk-delete

Community vote distribution

B (100%)

Question #48*Topic 2*

HOTSPOT –

You have an Azure subscription named Sub1 that contains the Azure resources shown in the following table.

Name	Type
RG1	Resource group
storage1	Storage account
VNET1	Virtual network

You assign an Azure policy that has the following settings:

☞ Scope: Sub1

☞ Exclusions: Sub1/RG1/VNET1

☞ Policy definition: Append a tag and its value to resources

➪ Policy enforcement: Enabled

➪ Tag name: Tag4

➪ Tag value: value4

You assign tags to the resources as shown in the following table.

Resource	Tag
Sub1	Tag1:subscription
RG1	Tag2:IT
storage1	Tag3:value1
VNET1	Tag3:value2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
RG1 has the Tag2:IT tag assigned only	○	○
Storage1 has the Tag1:subscription, Tag2:IT, Tag3:value1, and Tag4:value4 tags assigned.	○	○
VNET1 has the Tag2:IT and Tag3:value2 tags assigned only	○	○

Correct Answer:



Answer Area

Statements	Yes	No
RG1 has the `Tag2:IT` tag assigned only	○	○
Storage1 has the `Tag1:subscription`, `Tag2:IT`, `Tag3:value1`, and `Tag4:value4` tags assigned.	○	○
VNET1 has the `Tag2:IT` and `Tag3:value2` tags assigned only	○	○

Box 1: No –

The Azure Policy will add Tag4 to RG1.

Box 2: No –

Tags applied to the resource group or subscription aren't inherited by the resources although you can enable inheritance with Azure Policy. Storage1 has Tag3:

Value1 and the Azure Policy will add Tag4.

Box 3: No –

Tags applied to the resource group or subscription aren't inherited by the resources so VNET1 does not have Tag2.

VNET1 has Tag3:value2. VNET1 is excluded from the Azure Policy so Tag4 will not be added to VNET1.

Reference:

https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/tag-resources?tabs=json

Question #49*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to ensure that an Azure Active Directory (Azure AD) user named Admin1 is assigned the required role to enable Traffic Analytics for an Azure subscription.

Solution: You assign the Traffic Manager Contributor role at the subscription level to Admin1.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: *B*

Reference:

https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics-faq

Community vote distribution

B (96%)

4%

Question #50*Topic 2*

You have three offices and an Azure subscription that contains an Azure Active Directory (Azure AD) tenant.

You need to grant user management permissions to a local administrator in each office.

What should you use?

- A. Azure AD roles
- B. administrative units
- C. access packages in Azure AD entitlement management
- D. Azure roles

Correct Answer: *B*

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/roles/administrative-units

Community vote distribution

B (93%)

7%

Question #51*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Directory (Azure AD) tenant named Adatum and an Azure Subscription named Subscription1. Adatum contains a group named Developers.

Subscription1 contains a resource group named Dev.

You need to provide the Developers group with the ability to create Azure logic apps in the Dev resource group.

Solution: On Dev, you assign the Logic App Contributor role to the Developers group.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: *A*

Reference:

https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles

Community vote distribution

A (50%)

B (49%)

1%

Question #52*Topic 2*

HOTSPOT –

You have an Azure Load Balancer named LB1.

You assign a user named User1 the roles shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

User1 can **[answer choice]** LB1.

- delete
- create a NAT rule for
- assign access to other users for

User1 can **[answer choice]** the resource group.

- delete a virtual machine from
- modify the load balancing rules in
- deploy an Azure Kubernetes Service (AKS) cluster to

Correct Answer:

Answer Area

User1 can **[answer choice]** LB1.

- delete
- create a NAT rule for
- assign access to other users for

User1 can **[answer choice]** the resource group.

- delete a virtual machine from
- modify the load balancing rules in
- deploy an Azure Kubernetes Service (AKS) cluster to

Reference:

https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles#virtual-machine-contributor https://docs.microsoft.com/en-us/azure/role-based-access-control/rbac-and-directory-admin-roles

Question #53*Topic 2*

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. VNet1 is in a resource group named RG1.

Subscription1 has a user named User1. User1 has the following roles:

➪ Reader

➪ Security Admin

➪ Security Reader

You need to ensure that User1 can assign the Reader role for VNet1 to other users.

What should you do?

- A. Remove User1 from the Security Reader role for Subscription1. Assign User1 the Contributor role for RG1.
- B. Assign User1 the Owner role for VNet1.
- C. Assign User1 the Contributor role for VNet1.
- D. Assign User1 the Network Contributor role for VNet1.

Correct Answer: *B*

Has full access to all resources including the right to delegate access to others.

Note:

There are several versions of this question in the exam. The question has two possible correct answers:

👉 Assign User1 the User Access Administrator role for VNet1.

👉 Assign User1 the Owner role for VNet1.

Other incorrect answer options you may see on the exam include the following:

👉 Remove User1 from the Security Reader and Reader roles for Subscription1. Assign User1 the Contributor role for Subscription1.

👉 Remove User1 from the Security Reader and Reader roles for Subscription1.

👉 Assign User1 the Network Contributor role for RG1.

References:

https://docs.microsoft.com/en-us/azure/role-based-access-control/rbac-and-directory-admin-roles https://docs.microsoft.com/en-us/azure/role-based-access-control/overview

Community vote distribution

B (96%)

4%

Question #54*Topic 2*

HOTSPOT –

You configure the custom role shown in the following exhibit.

```
{
    "properties": {
        "roleName": "role1",
        "description": "",
        "roletype": "true",
        "assignableScopes": [
            "/subscriptions/3d6209d5-c714-4440-9556e-d6342086c2d7/"
        ],
        "permissions": [
            {
                "actions": [
                    "Microsoft.Authorization/*/read",
                    "Microsoft.Compute/availabilitySets/*",
                    "Microsoft.Compute/locations/*",
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To ensure that users can sign in to virtual machines that are assigned role1, modify the **[answer choice]** section

- actions

Correct Answer:

Answer Area

To ensure that users can sign in to virtual machines that are assigned role1, modify the **[answer choice]** section

- actions
- roletype
- notActions
- dataActions

Box 1: roletype –

You need to configure Azure RBAC policy to determine who can log in to the VM. Two Azure roles are used to authorize VM login:

Virtual Machine Administrator Login: Users with this role assigned can log in to an Azure virtual machine with administrator privileges.

Virtual Machine User Login: Users with this role assigned can log in to an Azure virtual machine with regular user privileges.

Note, example roletype:

“roleName”: “Virtual Machine Administrator Login”,

“roleType”: “BuiltInRole”,

“type”: “Microsoft.Authorization/roleDefinitions”

Box 2: assignableScopes –

Azure role-based access control (Azure RBAC) is the authorization system you use to manage access to Azure resources. To grant access, you assign roles to users, groups, service principals, or managed identities at a particular scope.

When you assign roles, you must specify a scope. Scope is the set of resources the access applies to. In Azure, you can specify a scope at four levels from broad to narrow: management group, subscription, resource group, and resource.

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/devices/howto-vm-sign-in-azure-ad-windows https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles https://docs.microsoft.com/en-us/azure/role-based-access-control/role-assignments-portal

Question #55*Topic 2*

You have an Azure subscription that contains a storage account named storage1. The storage1 account contains a file share named share1.

The subscription is linked to a hybrid Azure Active Directory (Azure AD) tenant that contains a security group named Group1.

You need to grant Group1 the Storage File Data SMB Share Elevated Contributor role for share1.

What should you do first?

- A. Enable Active Directory Domain Service (AD DS) authentication for storage1.
- B. Grant share-level permissions by using File Explorer.
- C. Mount share1 by using File Explorer.
- D. Create a private endpoint.

Correct Answer: *A*

Before you enable Azure AD over SMB for Azure file shares, make sure you have completed the following prerequisites:

1. Select or create an Azure AD tenant.

2. To support authentication with Azure AD credentials, you must enable Azure AD Domain Services for your Azure AD tenant.

Etc.

Note: The Storage File Data SMB Share Elevated Contributor allows read, write, delete and modify NTFS permissions in Azure Storage file shares over SMB.

Reference:

https://docs.microsoft.com/en-us/azure/storage/files/storage-files-identity-auth-active-directory-domain-service-enable

Community vote distribution

A (100%)

Question #56*Topic 2*

You have 15 Azure subscriptions.

You have an Azure Active Directory (Azure AD) tenant that contains a security group named Group1.

You plan to purchase additional Azure subscription.

You need to ensure that Group1 can manage role assignments for the existing subscriptions and the planned subscriptions. The solution must meet the following requirements:

➪ Use the principle of least privilege.

➪ Minimize administrative effort.

What should you do?

- A. Assign Group1 the Owner role for the root management group.
- B. Assign Group1 the User Access Administrator role for the root management group.
- C. Create a new management group and assign Group1 the User Access Administrator role for the group.
- D. Create a new management group and assign Group1 the Owner role for the group.

Correct Answer: *B*

The User Access Administrator role enables the user to grant other users access to Azure resources. This switch can be helpful to regain access to a subscription.

Management groups give you enterprise-grade management at scale no matter what type of subscriptions you might have.

Each directory is given a single top-level management group called the “Root” management group. This root management group is built into the hierarchy to have all management groups and subscriptions fold up to it. This root management group allows for global policies and Azure role assignments to be applied at the directory level.

Incorrect:

Not C: A few directories that started using management groups early in the preview before June 25 2018 could see an issue where not all the subscriptions were within the hierarchy. The process to have all subscriptions in the hierarchy was put in place after a role or policy assignment was done on the root management group in the directory.

Reference:

https://docs.microsoft.com/en-us/azure/role-based-access-control/rbac-and-directory-admin-roles https://docs.microsoft.com/en-us/azure/governance/management-groups/overview

Community vote distribution

B (78%)

C (21%)

1%

Question #57*Topic 2*

HOTSPOT –

You have an Azure subscription that contains the hierarchy shown in the following exhibit.

You create an Azure Policy definition named Policy1.

To which Azure resources can you assign Policy1 and which Azure resources can you specify as exclusions from Policy1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

You can assign Policy1 to:

- Subscription1 and RG1 only
- ManagementGroup1 and Subscription1 only

Correct Answer:

Answer Area

You can assign Policy1 to:

- Subscription1 and RG1 only
- ManagementGroup1 and Subscription1 only
- Tenant Root Group, ManagementGroup1, and Subscription1 only

Box 1: Tenant Root Group, ManagementGroup1, Subscription1, RG1, and VM1

Once your business rules have been formed, the policy definition or initiative is assigned to any scope of resources that Azure supports, such as management groups, subscriptions, resource groups, or individual resources.

Note: Azure provides four levels of scope: management groups, subscriptions, resource groups, and resources. The following image shows an example of these layers.



Box 2: ManagementGroup1, Subscription1, RG1, and VM1

You can exclude a subscope from the assignment.

Reference:

https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/overview

Question #58*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following users in an Azure Active Directory tenant named contoso.onmicrosoft.com:

Name	Role	Scope
User1	Global administrator	Azure Active Directory
User2	Global administrator	Azure Active Directory
User3	User administrator	Azure Active Directory
User4	Owner	Azure Subscription

User1 creates a new Azure Active Directory tenant named external.contoso.onmicrosoft.com.

You need to create new user accounts in external.contoso.onmicrosoft.com.

Solution: You instruct User2 to create the user accounts.

Does that meet the goal?

- A. Yes
- B. No

Correct Answer: *A*

Only a global administrator can add users to this tenant.

Reference:

https://docs.microsoft.com/en-us/azure/devops/organizations/accounts/add-users-to-azure-ad

Community vote distribution

B (93%)

7%

Question #59*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following users in an Azure Active Directory tenant named contoso.onmicrosoft.com:

Name	Role	Scope
User1	Global administrator	Azure Active Directory
User2	Global administrator	Azure Active Directory
User3	User administrator	Azure Active Directory
User4	Owner	Azure Subscription

User1 creates a new Azure Active Directory tenant named external.contoso.onmicrosoft.com.

You need to create new user accounts in external.contoso.onmicrosoft.com.

Solution: You instruct User4 to create the user accounts.

Does that meet the goal?

- A. Yes
- B. No

Correct Answer: *B*

Only a global administrator can add users to this tenant.

Reference:

https://docs.microsoft.com/en-us/azure/devops/organizations/accounts/add-users-to-azure-ad

Community vote distribution

B (94%)

6%

Question #60*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following users in an Azure Active Directory tenant named contoso.onmicrosoft.com:

Name	Role	Scope
User1	Global administrator	Azure Active Directory
User2	Global administrator	Azure Active Directory
User3	User administrator	Azure Active Directory
User4	Owner	Azure Subscription

User1 creates a new Azure Active Directory tenant named external.contoso.onmicrosoft.com.

You need to create new user accounts in external.contoso.onmicrosoft.com.

Solution: You instruct User3 to create the user accounts.

Does that meet the goal?

- A. Yes
- B. No

Correct Answer: *B*

Only a global administrator can add users to this tenant.

Reference:

https://docs.microsoft.com/en-us/azure/devops/organizations/accounts/add-users-to-azure-ad

Community vote distribution

B (86%)

14%

Question #61*Topic 2*

You have two Azure subscriptions named Sub1 and Sub2.

An administrator creates a custom role that has an assignable scope to a resource group named RG1 in Sub1.

You need to ensure that you can apply the custom role to any resource group in Sub1 and Sub2. The solution must minimize administrative effort.

What should you do?

- A. Select the custom role and add Sub1 and Sub2 to the assignable scopes. Remove RG1 from the assignable scopes.
- B. Create a new custom role for Sub1. Create a new custom role for Sub2. Remove the role from RG1.
- C. Create a new custom role for Sub1 and add Sub2 to the assignable scopes. Remove the role from RG1.
- D. Select the custom role and add Sub1 to the assignable scopes. Remove RG1 from the assignable scopes. Create a new custom role for Sub2.

Correct Answer: *A*

Can be used as:

“AssignableScopes”: [

“/subscriptions/{Sub1}”,

“/subscriptions/{Sub2}”,

Note: Custom role example:

The following shows what a custom role looks like as displayed using Azure PowerShell in JSON format. This custom role can be used for monitoring and restarting virtual machines.

{

“Name”: “Virtual Machine Operator”,

“Id”: “88888888-8888-8888-8888-888888888888”,

“IsCustom”: true,

“Description”: “Can monitor and restart virtual machines.”,

“Actions”: [

“Microsoft.Storage/*/read”,

“Microsoft.Network/*/read”,

“Microsoft.Compute/*/read”,

“Microsoft.Compute/virtualMachines/start/action”,

“Microsoft.Compute/virtualMachines/restart/action”,

“Microsoft.Authorization/*/read”,

“Microsoft.ResourceHealth/availabilityStatuses/read”,

“Microsoft.Resources/subscriptions/resourceGroups/read”,

“Microsoft.Insights/alertRules/*”,

“Microsoft.Insights/diagnosticSettings/*”,

“Microsoft.Support/*”

],

“NotActions”: [],

“DataActions”: [],

“NotDataActions”: [],

“AssignableScopes”: [

“/subscriptions/{subscriptionId1}”,

“/subscriptions/{subscriptionId2}”,

“/providers/Microsoft.Management/managementGroups/{groupId1}”

]

}

Reference:

https://docs.microsoft.com/en-us/azure/role-based-access-control/custom-roles

Community vote distribution

A (100%)

Question #62*Topic 2*

You have an Azure Subscription that contains a storage account named storageacct1234 and two users named User1 and User2.

You assign User1 the roles shown in the following exhibit.



Which two actions can User1 perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Assign roles to User2 for storageacct1234.
- B. Upload blob data to storageacct1234.
- C. Modify the firewall of storageacct1234.
- D. View blob data in storageacct1234.
- E. View file shares in storageacct1234.

Correct Answer: *AE*

Community vote distribution

BD (99%)

1%

Question #63*Topic 2*

You have an Azure subscription named Subscription1 that contains an Azure Log Analytics workspace named Workspace1.

You need to view the error events from a table named Event.

Which query should you run in Workspace1?

- A. select * from Event where EventType == “error”
- B. Event | search “error”
- C. Event | where EventType is “error”
- D. Get-Event Event | where {$_.EventType == “error”}

Correct Answer: *B*

Community vote distribution

B (100%)

Question #64*Topic 2*

You have an Azure App Services web app named App1.

You plan to deploy App1 by using Web Deploy.

You need to ensure that the developers of App1 can use their Azure AD credentials to deploy content to App1. The solution must use the principle of least privilege.

What should you do?

- A. Assign the Owner role to the developers
- B. Configure app-level credentials for FTPS
- C. Assign the Website Contributor role to the developers
- D. Configure user-level credentials for FTPS

Correct Answer: *B*

Community vote distribution

C (98%)

2%

Question #65*Topic 2*

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You have a CSV file that contains the names and email addresses of 500 external users.

You need to create a guest user account in contoso.com for each of the 500 external users.

Solution: From Azure AD in the Azure portal, you use the Bulk invite users operation.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: *B*

Community vote distribution

B (76%)

A (24%)

Question #66*Topic 2*

HOTSPOT

–

You have an Azure subscription that is linked to an Azure AD tenant. The tenant contains the custom role-based access control (RBAC) roles shown in the following table.

Name	Description
Role1	Azure subscription role
Role2	Azure AD role

From the Azure portal, you need to create two custom roles named Role3 and Role4. Role3 will be an Azure subscription role. Role4 will be an Azure AD role.

Which roles can you clone to create the new roles? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Role3:

- Role1 only
- Built-in Azure subscription roles only
- Role1 and built-in Azure subscription roles only
- Built-in Azure subscription roles and built-in Azure AD roles only

Correct Answer:

Answer Area

Role3:

- Role1 only
- Built-in Azure subscription roles only
- Role1 and built-in Azure subscription roles only
- Built-in Azure subscription roles and built-in Azure AD roles only
- Role1, Role2, built-in Azure subscription roles, and built-in Azure AD roles

Role4:

- Role2 only
- Built-in Azure AD roles only
- Role2 and built-in Azure AD roles only

Question #67*Topic 2*

DRAG DROP

–

You have an Azure subscription named Sub1 that contains two users named User1 and User2.

You need to assign role-based access control (RBAC) roles to User1 and User2. The users must be able to perform the following tasks in Sub1:

• User1 must view the data in any storage account.

• User2 must assign users the Contributor role for storage accounts.

The solution must use the principle of least privilege.

Which RBAC role should you assign to each user? To answer, drag the appropriate roles to the correct users. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Correct Answer:



Question #68*Topic 2*

You have an Azure subscription that contains 10 virtual machines, a key vault named Vault1, and a network security group (NSG) named NSG1. All the resources are

deployed to the East US Azure region.

The virtual machines are protected by using NSG1. NSG1 is configured to block all outbound traffic to the internet.

You need to ensure that the virtual machines can access Vault1. The solution must use the principle of least privilege and minimize administrative effort

What should you configure as the destination of the outbound security rule for NSG1?

- A. an application security group
- B. a service tag
- C. an IP address range

Correct Answer: *B*

Community vote distribution

B (100%)

Question #69*Topic 2*

You have an Azure AD tenant named adatum.com that contains the groups shown in the following table.

Name	Member of
Group1	*None*
Group2	Group1
Group3	Group2

Adatum.com contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3
User4	*None*

You assign the Azure Active Directory Premium Plan 2 license to Group1 and User4.

Which users are assigned the Azure Active Directory Premium Plan 2 license?

- A. User4 only

- B. User1 and User4 only
- C. User1, User2, and User4 only
- D. User1, User2, User3, and User4

Correct Answer: *B*

Community vote distribution

B (90%)

5%

Question #70*Topic 2*

HOTSPOT

–

You have an Azure AD tenant named contoso.com.

You have two external partner organizations named fabrikam.com and litwareinc.com. Fabrikam.com is configured as a connected organization.

You create an access package as shown in the Access package exhibit. (Click the Access package tab.)



You configure the external user lifecycle settings as shown in the Lifecycle exhibit. (Click the Lifecycle tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Litwareinc.com users can be assigned to package1.	○	○
After 365 days, fabrikam.com users will be removed from Group1.	○	○
After 395 days, fabrikam.com users will be removed from the contoso.com tenant.	○	○

Correct Answer:

Statements	Yes	No
Litwareinc.com users can be assigned to package1.	○	○
After 365 days, fabrikam.com users will be removed from Group1.	○	○
After 395 days, fabrikam.com users will be removed from the contoso.com tenant.	○	○

Question #71*Topic 2*

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. VNet1 is in a resource group named RG1.

Subscription1 has a user named User1. User1 has the following roles:

- Reader

- Security Admin

• Security Reader

You need to ensure that User1 can assign the Reader role for VNet1 to other users.

What should you do?

- A. Assign User1 the Network Contributor role for VNet1.
- B. Remove User1 from the Security Reader role for Subscription1. Assign User1 the Contributor role for RG1.
- C. Assign User1 the Owner role for VNet1.
- D. Assign User1 the Network Contributor role for RG1.

Correct Answer: *C*

Community vote distribution

C (100%)

Question #72*Topic 2*

HOTSPOT

–

You have an Azure subscription that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

The groups are configured as shown in the following table.

You have a resource group named RG1 as shown in the following exhibit.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Correct Answer:

Question #73*Topic 2*

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. VNet1 is in a resource group named RG1.

Subscription1 has a user named User1. User1 has the following roles:

• Reader

• Security Admin

• Security Reader

You need to ensure that User1 can assign the Reader role for VNet1 to other users.

What should you do?

- A. Remove User1 from the Security Reader role for Subscript on 1. Assign User1 the Contributor role for RG1.
- B. Assign User1 the Owner role for VNet1.
- C. Remove User1 from the Security Reader and Reader roles for Subscription1. Assign User1 the Contributor role for Subscription 1.
- D. Assign User1 the Contributor role for VNet1.

Correct Answer: *B*

Community vote distribution

B (100%)

Question #74*Topic 2*

Your on-premises network contains a VPN gateway.

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Description
vgw1	Virtual network gateway	Gateway for Site-to-Site VPN to the on-premises network
storage1	Storage account	Standard performance tier
Vnet1	Virtual network	Enabled forced tunneling
VM1	Virtual machine	Connected to Vnet1

You need to ensure that all the traffic from VM1 to storage1 travels across the Microsoft backbone network.

What should you configure?

- A. Azure Application Gateway
- B. private endpoints
- C. a network security group (NSG)
- D. Azure Virtual WAN

Correct Answer: *B*

Community vote distribution

B (98%)

2%

Question #75*Topic 2*

HOTSPOT

–

You have an Azure subscription that contains a user named User1 and the resources shown in the following table.

Name	Type
RG1	Resource group
networkinterface1	Virtual network interface
NSG1	Network security group (NSG)

NSG1 is associated to networkinterface1.

User1 has role assignments for NSG1 as shown in the following table.

Role	Scope
Contributor	This resource
Reader	Subscription (Inherited)
Storage Account Contributor	Resource group (Inherited)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Correct Answer:

Question #76*Topic 2*

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. VNet1 is in a resource group named RG1.

Subscription1 has a user named User1. User1 has the following roles:

· Reader

· Security Admin

· Security Reader

You need to ensure that User1 can assign the Reader role for VNet1 to other users.

What should you do?

- A. Remove User1 from the Security Reader role for Subscription1. Assign User1 the Contributor role for RG1.
- B. Assign User1 the Access Administrator role for VNet1.
- C. Remove User1 from the Security Reader and Reader roles for Subscription1. Assign User1 the Contributor role for Subscription1.
- D. Assign User1 the Network Contributor role for RG1.

Correct Answer: *B*

Community vote distribution

B (100%)

Question #77*Topic 2*

HOTSPOT

–

You have three Azure subscriptions named Sub1, Sub2, and Sub3 that are linked to an Azure AD tenant.

The tenant contains a user named User1, a security group named Group1, and a management group named MG1. User is a member of Group1.

Sub1 and Sub2 are members of MG1. Sub1 contains a resource group named RG1. RG1 contains five Azure functions.

You create the following role assignments for MG1:

• Group1: Reader

• User1: User Access Administrator

You assign User the Virtual Machine Contributor role for Sub1 and Sub2.

Correct Answer:

Question #78*Topic 2*

You have an Azure subscription that contains the resources shown in the following table.

Name	Description
share1	File share in storage1
storage1	Storage account
User1	Azure AD user

You need to assign User1 the Storage File Data SMB Share Contributor role for share1.

What should you do first?

- A. Enable identity-based data access for the file shares in storage1.
- B. Modify the security profile for the file shares in storage1.
- C. Select Default to Azure Active Directory authorization in the Azure portal for storage1.
- D. Configure Access control (IAM) for share1.

Correct Answer: *D*

Community vote distribution

D (52%)

A (46%)

2%

Question #79*Topic 2*

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. VNet1 is in a resource group named RG1.

Subscription1 has a user named User1. User1 has the following roles:

• Reader

• Security Admin

• Security Reader

You need to ensure that User1 can assign the Reader role for VNet1 to other users.

What should you do?

- A. Remove User1 from the Security Reader role for Subscription1. Assign User1 the Contributor role for RG1.
- B. Assign User1 the User Access Administrator role for VNet1.
- C. Remove User1 from the Security Reader and Reader roles for Subscription1.
- D. Assign User1 the Contributor role for VNet1.

Correct Answer: *B*

Community vote distribution

B (100%)

1 2 3 4 5

Free JN0-104 Dump

Free AZ-900 Dump

Trả lời

Email của bạn sẽ không được hiển thị công khai. Các trường bắt buộc được đánh dấu *

Bình luận

Tên *

Email *

Trang web

☐ **Lưu tên của tôi, email, và trang web trong trình duyệt này cho lần bình luận kế tiếp của tôi.**

PHẢN HỒI

Bài viết mới nhất

Mã Khuyến Mãi Temu – Cơ Hội Nhận Ngay ₫1.500.000 Coupon Bundle!

Free 5V0-23.20 Dump

Free 2V0-71.23 Dump

Free 2V0-21.23 Professional VMware vSphere 8.x Dump

Free CISSP Dump

info@itexamviet.com

Những series, chủ đề hay

- Tự học AWS
- Tự học VMware vSphere 7
- Tự học CCNA v7 200-301
- Tự học Linux

Lý do chọn ITexamViet

- Hướng dẫn thi thử trên ITexamViet
- Hướng dẫn mua dump trên ITexamViet
- Hướng dẫn thi chứng chỉ online trên PEARSON VUE
- Lý do chọn ITexamViet

© 2026 ITexamViet

Liên hệ Về chúng tôi Privacy Policy

ITexamViet.com Materials do not contain actual questions and answers from Cisco's Certification Exams. ITexamViet.com doesn't offer Real Microsoft Exam Questions. ITexamViet.com doesn't offer Real Amazon Exam Questions.