

QA Screen Capture Exemption

Add

The testing team has to screenshot defects and pass them on. Under the current policy three captures suspend the account automatically, which has already locked testers out mid-cycle. Named accounts are now exempt: no protection is applied to them and no violation is counted.

The exemption belongs to the account and is held on the server. The app reads it — it never claims it, and never decides it locally.

### 1. What changed in the backend

#### 1.1 New field: `can_capture_screen`

A boolean returned in two places:

- `POST /login` — under `data.user`
- `GET /user/profile` — under `data`

`true` means this account is exempt. `false` means a normal account and protection applies. Returned for student accounts only.

It appears in both places on purpose: login establishes the value, and the profile endpoint refreshes it, so a revoked exemption takes effect without the tester having to sign out.

### 2. What the app has to do

#### 2.1 Read the flag at session start

Take `can_capture_screen` from the login response and keep it with the session state, not per screen. Refresh it from `GET /user/profile` on app resume.

#### 2.2 Apply it before any protected screen is built

When `can_capture_screen` is `true`:

- do not set `FLAG_SECURE` on the Activity window (Android)
- do not register the `ScreenCaptureCallback` (Android 14+)
- do not apply the iOS screenshot or recording blur
- do not post to `/user/security-events`

Timing is the whole point of this requirement. `FLAG_SECURE` is a window flag: once it is set the OS blocks the capture and the app is never asked. Reading the flag after the first protected route is built leaves the window secured and the tester still unable to screenshot.

#### 2.3 Leave normal accounts exactly as they are

When the flag is `false`, behaviour is identical to the current build — protection applied, events reported, warnings shown.

#### 2.4 Keep the watermark in both cases

The watermark is not part of the exemption. A captured screen still has to be traceable to the account that captured it.

#### 2.5 Do not store the flag as a durable setting

Do not write it to long-lived local storage. Each login response replaces it; logout clears it. If it cannot be read for any reason — parse error, offline resume, missing key — treat it as `false`. The app must never fall open.

### 3. Responses

#### Login

```
1 POST /api/login
2
3 {
4   "message": "Login successful",
5   "status_code": 1,
6   "data": {
7     "access_token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ1b290eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ1b290eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9",
8     "token_type": "Bearer",
9     "user": {
10      "id": 13,
11      "full_name": "المؤيد",
12      "phone": "0958953255",
```

Status

IN PROGRESS

Action required

MA

Mohammad AlKhat...

Not scheduled

Assigned to

MA

Mohammad AlKhat...

All fields

#### Time Reports

> Users

MA

AS

```
13     "role": "student",
14     "status": "active",
15     "student_no": "STU-2026-00009",
16     "can_capture_screen": true,
17     "enrollments": [ ... ]
18   }
19 }
20 }
```

Profile

```
1 GET /api/user/profile
2
3 {
4   "message": "Profile fetched successfully.",
5   "status_code": 1,
6   "data": {
7     "id": 9,
8     "student_no": "STU-2026-00009",
9     "name": "المؤيد",
10    "phone": "0958953255",
11    "institution": "معهد منصة بالحكمة الإلكتروني",
12    "academic_path": "الفصل الثاني",
13    "can_capture_screen": true
14  }
15 }
```

Security event

```
1 POST /api/user/security-events
2   event_type  string  "screenshot"
3   content_id  int     optional
4   headers     X-Device-Uuid, X-App-Version
5
6 {
7   "message": "Event recorded.",
8   "status_code": 1,
9   "data": {
10    "event_id": 31,
11    "account_suspended": false,
12    "warning_issued": null,
13    "can_capture_screen": true
14  }
15 }
```

The flag is echoed here so a build that reports anyway can confirm the event was filed without consequence. It is not a substitute for reading the value at session start.

4. Behaviour by account type

| Account        | Protection applied | Event recorded | Counts as violation | Warning | Suspension   |
|----------------|--------------------|----------------|---------------------|---------|--------------|
| Normal student | Yes                | Yes            | Yes                 | Yes     | At threshold |
| Exempt (QA)    | No                 | Yes            | No                  | No      | Never        |

Note the third column. An exempt account still leaves a complete trail; only the penalty is waived.

5. Edge cases

| Situation                           | Expected behaviour                                                                   |
|-------------------------------------|--------------------------------------------------------------------------------------|
| Exemption revoked mid-session       | Applies on the next profile refresh. No forced sign-out.                             |
| Exemption has an expiry that passes | The server returns <code>false</code> from that moment. No date handling in the app. |
| Exempt account on a second device   | The exemption follows the account, not the device. Session rules unchanged.          |
| Old build reports a capture         | Recorded, not counted. No warning, no suspension.                                    |
| Field missing from the response     | Treat as <code>false</code> . Protection is the default.                             |

|                     |                                            |
|---------------------|--------------------------------------------|
| Non-student account | The field is not returned. Not applicable. |
|---------------------|--------------------------------------------|

6. Test data

Exempt on bilhikma.tech , granted until revoked:

| Student | Phone      | Expires | Reason  |
|---------|------------|---------|---------|
| 9       | 0958953255 | Never   | QA team |
| 11      | 0955110022 | Never   | QA team |
| 12      | 0955330044 | Never   | QA team |

Every other student account returns can\_capture\_screen: false and works as the control case.

Show less ↑

Messages

AS

**AlMouayad Shwin** created the task6 days

AS

**AlMouayad Shwin**  
Action required by Mohammad AlKhateeb6 days

MA

**Mohammad AlKhateeb**  
Changed status to **IN PROGRESS**5 days

MA

Action is required by **Mohammad AlKhateeb** (6 days)

Reply / Comment