





E-02

Single-Line Circuit Diagram

2026-09-21

Distribution Board !' RCDs (30mA, max 3–4 circuits each) !' MCBs !' Sockets



Symbol Legend (IEC 60617)



Single socket outlet 16A



MCB (Circuit breaker)



RCD / RCCB (30mA)

IEC 60617 graphical symbols · IEC 60364 installation standard · IEC 60446 wire colours · Each RCD protects max 3–4 circuits · Selectivity: fault trips one RCD, rest stays live

No wiring data available

Socket Summary

Room	Type	Area (m²)	Sockets
Living room	living_room	24	3
Kitchen	kitchen	12	2
Bedroom	bedroom	16	2
Bathroom	bathroom	6	2
Hallway	hallway	6	2
TOTAL			11 sockets

Circuit Allocation

Circuit	Breaker	Cable	Sockets	RCD Group
fixture-circuit	TEST	TEST	11	

Cable Requirements

Cable routing data not available — verify lengths on-site

Standards Compliance

- ' Country standard: LBN 261-23 (Latvia)
- ' Symbolology: IEC 60617 (EN 60617)
- ' Installation: IEC 60364 (HD 60364)
- ' Wire colors: IEC 60446
- ' Drawing format: IEC 61082
- ' Property type: apartment
- ' RCD protection: 30mA Type A on all circuits
- ' Voltage drop limit: "d 3 %
- ' Total circuits: 1
- ' Total sockets: 11

Notes

Verify all measurements and cable lengths on-site before installation.

This plan is AI-generated and must be reviewed by a certified electrician.