


```
In[1]:= (* If degree (highest power) is even then the nature of the polynomial function in
the left and right side of the x will be similar (either both will go up or down)
when x is very large. If degree (highest power) is odd then the nature
of the polynomial function in the left and right side of the x will be
opposite (if one go up the other will go down) when x is very large.*)
```

```
In[2]:= f[x_] := Sum[(-1)^n x^n, {n, 1, 1000}] (* degree=1000 (even) *)
```


```
Plot[f[x], {x, -1, 1}]
```

```
Plot[f[x], {x, -1.5, 1.5}]
```

Out[2]=




Out[3]=




```
In[4]:= f[x_] := 3 x^4 - 1000 x^2;          (* degree=4 (even) *)  
Plot[f[x], {x, -10, 10}]  
Plot[f[x], {x, -25, 25}]  
Plot[f[x], {x, -100, 100}]
```


Out[4]=



Out[5]=



Out[6]=




```


In[7]:= f[x_] := -3 x^4 + 3 x^3 + x;      (* degree=4 (even) *)
Plot[f[x], {x, -1, 1}]
Plot[f[x], {x, -3, 3}]

```

Out[7]=



Out[8]=




```


In[9]:= f[x_] := 6 x^5 + 3980 x^2 + x + 5;  (* degree=5 (odd) *)
Plot[f[x], {x, -5, 5}]
Plot[f[x], {x, -10, 10}]
Plot[f[x], {x, -100, 100}]
Plot[f[x], {x, -1000, 1000}]

```


Out[9]=




Out[10]=






Out[11]=




Out[12]=







```
In[13]:= f[x_] := -6 x^5 + 3980 x^2 + x + 5;      (* degree=5 (odd) *)
Plot[f[x], {x, -5, 5}]
Plot[f[x], {x, -10, 10}]
Plot[f[x], {x, -100, 100}]
Plot[f[x], {x, -1000, 1000}]
```









```
In[17]:= f[x_] := x3 + x2 - 1000 x + 1;      (* degree=3 (odd) *)
Plot[f[x], {x, -5, 5}]
Plot[f[x], {x, -10, 10}]
Plot[f[x], {x, -100, 100}]
Plot[f[x], {x, -1000, 1000}]
```








```
In[21]:= f[x_] := -x10 + x2 - 100 x4 + x9;      (* degree=10 (even) *)
Plot[f[x], {x, -0.01, 0.01}]
Plot[f[x], {x, -0.1, 0.1}]
Plot[f[x], {x, -10, 10}]
Plot[f[x], {x, -100, 100}]
Plot[f[x], {x, -1000, 1000}]
```









```
In[26]:= f[x_] := x3 + x4 - 1000 x + 1;          (* degree=4 (even) *)
Plot[f[x], {x, -0.01, 0.01}]
Plot[f[x], {x, -0.1, 0.1}]
Plot[f[x], {x, -10, 10}]
Plot[f[x], {x, -20, 20}]
Plot[f[x], {x, -100, 100}]
Plot[f[x], {x, -1000, 1000}]
```



Out[28]=



Out[29]=



Out[30]=

