

July 13 Brainstorming

Customer Profile Data

Primary Fields

Atomic Fields which are necessary to know basic details

Ex: Ph no, No. of Accounts, Types of Accounts, Cards and Details, Loan Amount,

Derived Fields



Fields calculated using Atomic/Primary Fields.

Ex:
Foreclosure Amount
→ Total loan Amount - Amount Paid.

Since, calculation of these fields can be complicated and may require complex logic, it is better to wrap these as Tot Calls or Functions.

① Live Tool Calls as per need →

- Define "Tool Calls" corresponding to customers



This setup makes Tool Selection easy as well, since we only look at the subset of Bi-Partite Graph that is available based on the available customer variable.

(Do not have to define a separate per customer graph which is hard to scale)

- These Tool Calls are just functions that are capable of retrieving live customer data.

• If there are limited in no. →

→ We can directly carry such information in the customer content.

→ We keep the customer content collected in a dictionary.

• Trade Offs in implementation

→ If a lot of tool calls possible, then have to resort to "LIVE Tool Calls".


→ If a limited no. of calls then can store and keep the updated data in "DB".

→ If not a lot of inter-field dependent scenarios.

- Move away from a purely structured-output driven architecture to a tool driven architecture.

→ How do we do this? (How to do this using simple LLM calls)

→ How to do this in frameworks like LangGraph.



ADVANTAGES:

→ This makes the initial block scalable beyond the schema and saves on tokens against having a single large output.