

HTML BASICS

1. Understand the basics.html which was already created

Answer:

- basics.html is a simple HTML document that demonstrates the basic structure of a web page.
- It usually contains the <!DOCTYPE html> declaration, <html>, <head>, <title>, and <body> tags.
- The page may also include headings, paragraphs, links, images, and lists to demonstrate HTML elements.

2. Develop your own web page basics.html with all the following html tags

Html, head, title, body, Heading, Paragraph, Italic, Bold, Anchor, Unordered List, List Item, label, Blockquote, Horizontal rule, Image, Division, Span.

Answer:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>HTML Basics</title>
```

```
  <style>
```

```
    body{
```

```
      font-family: Arial;
```

```
      margin:20px;
```

```
    }
```

```
    div{
```

```
      border:2px solid blue;
```

```
      padding:15px;
```

```
      margin-top:20px;
```

```
    }
```

```
    span{
```

```
      color:red;
```

```
      font-weight:bold;
```

```
    }
```

```
    a:hover{
```

```
      color:green;
```

```
    }
```

```
    p::first-letter{
```

```
      font-size:30px;
```

```
      color:blue;
```

```
    }
```

```
  </style>
```

```
</head>
```

```
<body>
```

```
<h1 id="top">HTML Basics Example</h1>
```

```
<p>
```

This is a Bold text and this is <i>Italic</i> text.
</p>

<label>Student Name :</label>
Suman

Go to About Section

<hr>

<h2>Programming Languages</h2>

 Java
 Python
 HTML
 CSS

<blockquote>
"Learning never exhausts the mind."
</blockquote>

<div>

<h2 id="about">About Section</h2>

<p>
This section is inside a div element.
HTML is used to create web pages.
</p>

This is a span element.

Back to Top

</div>

</body>

</html>

3. Navigate within the page to a different section.
Answer:

Use **anchor links** with id.

```
<a href="#contact">Go to Contact</a>
<br><br><br>
<h2 id="contact">Contact Section</h2>
<p>Email : sample@gmail.com</p>
```

When the user clicks **Go to Contact**, the page automatically jumps to the **Contact Section**.

4. Use pseudo classes and elements into your webpage

Answer:

Pseudo Class:

```
a:hover{
    color:red;
}
```

Changes the link color when the mouse pointer is placed over it.

Pseudo Element:

```
p::first-letter{
    font-size:30px;
    color:blue;
}
```

Makes the first letter of every paragraph larger and blue.

Another example:

```
li:first-child{
    color:green;
}
```

Good to know:

Difference between HTML, HTML5, CSS and JAVA Script

Answer:

HTML	HTML5	CSS	JavaScript
Standard markup language for creating web pages	Latest version of HTML with new features	Styles the web page	Adds interactivity to the web page
Defines page structure	Supports audio, video, canvas, local storage	Controls colors, fonts, layout	Handles events, animations and logic
Basic web page structure	More semantic tags like <header>, <footer>, <article>	Presentation layer	Programming language
Static content	Improved multimedia support	Makes pages attractive	Makes pages dynamic

Difference between span and div

Answer:

	<div>
Inline element	Block-level element
Occupies only required width	Occupies full available width
Used for styling small portions of text	Used to group large sections of content
Does not start on a new line	Starts on a new line

Example:

```
<div style="background-color:lightblue;">  
This is a div element.  
</div>
```

```
<span style="color:red;">  
This is a span element.  
</span>
```