

CSS Effects

1. Apply CSS shadow effects like for image box and hover a cursor.

Answer:

```
<!DOCTYPE html>
<html>
<head>

<style>

img{
    width:250px;
    box-shadow:5px 5px 10px gray;
    cursor:pointer;
}

.box{
    width:250px;
    height:120px;
    background:lightblue;
    box-shadow:8px 8px 15px gray;
    padding:20px;
    margin-top:20px;
}

img:hover{
    box-shadow:10px 10px 20px black;
}

</style>

</head>

<body>

<h2>CSS Shadow Effects</h2>



<div class="box">
Box Shadow Example
</div>

</body>
</html>
```

2. Use CSS animations (name,duration,iteration-count & delay) and paginations(Hoverable,with and without spaces).

Answer:

```
<!DOCTYPE html>
<html>
<head>

<style>
```

```
.box{
width:100px;
height:100px;
background:red;
position:relative;

animation-name:move;
animation-duration:4s;
animation-delay:1s;
animation-iteration-count:infinite;
}
```

```
@keyframes move{
```

```
0%{left:0px;}
50%{left:200px;}
100%{left:0px;}
```

```
}
```

```
.pagination a{
```

```
padding:8px 16px;
border:1px solid black;
text-decoration:none;
margin:5px;
```

```
}
```

```
.pagination a:hover{
background-color:lightgreen;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="box"></div>
```

```
<br><br>
```

```
<div class="pagination">
```

```
<a href="#">1</a>
```

```
<a href="#">2</a>
```

```
<a href="#">3</a>
```

```
<a href="#">4</a>
```

```
</div>
```

```
</body>
</html>
```

3. Add positions to CSS block (static, relative, fixed, absolute and sticky).

Answer:

```
<!DOCTYPE html>
<html>
<head>
  <title>Overflow Scroll Example</title>

  <style>
    .box {
      width: 300px;
      height: 120px;
      border: 2px solid black;
      overflow: scroll;
      padding: 10px;
    }
  </style>
</head>

<body>

  <h2>Overflow Scroll Example</h2>

  <div class="box">
    HTML and CSS are used to create attractive and responsive web pages.
    When the content inside a container is larger than its specified
height
    or width, the overflow property controls how the extra content is
    displayed. In this example, the scroll value adds horizontal and
    vertical scroll bars, allowing the user to scroll and view all the
    content inside the box without increasing its size.
  </div>

</body>
</html>
```

5. Adding Opacity to a image

Answer:

```
<!DOCTYPE html>
<html>
<head>

<style>

img{

width:300px;

opacity:0.5;
```

```

}

img:hover{

opacity:1;

}

</style>

</head>

<body>

<h2>Opacity Example</h2>



</body>
</html>

```

Things to know:

1. Understand position properties?

Answer:

Property	Description
static	Default position. The element follows the normal document flow.
relative	Positioned relative to its normal position using top, left, right, or bottom.
absolute	Positioned relative to the nearest positioned ancestor; removed from the normal flow.
fixed	Positioned relative to the browser viewport; remains fixed while scrolling.
sticky	Acts like relative until a scroll threshold is reached, then behaves like fixed.

2. What is a box model?

Answer:

The **CSS Box Model** describes how the size and spacing of every HTML element are calculated.

It consists of four parts:

1. **Content** – The actual text or image inside the element.
2. **Padding** – Space between the content and the border.
3. **Border** – Surrounds the padding and content.
4. **Margin** – Space outside the border that separates the element from others.