

HTML5- Semantic Elements

Reference:

Semantics.html

1. Develop a web page with non-semantic elements <div> and .

Answer:

```
<!DOCTYPE html>
<html>
<head>
  <title>Non-Semantic Elements</title>

  <style>
    .container {
      border: 2px solid blue;
      padding: 20px;
      margin: 20px;
    }

    .highlight {
      color: red;
      font-weight: bold;
    }
  </style>
</head>

<body>

<div class="container">
  <h2>Student Information</h2>
  <p>
    My name is <span class="highlight">Suman</span>.
    I am learning HTML5.
  </p>
</div>

</body>
</html>
```

2. Develop a web page with the semantic elements <form>, <table> and <article>

Answer:

```
<!DOCTYPE html>
<html>
<head>
  <title>Semantic Elements</title>
</head>

<body>

<article>
  <h2>Student Registration</h2>

  <form>
```

```

        Name:
        <input type="text"><br><br>

        Email:
        <input type="email"><br><br>

        <input type="submit" value="Register">

    </form>

</article>

<br>

<table border="1" cellpadding="8">

<tr>
    <th>ID</th>
    <th>Name</th>
    <th>Course</th>
</tr>

<tr>
    <td>101</td>
    <td>Suman</td>
    <td>BCA</td>
</tr>

<tr>
    <td>102</td>
    <td>Rahul</td>
    <td>B.Sc</td>
</tr>

</table>

</body>
</html>

```

3. Use all the HTML5 tags and develop a web page

Tags used:

- header
- nav
- section
- article
- aside
- figure
- figcaption
- mark
- time
- footer

- hgroup

Answer:

```
<!DOCTYPE html>
<html>
<head>
  <title>HTML5 Semantic Tags</title>

  <style>

    body{
      font-family: Arial;
      margin:20px;
    }

    header,nav,section,article,aside,footer{
      border:1px solid gray;
      padding:15px;
      margin:10px;
    }

  </style>
</head>

<body>

<header>

<hgroup>
<h1>HTML5 Semantic Elements</h1>
<h3>Learning Semantic Tags</h3>
</hgroup>

</header>

<nav>

<a href="#">Home</a> |
<a href="#">About</a> |
<a href="#">Contact</a>

</nav>

<section>

<h2>Programming Languages</h2>

<article>

<h3>HTML5</h3>

<p>
```

HTML5 introduces many <mark>semantic elements</mark> that improve webpage structure.

</p>

<p>

Published on:

<time datetime="2026-07-11">11 July 2026</time>

</p>

<figure>

<figcaption>

Figure 1: HTML5 Example Image

</figcaption>

</figure>

</article>

</section>

<aside>

<h3>Note</h3>

<p>

Semantic tags improve accessibility and search engine optimization (SEO).

</p>

</aside>

<footer>

<p>

© 2026 HTML5 Lab Program

</p>

</footer>

</body>

</html>

Good to know:

Difference between span and div

Answer:

	<div>
--------	-------

Inline element	Block-level element
Occupies only the required width	Occupies the full available width
Used for styling small portions of text	Used to group larger sections of a page
Does not start on a new line	Starts on a new line

Example

```
<div style="background-color:lightblue;">
This is a div element.
</div>
```

```
<span style="color:red;">
This is a span element.
</span>
```

Difference between HTML4 and HTML5 for the following tags

Header, menu, content, article and footer

Answer:

HTML4

<header> not available

<menu> had limited support

No <article> tag

No <footer> tag

No semantic content tags

HTML5

<header> introduced to define the page or section header

<menu> is intended to represent a list of commands or menu items

<article> introduced for independent content such as blog posts or news articles

<footer> introduced for footer information of a page or section

HTML5 introduced semantic tags like <section>, <article>, <aside>, <nav>, and <footer> to improve readability, accessibility, and SEO