

sampath@MS-Desktop: /mnt/c/WINDOWS/system32/os/skill

GNU nano 8.7.1

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

#define MAX_HISTORY 10
#define MAX_CMD 100

char history[MAX_HISTORY][MAX_CMD];
int history_count = 0;

void add_history(char *cmd)
{
    if (strlen(cmd) == 0)
        return;

    if (history_count < MAX_HISTORY)
    {
        strcpy(history[history_count], cmd);
        history_count++;
    }
    else
    {
        for (int i = 0; i < MAX_HISTORY - 1; i++)
            strcpy(history[i], history[i + 1]);

        strcpy(history[MAX_HISTORY - 1], cmd);
    }
}

void show_history()
{
    printf("\nCommand History:\n");

    for (int i = 0; i < history_count; i++)
        printf("%d %s\n", i + 1, history[i]);
}

int main()
{
    char command[MAX_CMD];

    printf("Simple Shell History\n");
    printf("Type 'history' to view commands\n");
    printf("Type 'exit' to quit\n\n");

    while (1)
    {
        printf("> ");
```

sampath@MS-Desktop: /mnt/c/WINDOWS/system32/os/skill

GNU nano 8.7.1

```
        strcpy(history[i], history[i + 1]);

        strcpy(history[MAX_HISTORY - 1], cmd);
    }
}

void show_history()
{
    printf("\nCommand History:\n");

    for (int i = 0; i < history_count; i++)
        printf("%d %s\n", i + 1, history[i]);
}

int main()
{
    char command[MAX_CMD];

    printf("Simple Shell History\n");
    printf("Type 'history' to view commands\n");
    printf("Type 'exit' to quit\n\n");

    while (1)
    {
        printf("> ");
        fgets(command, MAX_CMD, stdin);

        command[strcspn(command, "\n")] = '\0';

        if (strcmp(command, "exit") == 0)
            break;

        if (strcmp(command, "history") == 0)
        {
            show_history();
            continue;
        }

        add_history(command);

        printf("Command entered: %s\n", command);
    }

    printf("Shell exited.\n");

    return 0;
}
```

```
PS C:\WINDOWS\system32> wsl
sampath@MS-Desktop:/mnt/c/WINDOWS/system32$ cd os
sampath@MS-Desktop:/mnt/c/WINDOWS/system32/os$ cd skill
sampath@MS-Desktop:/mnt/c/WINDOWS/system32/os/skill$ nano program3.c
sampath@MS-Desktop:/mnt/c/WINDOWS/system32/os/skill$ gcc program3.c -o program3
sampath@MS-Desktop:/mnt/c/WINDOWS/system32/os/skill$ ./program3
Simple Shell History
Type 'history' to view commands
Type 'exit' to quit

> ls
Command entered: ls
> pwd
Command entered: pwd
> gcc test.c
Command entered: gcc test.c
> history

Command History:
1  ls
2  pwd
3  gcc test.c
> exit
Shell exited.
```