

BIONIC ENGINEERS



BIONIC ENGINEERS
TOGETHER TO GET BETTER

BengaluruKarnataka, India

AN

INTERNSHIP REPORT

ON

“Website for Sri Maruthi Pharma”

Bachelor of Engineering IN Computer Science & Engineering

SUBMITTED BY: SAMPATH KUMAR PL
(4VP18CS074)



COLLEGE NAME : Vivekananda college of Engineering and
Technology ,Puttur

(2021)

ABOUT THE COMPANY

Bionic engineer's is a software based company. They are basically the developers who take contract to create websites for companies or organization's. They also provide internships for students based on Web development. In this Students' are taught to create websites and finally they will be given a project based on web development.

TABLE OF CONTENTS

Table of contents	0
-------------------	---

Overview Of The Project	1
About The Project	2
Tools Used.	3
Implementation	4
Snapshots	19
Bibliography	24

OVERVIEW OF THE PROJECT

Project Name: Website For Sri Maruthi Pharma

This project is based on Web Development And its Applications. The main objective of this project is to learn the implementation of HTML, CSS and SQL. The basic webpage of this project is created using HTML and styling of the webpage is done using CSS.

This Website For Sri Maruthi Pharma

Sri Maruthi Pharma in Bangalore is one of the leading businesses in Surgical Equipment Dealers. Also known for Surgical Equipment Dealers, Pharmaceutical Product Distributors, Medical Equipment Dealers, Pharmaceutical Distributors, Surgical Item Dealers, Medicine Distributors, Medical Product Dealers, Generic Medicine Wholesalers and much more.

About the Project

Moving on, this pharmacy management system project in PHP focuses mainly on dealing with their patients regarding their prescriptions and their respective transactions. Also, it displays all the available data such as medicines, staff information, cashier, local and global data, etc. The project is divided into four categories: Admin Login, Manager Login, Pharmacist Login, and Cashier's Login. In an overview of this web app, the admin has full control of the system. Talking about the project, a pharmacist can simply log in to his/her respective account where he/she can view and create prescriptions and medicine stocks. Likewise, the role of a cashier is just for making payments through the system which allows different types of payment methods. At last, the system generates an invoice receipt in PDF format and provides them to the user

TOOLS USED

Software Requirements

- Visual Studio Code 2019.
- Google Chrome or Microsoft Edge of latest version.
- MySQL Application
- Front End: HTML, CSS.
- Back End: SQL,PHP
- Linux 7.1 or Windows XP/7/8/10 OS or Mac OS

Hardware Requirements

- Pentium 200-MHz computer with a minimum of 64 MB of RAM (128 MB of RAM recommended).
- Monitor with a refresh rate of at least 40Hz for a smooth GUI experience (optional).

IMPLEMENTATION

Source Code (PHP):

```
<?php
Session_start();
Error_reporting(0);
Include('includes/config.php');
If(strlen($_SESSION['userlogin'])==0):
Header('location:index.php');

Else:
```

```

?>
<!DOCTYPE html>

<html class="loading" lang="en" data-textdirection="ltr">
<head>
  <title>Contact Form Admin | Dashboard</title>

  <link
href=https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i|Quicksand:300,400,500,700
  Rel="stylesheet">
  <link href=https://maxcdn.icons8.com/fonts/line-awesome/1.1/css/lineawesome.min.css
  Rel="stylesheet">
  <link rel="stylesheet" type="text/css" href="app-assets/css/vendors.css">
  <link rel="stylesheet" type="text/css" href="app-assets/css/app.css"> <link
rel="stylesheet" type="text/css" href="app-
assets/css/core/menu/menutypes/vertical-menu-modern.css">
  <link rel="stylesheet" type="text/css" href="app-
assets/css/core/colors/palettegradient.css">
  <link rel="stylesheet" type="text/css" href="app-
assets/vendors/css/charts/jqueryjvectormap-2.0.3.css">
  <link rel="stylesheet" type="text/css"
href="appassets/vendors/css/charts/morris.css">
  <link rel="stylesheet" type="text/css" href="app-assets/fonts/simple-
lineicons/style.css">
  <link rel="stylesheet" type="text/css" href="app-
assets/css/core/colors/palettegradient.css">
  <link rel="stylesheet" type="text/css" href="assets/css/style.css">
</head>
<body class="vertical-layout vertical-menu-modern 2-columns menu-expanded
fixed-navbar"
Data-open="click" data-menu="vertical-menu-modern" data-col="2-columns"> <!--
fixed-top ⑦
  <?php include_once('includes/header.php');?>
  <!-- ////////////////////////////////////// ⑦

```

```

<?php include_once('includes/leftbar.php');?>
<div class="app-content content">
  <div class="content-wrapper">
    <div class="content-header row">
</div>
    <div class="content-body">
      <!--Revenue, Hit Rate & Deals 7
    <div class="row">
      <div class="col-xl-4 col-lg-6 col-12">
        <div class="card pull-up">
          <div class="card-content">
            <a href="last-sevendays-contacts.php">
              <div class="card-body">
                <div class="media d-flex">
                  <div class="media-body text-left"> <?php
$mysql = "SELECT id from tblcontactdata where date(PostingDate)=CURDATE()";
$query = $dbh -> prepare($mysql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$todaycount=$query->rowCount();
?>
                <h3 class="info"><?php echo htmlentities($todaycount);?></h3>
                  <h6>Todays Contact's</h6>
                </div>
                <div>
                  <i class="icon-user-follow success font-large-2 float-right"></i>
                </div>
              </div>
            <div class="progress progress-sm mt-1 mb-0 box-shadow-2">
              <div class="progress-bar bg-gradient-x-info" role="progressbar"
style="width: 100%"
                Aria-valuenow="80" aria-valuemin="0" aria-valuemax="100"></div>

```

```

        </div>
    </div>
</a>
</div>
</div>
</div>

```

<!--Last Seven Days Complaints - 7

```

<div class="col-xl-4 col-lg-6 col-12">
    <div class="card pull-up">
        <div class="card-content">
            <a href="last-sevendays-contacts.php">
                <div class="card-body">
                    <div class="media d-flex">
                        <div class="media-body text-left">
<?php

$sql = "SELECT id from tblcontactdata where date(PostingDate)>= DATE(NOW())
- INTERVAL 7 DAY";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$last7dayscount=$query->rowCount()
?>

<h3 class="warning"><?php echo htmlentities($last7dayscount);?></h3>
<h6>Last 7 Days Contacts</h6>
        </div>
        <div>
            <i class="icon-user-follow success font-large-2 float-right"></i>
        </div>
    </div>
    <div class="progress progress-sm mt-1 mb-0 box-shadow-2">

```

```

        <div class="progress-bar bg-gradient-x-warning" role="progressbar"
style="width: 100%"
        Aria-valuenow="65" aria-valuemin="0" aria-valuemax="100"></div>
    </div>
</div>
</a>
</div>
</div>
</div>

```

```

<div class="col-xl-4 col-lg-6 col-12">
    <div class="card pull-up">
        <div class="card-content">
            <a href="all-contacts.php">
                <div class="card-body">
                    <div class="media d-flex">
                        <div class="media-body text-left"> <?php
$mysql = "SELECT id from tblcontactdata";
$query = $dbh -> prepare($mysql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$allcount=$query->rowCount();
?>

```

```

<h3 class="success"><?php echo htmlentities($allcount);?></h3>
        <h6>Total Contact's</h6>
    </div>
    <div>
        <i class="icon-user-follow success font-large-2 float-right"></i>
    </div>
</div>
</div>
<div class="progress progress-sm mt-1 mb-0 box-shadow-2">

```

```
<div class="progress-bar bg-gradient-x-success" role="progressbar" style="width: 100%"
```

```
    Aria-valuenow="75" aria-valuemin="0" aria-valuemax="100"></div>
```

```
  </div>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div></div></div>
```

```
<?php include('includes/footer.php');?>
```

```
<!--BEGIN VENDOR JS❷
```

```
<script src="app-assets/vendors/js/vendors.min.js" type="text/javascript"></script>
```

```
<!--BEGIN VENDOR JS❷
```

```
<!--BEGIN PAGE VENDOR JS❷
```

```
<script src="app-assets/vendors/js/charts/chart.min.js" type="text/javascript"></script>
```

```
<script src="app-assets/vendors/js/charts/raphael-min.js"
type="text/javascript"></script> <script src="app-
assets/vendors/js/charts/morris.min.js"
type="text/javascript"></script>
<script src="app-assets/vendors/js/charts/jvector/jquery-jvectormap-2.0.3.min.js"
Type="text/javascript"></script>
```

```
<script src="app-assets/vendors/js/charts/jvector/jquery-jvectormap-world-mill.js"
Type="text/javascript"></script>
<script src="app-assets/data/jvector/visitor-data.js" type="text/javascript"></script>
<!--END PAGE VENDOR JS 7
<!--BEGIN MODERN JS 7
<script src="app-assets/js/core/app-menu.js" type="text/javascript"></script>
<script src="app-assets/js/core/app.js" type="text/javascript"></script>
<script src="app-assets/js/scripts/customizer.js" type="text/javascript"></script>
<!--END MODERN JS 7
<!--BEGIN PAGE LEVEL JS 7
<script src="app-assets/js/scripts/pages/dashboard-sales.js"
type="text/javascript"></script>
<!--END PAGE LEVEL JS 7
</body>
</html>
<?php endif;?>
```

IMPLEMENTATION

Source Code (PHP):

```
Body ,html{
```

```
Width:100%;
```

```
Height: 100%;
```

```
Font-family: 'Montserrat', sans-serif;
```

```
Background: url(bg.jpg) no-repeat center center fixed;
```

```
- webkit-background-size: cover;
```

```
- moz-background-size: cover;
```

```
-o-background-size: cover;
```

```
Background-size: cover;
```

```
Background-color: #9dfaf1;
```

```
}
```

```
.second {  
    Float: left;  
}
```

```
.first {  
    Float: right;  
}
```

```
.second,.first {  
    Background: #bd34d9;  
    Background-image: -webkit-linear-gradient(top, #bd34d9, #b8b12b);  
    Background-image: -moz-linear-gradient(top, #bd34d9, #b8b12b);  
    Background-image: -ms-linear-gradient(top, #bd34d9, #b8b12b);  
    Background-image: -o-linear-gradient(top, #bd34d9, #b8b12b);  
    Background-image: linear-gradient(to bottom, #bd34d9, #b8b12b);  
    -webkit-border-radius: 28;  
    -moz-border-radius: 28;  
    Border-radius: 28px;  
    Font-family: Arial;  
    Color: #ffffff;  
    Font-size: 20px;  
    Padding: 10px 20px 10px 20px;  
    Text-decoration: none;  
}
```

```
.second:hover {  
  Background: #3cfcaf;  
  Background-image: -webkit-linear-gradient(top, #3cfcaf, #d9b034);  
  Background-image: -moz-linear-gradient(top, #3cfcaf, #d9b034);  
  Background-image: -ms-linear-gradient(top, #3cfcaf, #d9b034);  
  Background-image: -o-linear-gradient(top, #3cfcaf, #d9b034);  
  Background-image: linear-gradient(to bottom, #3cfcaf, #d9b034);  
  Text-decoration: none;  
}
```

```
.first:hover {  
  Background: #3cfcaf;  
  Background-image: -webkit-linear-gradient(top, #3cfcaf, #d9b034);  
  Background-image: -moz-linear-gradient(top, #3cfcaf, #d9b034);  
  Background-image: -ms-linear-gradient(top, #3cfcaf, #d9b034);  
  Background-image: -o-linear-gradient(top, #3cfcaf, #d9b034);  
  Background-image: linear-gradient(to bottom, #3cfcaf, #d9b034);  
  Text-decoration: none;  
}
```

```
.main{  
  Text-align: center;  
  Padding-top: 100px;  
  Font-size: 75px;  
  Font-family: 'Josefin Sans', sans-serif;  
}
```

```
.bo{  
  Padding-left: 50px;  
}
```

```
.para{  
  Font-size: 25px;  
  Line-height: 150%;
```

```
    Font-family: 'Lato', sans-serif;
    Padding-left: 25px;
    Padding-right: 25px;
}
```

```
.list{
    Text-align: center;
    Padding-top: 100px;
    Color:red;
}
.item{
    Text-align: center;
    List-style-type: none;
}
```

Implementation

Source code (SQL):

```
-- phpMyAdmin SQL Dump
-- version 5.1.0
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Sep 19, 2021 at 02:52 PM
-- Server version: 10.4.18-MariaDB
-- PHP Version: 8.0.3

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `tic_p2`
--

✓ .....

--
-- Table structure for table `admin`
--
CREATE TABLE `admin` (
  `id` int(11) NOT NULL,
```

```
`name` varchar(255) NOT NULL,  
`username` varchar(255) NOT NULL,  
`password` varchar(255) NOT NULL,  
`phone` varchar(11) NOT NULL,  
`email` varchar(255) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
--  
-- Dumping data for table `admin`  
--
```

```
INSERT INTO `admin` (`id`, `name`, `username`, `password`, `phone`, `email`) VALUES  
(1, 'pawan', 'pawan', 'pawan', '54545454', 'pawan@gmail.com');
```

```
✓ .....  
.....
```

```
--  
-- Table structure for table `tbladmin`  
--
```

```
CREATE TABLE `tbladmin` (  
  `id` int(11) NOT NULL,  
  `Password` varchar(255) NOT NULL,  
  `UpdationDate` time NOT NULL,  
  `UserName` varchar(255) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
✓ .....  
.....
```

```
--  
-- Table structure for table `tbladminremarks`  
--
```

```
CREATE TABLE `tbladminremarks` (  
  `adminRemark` mediumtext NOT NULL,  
  `contactFormId` int(100) NOT NULL,  
  `id` int(11) NOT NULL,
```

```
`remarkDate` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE  
current_timestamp()  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

✓

--
-- Table structure for table `tblcontactdata`

--

```
CREATE TABLE `tblcontactdata` (  
  `EmailId` varchar(255) NOT NULL,  
  `FullName` varchar(255) NOT NULL,  
  `id` int(11) NOT NULL,  
  `Is_Read` int(11) NOT NULL,  
  `Message` mediumtext NOT NULL,  
  `PhoneNumber` varchar(255) NOT NULL,  
  `PostingDate` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE  
current_timestamp(),  
  `UserId` varbinary(150) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

--

-- Dumping data for table `tblcontactdata`

--

```
INSERT INTO `tblcontactdata` (`EmailId`, `FullName`, `id`, `Is_Read`, `Message`, `PhoneNumber`,  
`PostingDate`, `UserId`) VALUES  
( 's@gmail.com', 'sandeep', 28, 0, ' weklhe rwkmtnwelt', '324354', '2021-09-19 11:49:26', ''),  
( 's@gmail.com', 'shravan', 30, 0, 'this is good website', '32564', '2021-09-19 11:51:48', 0x3a3a31),  
( 'kodi@gmail.com', 'kodi', 33, 0, ' this is very good website', '3224654351', '2021-09-19 11:55:36', );
```

--

-- Table structure for table `tblemail`

--

```
CREATE TABLE `tblemail` (  
  `emailId` varchar(255) NOT NULL,  
  `id` int(11) NOT NULL,  
  `UpdationDate` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE  
current_timestamp()  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
--
--
-- Indexes for dumped tables
--

-- Indexes for table `admin`
--
ALTER TABLE `admin`
  ADD PRIMARY KEY (`id`);

--

-- Indexes for table `tbladmin`
--
ALTER TABLE `tbladmin`
  ADD PRIMARY KEY (`id`);

--

-- Indexes for table `tbladminremarks`
--
ALTER TABLE `tbladminremarks`
  ADD PRIMARY KEY (`id`);

--

-- Indexes for table `tblcontactdata`
--
ALTER TABLE `tblcontactdata`
  ADD PRIMARY KEY (`id`);

--

-- Indexes for table `tblemail`
--
ALTER TABLE `tblemail`
  ADD PRIMARY KEY (`id`);

--
-- AUTO_INCREMENT for dumped tables
```

```

--
--

--
-- AUTO_INCREMENT for table `admin`
--
ALTER TABLE `admin`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=2;

--
  AUTO_INCREMENT for table `tbladmin`
--
ALTER TABLE `tbladmin`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `tbladminremarks`
--
ALTER TABLE `tbladminremarks`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `tblcontactdata`
--
ALTER TABLE `tblcontactdata`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=34;



--
-- AUTO_INCREMENT for table `tblemail`
--
ALTER TABLE `tblemail`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;
COMMIT;



/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;



```


IMPLEMENTATION


Snapshots :











Admin


localhost/TIC-Project2/php/pawan/admin/controls.php

Appshttps://www.youtub...GmailfacebookRockstar Games So...photoshackerearthedxCroTorrants - Down...ocean of gamesDashboard | Hacker...SaveFrom.net - Onli...Reading list

Welcome, pawanBack

feedback

| name | email | Message | PhoneNumber | | |
|---------|----------------|---------------------------|-------------|--------|--------|
| sandeep | s@gmail.com | weklhe rwkmtnwelt | 324354 | update | delete |
| shravan | s@gmail.com | this is good website | 32564 | update | delete |
| kodi | kodi@gmail.com | this is very good website | 3224654351 | update | delete |



7655465436

https://play.google.com/store/apps/details?id=com.whatsapp&hl=en_IN&gl=US

tic_p2.sql

Show all

BIBLIOGRAPHY

- <https://www.w3schools.com>
- <https://www.geeksforgeeks.org>
- <https://freefrontend.com>

