

PUBLIC WORKS DEPARTMENT - TENDER FOR STRUCTURAL STEEL WORKS

Tender No: PWD/Steel/2026/042 | Demo document for POLARIS testing

1. STRUCTURAL STEEL: All structural steel sections, plates, angles and beams for fabrication of roof trusses shall conform to IS 2062:2011.

2. BOLTS AND WELDING: High tensile structural bolts shall conform to IS 3757. Metal arc welding shall follow IS 816 code of practice.

3. PIPING: Mild steel tubes for water lines shall conform to IS 1239:2004. Electrically welded steel pipes for the sewage line shall conform to IS 3589 with hydrostatic testing.

4. WIRING: PVC insulated cables for 1100 V supply shall conform to IS 694:2010. Electrical wiring installation shall follow IS 732.

5. CERTIFICATION: Products under mandatory BIS certification must carry a valid ISI mark. Licences shall remain valid through delivery.

6. TESTING: Tensile testing per IS 1608 and chemical analysis shall be witnessed by the Engineer-in-charge. Cable test reports per IS 10810.

(End of page 1 - demo file for POLARIS upload testing)

ANNEXURE A - COMPLIANCE CHECKLIST

A1. Bidders shall quote prices inclusive of all duties and taxes.

A2. Galvanized steel sheets for roofing shall conform to IS 277.

A3. Rigid PVC conduits for electrical wiring shall conform to IS 9537.

A4. Miniature circuit breakers shall conform to IS 8828:2019 with valid CRS registration as applicable to electrical accessories.

A5. LED lamps for site offices shall carry CRS registration per IS 16102 Part 1 safety requirements.

A6. Any reference to a standard includes all amendments published up to the last date of receipt of bids.

(This annexure is part of the demo document for upload testing.)